

1 On the Computational Complexity of the Vertex Cover
2 Problem on Cubic Bridgeless Graphs

3 Kunal Relia*

4 June 28, 2025

5 **Abstract**

6 In this two-part study on the vertex cover problem on cubic bridgeless graphs ($\text{VC} - \text{CBG}$),
7 we discover that: (i) $\text{VC} - \text{CBG}$ is NP -complete and (ii) $\text{VC} - \text{CBG} \in \text{P}$.

*This work was supported in part by Julia Stoyanovich's NSF Grant No. 1916647 (while the author was a student at NYU) and personal savings (that resulted from Julia's grants). It builds upon some ideas presented in [Rel24]. Independent Researcher. Correspondence: kunal.relia91@gmail.com or krelia@nyu.edu.

8 **Contents**

9	1 Introduction	3
10	1.1 Vertex Cover and its Computational Aspects	3
11	1.2 $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$, Lower Bounds, Barriers, and the MVC	4
12	1.3 Some Non-Computational Aspects of Graph Theory	7
13	2 Notation and Preliminaries	10
14	I VC – CBG is NP-complete	11
15	3 Proof of NP-completeness of VC – CBG	12
16	II VC – CBG \in P	19
17	4 Algorithm Overview and Intermediate Results	21
18	4.1 Find a Perfect Matching	22
19	4.2 Populate Represents Table	23
20	4.3 Diminishing Hops	29
21	4.4 Summary	41
22	5 Algorithm	41
23	6 Proof of Correctness	45
24	7 Time Complexity Analysis	49
25	8 Concluding Remarks	53
26	8.1 Additional Remarks	54
27	A Selection of Simple Connected Graphs	59

28 *Note: gemini.google.com and chat.com were used for stylistic purposes when drafting this paper*
29 *(specifically, simplifying at most $-25e^{i\pi}$ sentences we wrote). Grammarly was used for grammar.*

30 1 Introduction

31 The $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question [Coo71, Lev73, Kar72], directly and indirectly, is arguably one of the biggest
32 curiosities in computer science and mathematics. Informally, the question asks if every computa-
33 tional problem whose solution can be *verified* in polynomial time can also be *solved* in polynomial
34 time. Formally, the complexity class \mathbf{P} consists of computational problems whose solution can be
35 computed in time polynomial in the size of input, which is considered “efficient”¹. Alternatively,
36 the problems in \mathbf{P} are a set of all languages that can be decided by a *deterministic* Turing Machine
37 [Tur36, Tur38] in polynomial time. On the other hand, the class \mathbf{NP} consists of computational
38 problems that, when given a candidate solution, we can verify in time polynomial in the size of the
39 input whether the candidate solution is correct or not. Hence, the problems in \mathbf{NP} are a set of
40 all languages that can be decided by a *non-deterministic* Turing Machine in polynomial time (or
41 that can only be verified by a *deterministic* Turing Machine in polynomial time). The question of
42 whether the problems in \mathbf{NP} can be computed efficiently or not forms the basis of $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$.

43 The $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question was formalized due to the Cook-Levin Theorem [Coo71, Lev73]. Since
44 then, it has led to some remarkable work. An early example is by Karp who showed that twenty one
45 computational (combinatorial) problems were, indeed, \mathbf{NP} -complete [Kar72], thus formally further
46 cementing what earlier scientists like Nash (in his 1955 letter to the National Security Agency)
47 and Gödel (in his 1956 letter to von Neumann) already believed [Aar16]. Interestingly, eleven
48 of the twenty-one Karp’s \mathbf{NP} -complete problems are *directly* graph-based problems (and at least
49 one other problem is a graph-based problem indirectly; for example, the Job Sequencing problem
50 may be trivially formulated on a disjunctive graph). Furthermore, among these eleven graph-based
51 problems, one of the extensively studied is the vertex cover problem, the topic of our discussion.

52 1.1 Vertex Cover and its Computational Aspects

53 Given an unweighted undirected graph (specifically, a 2-uniform hypergraph)², the vertex cover of
54 the graph is a set of vertices that includes at least one endpoint of every edge of the graph. Formally,
55 given a graph $G = (V, E)$ consisting of a set of vertices V and a collection E of 2-element subsets of V
56 called edges, the vertex cover of the graph G is a subset of vertices $S \subseteq V$ that includes at least one
57 endpoint of every edge of the graph, i.e., for all $e \in E$, $e \cap S \neq \emptyset$. The corresponding computational
58 problem of finding the minimum-size vertex cover (MVC) is \mathbf{NP} -complete³ (Node Cover, Problem
59 5 in [Kar72]). However, the hardness meant that there is no *known* unconditional deterministic
60 polynomial-time algorithm to solve MVC unless $\mathbf{P} = \mathbf{NP}$. Hence, a rich line of research ensued that
61 improved our general understanding related to the complexity of the MVC problem, especially around
62 its (in)approximability and parameterized complexity.

63 **Approximation Algorithm and Inapproximability:** A natural relaxation to counter the hard-
64 ness of any problem is to find an approximate solution that can be computed efficiently. For the
65 MVC, a trivial 2-approximation algorithm computes a vertex cover of size at most twice the minimum
66 size vertex cover in polynomial time. The algorithm picks an arbitrary edge $e = (u, v) \in E$, adds
67 both the vertices u and v to the vertex cover S , removes all edges connected to either of the two
68 vertices (u and v), and repeats until no edge remains. Additionally, complex techniques like linear
69 programming-based algorithms also obtain an approximation ratio of 2 [ABLT06]. However, it is not
70 known whether an approximation algorithm with a strictly better approximation ratio exists or not.
71 This is among the major open problems within the Theoretical Computer Science (TCS) commu-
72 nity. A path towards understanding this was explored by Håstad who, following the PCP theorem
73 [FGL⁺96, AS98, ALM⁺98, Din07], used a 3-bit PCP to show that it is \mathbf{NP} -hard to approximate MVC
74 within a factor of $1.1667 - \varepsilon$ [Hås01]⁴. Dinur and Safra went beyond this factor to $1.3606 - \varepsilon$ [DS05].

¹The first association between efficiency, polynomial-time computability, and the complexity class \mathbf{P} may be attributed to the Cobham-Edmonds thesis [Cob65, Edm65].

²For the remainder of the paper, a graph refers to an unweighted undirected finite graph. Furthermore, without loss of generality (w.l.o.g.), we assume the graph is simple (no loops and no multiple edges) and connected (Appendix A).

³Strictly speaking, the decision version (VC) of the minimum-size vertex cover problem is \mathbf{NP} -complete whereas the MVC itself (search version) is \mathbf{NP} -hard. See Section 2.1 of [Kho19] for a lucid explanation delineating (a) search and decision problems and (b) NP-hardness and NP-completeness. Until formalized, we use MVC and VC interchangeably.

⁴ ε denotes an arbitrarily small constant such that $\varepsilon > 0$ and the results are meant to hold for every such ε .

75 Khot, Minzer, and Safra further improved the bound to $1.4142 - \varepsilon$ (as an implication of proving
76 the 2-to-2 Games Conjecture) [KMS23]. Independently, assuming Khot’s Unique Games Conjecture
77 (UGC) [Kho02], we know that the MVC problem may be hard to approximate within a factor of $2 - \varepsilon$
78 [KR08], thus matching the bound of the known trivial 2-approximation algorithm. Khot and Regev
79 actually gave a generalization of this result: assuming the UGC, the MVC on k -uniform hypergraphs
80 may be hard to approximate within $k - \varepsilon$ for all integers $k \geq 2$. Without assuming the UGC, the MVC
81 on k -uniform hypergraphs is hard to approximate within $k - 1 - \varepsilon$ for all integers $k \geq 3$ [DGKR03].

82 **Parameterized Complexity:** Another relaxation to overcome the worst-case intractability of the
83 MVC is to assume the size of certain parameters. For instance, if we assume that the size of the vertex
84 cover is small, then there are known algorithms that run in time polynomial in the size of the input
85 (i.e., number of edges and vertices). However, all such results are conditioned on the assumption of
86 the size of one or more parameters, including a new parameter called bridge-depth [BJS22]. Hence,
87 given our aim to provide *unconditional* results, we refer the readers to a comprehensive discussion
88 on the parameterized complexity [DF12] and, in particular, on the fixed-parameter tractability of
89 the MVC [DF95] and on the parameterized complexity of its variants [GNW07].

90 A common denominator across the above-discussed computational aspects of the MVC is the miss-
91 ing (tangible and visible) effort to discover an unconditional deterministic polynomial-time (exact)
92 algorithm. To the best of our knowledge, no recorded work aims to either (i) significantly improve
93 the trivial 2-approximation algorithm unconditionally and deterministically or (ii) tame the expo-
94 nential component of a parameterized algorithm. Additionally, there are no advances in efficiently
95 solving the MVC via parallel computing or under quantum complexity (else the relationship between
96 complexity classes **BQP** (or **EQP**) and **NP** would be known).

97 **Tractability under Restricted Graphs:** The MVC becomes tractable under various restricted
98 scenarios. For example, the MVC is in **P** when the graph is restricted to (i) a tree, (ii) bipartite
99 (Kőnig’s theorem [Kon31]), or (iii) claw-free (because the maximum independent set problem on
100 claw-free graphs is in **P** [Sbi80, Min80]). However, no such study aims to discover an unconditional
101 deterministic polynomial-time (exact) algorithm for an **NP**-complete variant of the MVC.

102 *In summary*, there is neither a study to *significantly* improve the 2-approximation algorithm for
103 the MVC nor a study on an algorithm for a restricted setting of the MVC that is **NP**-complete.
104 Consequently, we shift our discussion to understanding how the research on resolving the $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$
105 question relates to the MVC. This is important especially because all **NP**-complete problems are
106 “equivalent” in a certain technical sense. In particular, we assess if existing research either prohibits
107 or limits the discovery of an algorithm for an **NP**-complete variant of the MVC.
108

109 1.2 $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$, Lower Bounds, Barriers, and the MVC

110 The $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question has arguably attracted unparalleled research in the number of approaches
111 to solving it. On the surface, there are three possible outcomes: (i) $\mathbf{P} = \mathbf{NP}$, (ii) $\mathbf{P} \neq \mathbf{NP}$, or (iii)
112 $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ is unsolvable or undecidable. On zooming in, each outcome, especially the first two, is
113 associated with multiple approaches. The third outcome has not received particular attention.

114 To prove $\mathbf{P} = \mathbf{NP}$ using a constructive proof, we can either (a) discover a polynomial-time
115 algorithm for an **NP**-complete problem or (b) prove that a problem in **P** is **NP**-complete. While
116 the technique used for both approaches may be the same, the problem space being targeted is
117 different. A constructive proof for $\mathbf{P} = \mathbf{NP}$, especially an algorithm with a lower order polynomial
118 time complexity, would fundamentally reshape how we study complexity theory, as not only will
119 all “hard” problems be in **P**, but there will be an algorithm to solve them all! A non-constructive
120 proof for $\mathbf{P} = \mathbf{NP}$ may not have similar major practical consequences. On the other hand, the aim
121 to prove $\mathbf{P} \neq \mathbf{NP}$, which is widely believed to be the case and would imply that the problems in
122 **NP** cannot be computed efficiently, has led to multiple important breakthroughs in how and more
123 importantly, how not to approach a proof for $\mathbf{P} \neq \mathbf{NP}$.

124 **Arguments Against a Proof of $\mathbf{P} \neq \mathbf{NP}$:** There is an amazing breadth and depth of research
125 focused towards proving $\mathbf{P} \neq \mathbf{NP}$. Yet, each major approach, ranging from the earlier logic-based
126 techniques to the most recent Geometric Complexity Theory, has either hit at least one of the
127 barriers in complexity theory or been stagnated. We discuss some of these approaches as arguments
128 against a proof of $\mathbf{P} \neq \mathbf{NP}$ and then provide an overview of its relevance to the MVC.

129 Approaches that Hit a Barrier: We enlist approaches that were negated by one of the three barriers
130 in complexity theory, namely, relativization [BGS75], natural proofs [RR94], or algebrization [AW09].

131 • **Logical Techniques:** Initial research in TCS that aimed at separating the classes \mathbf{P} and \mathbf{NP}
132 used techniques borrowed from logic and computability theory, especially previously successful
133 techniques that were used for separation results. One such strong candidate was the diagno-
134 lization technique. However, Baker, Gill, and Solovay [BGS75] showed that these techniques
135 that relativize cannot be used to solve the $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question. This is because a relativizing
136 proof for $\mathbf{P} \neq \mathbf{NP}$ would mean that there exists another “relativized world” where \mathbf{P} and
137 \mathbf{NP} Turing machines can compute a problem in polynomial time, even in a single time stamp.
138 Hence, there are relativized worlds where $\mathbf{P} = \mathbf{NP}$, and other relativized worlds where $\mathbf{P} \neq$
139 \mathbf{NP} . Therefore, any solution to the $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ problem will require non-relativizing techniques.

140 • **Proof Complexity and Circuit Lower Bounds:** The need for a non-relativizing approach
141 led the researchers to turn to proof complexity and circuit complexity. The proof complexity
142 approach would lead to counterintuitive results such that, with some additional work, one
143 could prove $\mathbf{P} \neq \mathbf{NP}$, and even $\mathbf{NP} \neq \mathbf{coNP}$. This is because the resolution technique
144 (and its enhancements) in proof complexity discuss exponential lower bounds on the sizes of
145 unsatisfiability proofs but not for arbitrary proof systems. Consequently, if one could prove
146 super-polynomial lower bounds for arbitrary proof systems, the above-mentioned counterintu-
147 itive result would hold. Hence, researchers shifted the focus to circuit lower bounds.

148 One of the exciting circuit lower bound approaches was the monotone circuit lower bounds
149 program due to an exponential lower bound for the clique problem⁵ by a then-graduate stu-
150 dent Razborov [Raz85a]. However, this hit a wall when an exponential lower bound for the
151 matching problem⁶ was discovered by Razborov [Raz85b]. Thus, a discussion on monotone
152 circuit lower bounds was actually a discussion on the weakness of monotone circuits and not
153 on the “hardness” of \mathbf{NP} -complete problems.

154 Despite such limitations, the circuit lower bound program continued to be promising. It used a
155 novel but intuitive approach where, in addition to restricting the number of gates (as done with
156 the monotone circuits), the “depth” of the circuits was restricted, i.e., the number of layers of
157 gates between input and output was restricted. Hence, such small-depth circuits, coupled with
158 combinatorial techniques like the polynomial method and random restriction, were examined.
159 However, this entire approach hit a new barrier, namely, the natural proofs barrier [RR94].
160 Specifically, a natural proof would show that the very problems that were proven hard had an
161 efficient algorithm.

162 • **Arithmetization (+ Logic):** Given the existence of the relativization and natural proofs
163 barriers, researchers turned their attention to an approach called arithmetization.

164 Specifically, we know that diagonalization relativizes but circumvents natural proofs. On the
165 other hand, techniques using circuit complexity hit the natural proof barrier. Hence, there was
166 a need to circumvent both of these barriers. This was the reason for the use of arithmetization,
167 a technique that promoted the basic logical gates to polynomials and arithmetic operations.
168 Thus, the technique (i) enabled the use of properties like error-correcting that were not usable
169 for the Boolean case and (ii) also did not relativize. Hence, the mixture of the non-relativizing
170 arithmetization with non-naturalizing diagonalization seemed to be a good approach. However,
171 Aaronson and Wigderson [AW09] showed the existence of a new barrier: algebraic relativization
172 (algebrization). This barrier depicted that *all* known arithmetization-based results that do not
173 relativize, algebrize! Simultaneously, they showed that it is imperative for a technique to *not*
174 algebrize for it to solve a host of basic complexity-related problems (see Section 1.2, second
175 set of bullet points in [AW09] for a list), which meant that a solution to the $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question
176 also needs to be non-algebrizing.

177 The three barriers in complexity theory – relativization, natural proofs, and algebrization – have
178 shown that approaches based on diagonalization (and other logic methods), circuit lower bounds,

⁵Given a graph G , a clique is a subset of vertices $W \subseteq V$ such that all vertices in the subset are adjacent to each other (i.e., the subset forms a complete graph). The corresponding computational problem of finding the maximum size cliques in a graph is the clique problem. The clique problem is \mathbf{NP} -complete.

⁶Given a graph G , matching M is a subset of edges such that no vertex is incident to more than one edge (Definition 7). The corresponding computational problem of finding the maximum size matching is the matching problem. The matching problem is in \mathbf{P} .

179 and arithmetization cannot be used to prove that complexity classes \mathbf{P} and \mathbf{NP} are distinct. Hence,
 180 the very existence of these barriers against a proof for a separation result is a strong argument
 181 against $\mathbf{P} \neq \mathbf{NP}$. Moreover, an unconditional deterministic polynomial-time algorithm for an \mathbf{NP} -
 182 complete problem is not affected by these barriers, and a correct proof will hold without violating
 183 or contradicting any existing theory! This acts as an argument in favor of $\mathbf{P} = \mathbf{NP}$.

184 On the flip side, these barriers also suggest that proving separation between the classes will
 185 require significantly different approaches. A few approaches that circumvent each of these barriers
 186 have been explored but are, to the best of our knowledge, currently stagnated:

187 “Stagnated” Approaches: We now enlist approaches that have made progress but are stagnated.

- 188 • **Ironic Complexity Theory (ICT)**⁷: The term “ironic” in the name is apt - the ICT program
 189 aims to assess whether an efficient algorithm for one problem can be used to show that an
 190 efficient algorithm cannot exist for another problem. Conversely, is it possible that proving
 191 the non-existence of an efficient algorithm for one problem implies that an efficient algorithm
 192 solves another problem? At a high level, the ICT program aims to discover algorithms to
 193 prove lower bounds. However, theoretically, such surprising results depend on collapse(s) in
 194 the Time Hierarchy Theorem. Previous examples of positive results involve understanding, say
 195 time-space complexity tradeoffs [LV99], to discover surprising algorithms and collapses that
 196 do occur to establish new lower bounds! While examples of such amazing results are there,
 197 especially by Williams (e.g., [Wil14]), the common denominator across all approaches is that
 198 it will still require years of work.
- 199 • **Arithmetic Complexity Theory (ACT)**: The ACT program, a generalization of the tradi-
 200 tional Turing Machine and Boolean circuits using Boolean values, uses arithmetic circuits,
 201 which consider computer programs that use some larger field of values, such as real or complex
 202 numbers instead of Boolean. Then, the task here is to find the minimum number of operations
 203 needed to compute some polynomial over the chosen field of values. To that end, the arith-
 204 metic complexity world analog of the $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question is the permanent versus determinant
 205 question for an $n \times n$ matrix⁸. It is known that the determinant is computable in polynomial
 206 time but the permanent is $\#\mathbf{P}$ -complete [Val79b]. This led to a remarkable line of research
 207 on the study of the lower bounds for arithmetic circuits concerning this question. However,
 208 all approaches fell short of resolving the question, mainly the Valiant Conjecture. The reasons
 209 include the absence of a technique that works for permanent but fails for determinant and a
 210 technique that circumvents the arithmetic variant of the natural proof barrier, if there is one.
- 211 • **Geometric Complexity Theory (GCT)**: The GCT program was a once-promising ap-
 212 proach started by Mulmuley [Mul99] and forwarded along with Sohoni [MS01, MS08] and
 213 others⁹. At a high level, it aims to resolve the $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question via a resolution of Valiant’s
 214 algebraic analog, the \mathbf{VP} vs \mathbf{VNP} conjecture [Val79a]. Importantly, GCT had the potential,
 215 in part, because it overcame the three barriers. However, Panova recently discussed that the
 216 study of Kronecker and plethysm coefficients has effectively stagnated the progress of the GCT
 217 program [IP17, BIP19, DIP20]. In particular, for the GCT to progress, asymptotic represen-
 218 tation theoretic multiplicities need to be studied, which can then be used to understand the
 219 computational complexity lower bounds [Pan23]. In summary, the GCT program, as of 2025
 220 and except for the *general* approach of resolving the permanent versus determinant question
 221 (borrowed from previous approaches), has almost stagnated and is not a strong contender to
 222 separate the complexity classes \mathbf{P} and \mathbf{NP} in the near future.

223 The progress on the three promising approaches mentioned above has either stagnated or is a
 224 long shot from a solution. Here, we include a discussion because they overcome the three barriers
 225 in complexity theory and directly relate to our paper’s overall topic.

226 Finally, we acknowledge that none of the six arguments presented above rule out the possibility
 227 of a new approach to proving $\mathbf{P} \neq \mathbf{NP}$ ¹⁰. However, we stress that a constructive proof for $\mathbf{P} =$
 228 \mathbf{NP} would support the present theory – specifically, explain the presence of barriers, the absence of
 229 exponential lower bounds, and the lack of significant progress despite efforts in proving $\mathbf{P} \neq \mathbf{NP}$.

⁷We borrow the use of the term ironic complexity theory from Aaronson’s overview of the topic in Section 6.4 of [Aar16] where he primarily discusses the work of Williams.

⁸The definitions of determinant and the permanent are the standard definitions used for any square $n \times n$ matrix.

⁹We refer the reader to [Mul11] for a formal overview of GCT and to [Mul12] for an informal one.

¹⁰We kindly refer the reader to [Coo03, Wig06, Aar16] for a detailed discussion and progress on solving $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$ question and to [Wig09, For09, Var10, For21] for a relatively non-technical discussion.

230 **Relevance to the MVC:** The research on proving $\mathbf{P} \neq \mathbf{NP}$ is connected to the MVC in two ways:
 231 (i) barriers in complexity theory do not prevent an algorithm for the MVC and (ii) given that all
 232 \mathbf{NP} -complete problems are “equivalent” in a certain technical sense, an exponential (or more gen-
 233 erally, a super-polynomial) lower bound for one of the them (or for any analogous lower bound
 234 programs) would imply that the MVC cannot be solved efficiently. However, no such lower bounds
 235 are known. In the other direction, our proof of $\mathbf{P} = \mathbf{NP}$ wouldn’t be a total disaster for lower
 236 bounds research, too. This is because our result would adhere to the known theories in that it will
 237 provide a polynomial upper bound to the lower bounds instead of the current exponential upper
 238 bound. Also, while there are such indirect implications, none of the studies, to the best of our knowl-
 239 edge, provide insight to *directly* improve our understanding of the vertex cover problem in any way¹¹.

240
 241 *In summary*, given the state of research, we do not have a technical reason (“barrier”) that would
 242 prohibit (“lower bound”) us from having a polynomial-time algorithm to solve an \mathbf{NP} -complete
 243 problem, namely the MVC, let alone the VC – CBG. On the contrary, an algorithm for the VC – CBG
 244 would validate our arguments and explain many current theories in computational complexity liter-
 245 ature! Hence, we now shift our discussion to some non-computational aspects of graph theory with
 246 a focus on the research relevant to vertex covers and, specifically, on research that facilitates the
 247 discovery of an algorithm for an \mathbf{NP} -complete variant of the MVC in Part II of the paper.

248 1.3 Some Non-Computational Aspects of Graph Theory

249 Since Euler (formally) introduced graphs to solve the Königsberg Bridge problem¹² in 1736 [Eul36],
 250 the field of Graph Theory has evolved and found applications in various areas, including computer
 251 science, medicine, and social science. Here, we discuss aspects of graph theory relevant to this paper.

252 **Matching Theory:** A matching M of a graph G is a set of edges such that no two edges in M
 253 share a common vertex. Three variants of matching have been studied extensively. (i) *Maximal*
 254 *Matching:* A matching M is maximal if every edge in graph G has a non-empty intersection with
 255 at least one edge in matching M . (ii) *Maximum Matching:* A matching M is maximum if M is
 256 maximal and the size of M is the largest possible for the given graph. (iii) *Perfect Matching:* A
 257 matching M is perfect if every vertex v of the graph G is incident to an edge of the matching.

258 Existence of a Matching: Each graph has at least one maximal matching and one maximum match-
 259 ing (by definition). However, no such trivial guarantee is known for the existence of a perfect match-
 260 ing in a given graph, except for the trivial observation that no graph with an odd number of vertices
 261 has a perfect matching. Hence, the existence of a perfect matching in a given graph has been studied
 262 extensively. Here, we discuss a few relevant seminal papers on the existence of a perfect matching.

263 One of the first papers on perfect matching was by Petersen, who, in 1891, showed that every
 264 cubic (also called 3-regular or trivalent) bridgeless (also called isthmus-free or having no cutedge
 265 or 2-edge-connected) graph has at least one perfect matching (also called a 1-factor) [Pet91]. A
 266 relaxation to the bridgeless condition is known where every cubic graph with at most 2 bridges
 267 has at least one perfect matching. Next, Hall gave a characterization of the existence of a perfect
 268 matching in bipartite graphs (Hall’s Marriage Theorem) [Hal35]. A generalization of these results is
 269 due to Tutte who characterized arbitrary graphs that do not have a perfect matching [Tut47]. This
 270 is further generalized by the Tutte-Berge formula to include infinite graphs.

¹¹We stress that we are aware of some of the results that shed light on some of the \mathbf{NP} -complete problems. For example, Williams showed that any algorithm for the MVC and other related problems like SAT and independent set need at least $n^{2 \cos(\pi/7)} \approx n^{1.8019}$ time to be solved if they use $n^{o(1)}$ space [BW15, Wil19]. Recently, it was shown that any algorithm using $n^{o(1)}$ space cannot be solved in $n^2 / \log_c(n)$ time for some constant $c > 0$ [Wil25]. However, these results do not improve our understanding of the vertex cover problem per se, especially its graphical properties. Interestingly, the above-stated result can be a meta argument within the ICT argument because the stagnancy of the $2 \cos(\pi/7)$ bound shows that no known technique can improve this number and hence, we have a long way to go before proving $\mathbf{L} \neq \mathbf{NP}$, let alone $\mathbf{PSPACE} \neq \mathbf{P}$ or $\mathbf{P} \neq \mathbf{NP}$.

Nonetheless, we note that the algorithm in Part II adheres to these time-space bounds even when the algorithm is for the restricted case where the graphs are cubic bridgeless graphs. Additionally, we suspect the time complexity for the MVC on graphs may be a higher-order polynomial or have a huge constant. For instance, a preliminary analysis shows that if the time complexity of an algorithm to solve the VC – CBG is $\mathcal{O}(\text{poly}(m, n))$ where $\text{poly}(m, n)$ is some (high order) polynomial in the number of vertices (m) and the number of edges (n), say $m^5 \cdot n^4$, then the time complexity of the algorithm to solve MVC on (i) 4-regular graphs would be $\mathcal{O}(68, 719, 476, 736 \cdot \text{poly}(m, n))$, (ii) 5-regular graphs would be $\mathcal{O}(322, 687, 697, 779 \cdot \text{poly}(m, n))$, (iii) 6-regular graphs would be $\mathcal{O}(3.108710029642957e16 \cdot \text{poly}(m, n))$, and so on. However, we leave this analysis for future work.

¹²The Königsberg Bridge problem was to determine whether it was possible to walk through the city of Königsberg (now Kaliningrad, Russia), crossing each of its seven bridges exactly once. Euler proved it is impossible to do so.

271 Finding a Matching: The existence of maximum matching in every graph and the research on
272 the existence of perfect matching in a given graph resulted in two research foci: (i) counting the
273 number of matchings in a graph and (ii) attempts to find a matching, especially efficiently. For
274 instance, for cubic bridgeless graphs, it was conjectured [LP09] (Conjecture 8.1.8) that there are
275 exponentially many perfect matchings in every cubic bridgeless graph. This was proven [EKK⁺11]
276 through a series of incremental results that (a) gradually improved the lower bound for the general
277 case [EPL82, KSS09, EŠŠ⁺10, EK⁺12] and (b) proved the exponential bound for special graphs
278 [Voo79, Oum09, CS12]. Next, we discuss the research on *finding* a matching. In particular, in the
279 context of this paper, we discuss Berge’s Theorem [Ber57], which is at the heart of the Blossom
280 Algorithm [Edm65] that finds a maximum matching in a graph.

281 Berge’s Theorem, stated in 1957, relies on the concepts of alternating paths and augmenting
282 paths in a graph G with respect to (w.r.t.) a given matching M . An alternating path in a graph
283 is a path (i) that starts from a vertex v that is not incident to any edge in M and (ii) whose
284 edges alternate between not being in M and being in M (or being in M and not being in M). An
285 augmenting path is an alternating path starting and ending on two distinct vertices that are not
286 incident to any edge in M . An augmenting path consists of an odd number of edges because the
287 number of edges in an augmenting path that is not in M is one more than the number of edges in
288 M . Using these concepts, Berge proved that given a matching M , M is a maximum matching if and
289 only if there is no augmenting path in the graph G w.r.t. matching M . Consequently, given any
290 matching M , one can find a maximum matching by using augmenting paths [Edm65].

291 Overall, we discussed some non-computational aspects of matching theory. We focused on un-
292 derstanding the existence of perfect matchings (particularly, Petersen’s Theorem) and on theories to
293 count and find matchings (particularly, Berge’s Theorem towards finding the maximum matching).

294 **Graph Theory and Vertex Cover:** We now assess the relation between the aforementioned
295 topics in graph theory and vertex cover. Specifically, we understand the relation between the maxi-
296 mum matching and the minimum vertex cover and explore our known understanding of the vertex
297 cover on cubic bridgeless graphs.

298 Matching and Vertex Cover: Matching of a graph and the vertex cover of a graph are closely re-
299 lated. Just like maximum matching, a minimum vertex cover always exists (by definition). Addi-
300 tionally, given an arbitrary graph, the size of the minimum vertex cover is at least the size of the
301 maximum matching. In case of the existence of a perfect matching, the size of the minimum vertex
302 cover is at least $\frac{m}{2}$. If the graph is bipartite, then the size of the maximum matching is equal to
303 the size of the minimum vertex cover (Konig’s Theorem [Kon31]). However, despite such numeri-
304 cal relations between maximum matching and minimum vertex cover, there is no known structural
305 relation between the two¹³. Moreover, like Berge’s Theorem is to maximum matching, there is no
306 such analog to the minimum vertex cover.

307 Cubic Bridgeless Graphs and Vertex Cover: Regular graphs have been extensively studied from
308 computational (e.g., [AKS11, Fei03]) and non-computational (e.g., see page 585 of [Wes01] for a list
309 of mentions of the words regular, 3-regular, and k -regular) perspectives. More specifically, for the
310 non-computational aspects, regular graphs and particularly 3-regular graphs have been well-studied
311 in the matching theory. Importantly, starting with Petersen’s paper [Pet91], cubic *bridgeless* graphs
312 have been a focus. However, no such study of vertex cover on cubic bridgeless graphs exists. Con-
313 sequently, no computational papers focus on the MVC on cubic bridgeless graphs.

314
315 *In summary*, we focused our discussion on the existence of matchings in graphs (especially perfect
316 matching in a cubic bridgeless graph) and the theories that help us count the number of matchings
317 and the (non-computational, graph-theoretic) results that are used to find a matching (especially
318 Berge’s Theorem for finding a maximum matching)¹⁴. Next, in the context of vertex cover, we
319 observed that the otherwise well studied cubic bridgeless graphs are not studied for the vertex cover.
320 Additionally, there is no analog of Berge’s Theorem for the minimum vertex cover problem. Hence,
321 in this paper, we focus on understanding the non-computational aspects of the minimum vertex cover
322 in cubic bridgeless graphs. In turn, we study the complexity of the corresponding computational
323 problem of finding the minimum vertex cover in cubic bridgeless graphs.

¹³By structural relation, we mean the possibility of some relation between the pairs of endpoints of the edges in perfect matching (or maximum matching) and the vertices in minimum vertex cover.

¹⁴For a curious reader, we refer them to some textbooks that discuss the amazing work done in graph theory ([BLW86, Gib85, BM08, Wes01, LP09]).

324 **Section Summary:** We summarize the key observations:

- 325 • **Vertex Cover:** There is an extremely exciting line of work to understand the computational
326 complexity of the minimum vertex cover problem (MVC), especially around its (in)approximability.
327 However, no work aims to either find an algorithm for an **NP**-complete variant of the MVC or
328 aims to *significantly* reduce the factor 2 approximation successfully. (Also, given that we dive
329 deep into the differences between the variants of the MVC, we omitted the discussion on the
330 research progress of every other **NP**-complete problem as it is beyond the scope of this paper,
331 even when all **NP**-complete problems are “equivalent” in a certain technical sense¹⁵.)
- 332 • **$\mathbf{P} \stackrel{?}{=} \mathbf{NP}$:** The rich breadth and depth of research surrounding an answer for the $\mathbf{P} \stackrel{?}{=} \mathbf{NP}$
333 question has resulted in (i) three barriers in complexity theory that do not allow easy separation
334 of complexity classes **P** and **NP**. Rather, a (constructive) proof for $\mathbf{P} = \mathbf{NP}$ may explain
335 the existence of these barriers! (ii) The programs that explore the lower bounds and that also
336 overcome the barriers do not prohibit a polynomial-time for the MVC, let alone for the restricted
337 case of the MVC on cubic bridgeless graphs.
- 338 • **Matching and Cubic Bridgeless Graphs:** We studied some of the amazing non-computational
339 aspects of graph theory. Specifically, we learned that: (i) Every cubic bridgeless graph has
340 a perfect matching. (ii) Berge’s Theorem proves that a matching is maximum if and only if
341 there is no augmenting path w.r.t. the given matching. There is no analog of Berge’s Theorem
342 for the MVC. (iii) The vertex cover problem on cubic bridgeless graphs has not been studied.

343 These observations are essential for our paper, especially for the algorithm in Part II. We partic-
344 ularly stress the importance of the following three results for our subsequent discussion: Petersen’s
345 Theorem in [Pet91], Berge’s Theorem in [Ber57], and the Blossom Algorithm [Edm65]. We also
346 assume a basic familiarity with standard algorithmic techniques. Finally, we make the following
347 contribution using these observations:

348 **Contribution:** In this study on the vertex cover problem on cubic bridgeless graphs ($\mathbf{VC} - \mathbf{CBG}$),
349 we prove that (i) $\mathbf{VC} - \mathbf{CBG}$ is **NP**-complete (Theorem 1) and (ii) $\mathbf{VC} - \mathbf{CBG} \in \mathbf{P}$ (Theorem 2).

350 More specifically, we work on an understudied problem, the vertex cover problem on cubic
351 bridgeless graphs ($\mathbf{VC} - \mathbf{CBG}$). In Part I, we show that $\mathbf{VC} - \mathbf{CBG}$ is **NP**-complete by reducing from
352 a known **NP**-complete problem, namely, the vertex cover problem on cubic graphs [GJS74, GJ02].
353 Next, in Part II, we present the core contribution of the paper: an unconditional deterministic
354 polynomial-time algorithm for the $\mathbf{VC} - \mathbf{CBG}$, which is spread over three phases. Phase I leverages
355 the knowledge of the existence of a perfect matching in every cubic bridgeless graph [Pet91] to find
356 a perfect matching for the given graph using the Blossom algorithm [Edm65]. Phase II uses the
357 perfect matching and a breadth-first search tree to create an augmented version of the (vanilla)
358 2-approximation algorithm for the vertex cover problem. This augmented algorithm populates a
359 novel data structure called the “represents table”, which stores the information of each endpoint
360 picked by the augmented algorithm and the neighbors of each endpoint. Phase III introduces a novel
361 technique called the “diminishing hops”. The use of a diminishing hop to find a minimum vertex
362 cover is analogous to the use of an augmenting path to find a maximum matching [Ber57]. The
363 amalgamation of these three phases results in an algorithm for the $\mathbf{VC} - \mathbf{CBG}$. As mentioned earlier,
364 our work conforms to the existing theories in computational complexity literature and provides
365 a rationale for the existence of the known barriers in complexity theory. Additionally, our work
366 provides a constructive algorithm for $\mathbf{VC} - \mathbf{CBG}$ by focusing on improving the understanding of the
367 graph theory-related aspects of $\mathbf{VC} - \mathbf{CBG}$.

368 **Organization:** In Section 2, we fix the notation used and define the computational problems
369 being worked on. In Part I, we prove $\mathbf{VC} - \mathbf{CBG}$ is **NP**-complete by showing that $\mathbf{VC} - \mathbf{CBG} \in \mathbf{NP}$
370 and subsequently showing that $\mathbf{VC} - \mathbf{CBG}$ is **NP**-hard by providing a polynomial-time reduction from
371 a known **NP**-hard problem. In Part II, we present an unconditional deterministic polynomial-time
372 algorithm for the $\mathbf{VC} - \mathbf{CBG}$, which implies $\mathbf{VC} - \mathbf{CBG} \in \mathbf{P}$. Each part begins with a brief introduction,
373 a theorem statement, and an overview of its sections.

¹⁵Given the massive problem space of **NP**-complete problems, we acknowledge the possibility that our work may bear similarities to, say, some random, seemingly unrelated **NP**-complete problem’s approximation algorithm or its hardness of approximation or an algorithm for its restricted case. However, to the best of our knowledge, no such known similarity exists.

2 Notation and Preliminaries

We kindly refer the reader to standard texts in theoretical computer science (TCS) for the definitions of complexity classes \mathbf{P} and \mathbf{NP} and other definitions in complexity theory such as polynomial-time reductions and \mathbf{NP} -completeness. For example, for a lucid overview, please refer to Sections 2.1 and 2.2 in [Kho19], which is an interesting paper discussing foundational work leading to the proof of the 2-to-2 Games Theory. For comprehensive definitions and discussion, please refer to a handbook of TCS [VL91] or to some of the standard TCS textbooks [KT06, GJ02, CLRS22]. We treat these standard definitions as done in the literature. Additionally, our algorithm treats a graph as a set of vertices and a set of edges. Hence, throughout the paper, we perform standard set operations on a given graph. Therefore, graph operations implicitly follow all standard set theory laws (e.g., associative, commutative, etc.). See Appendix B of [CLRS22] for details on set operations and laws. We now define the computational problems related to finding the vertex cover of a given graph. First, we define the search/optimization problem:

Definition 1 (Minimum Vertex Cover Problem (MVC)). *Given a graph G , what is the smallest non-negative integer k such that the graph G has a vertex cover S of size k ?*

Next, we restate the above as a decision problem and formalize the difference between the search version and the decision version of the computational problem:

Definition 2 (Vertex Cover Problem (VC)). *Given a graph G and a non-negative integer k , does the graph G have a vertex cover S of size at most k ?*

Unless stated otherwise, we henceforth discuss solving VC (i.e., the *decision* version of the vertex cover problem as stated in Definition 2), which is \mathbf{NP} -complete. Next, to define the computational problems corresponding to the variants of VC we use in the paper, we first define the graphs that will be used.

Definition 3 (Cubic Graphs). *A cubic graph, also called a 3-regular graph or a trivalent graph, refers to a graph in which each vertex has a degree of three.*

Definition 4 (Bridgeless Graphs). *A bridgeless graph, also known as a 2-edge-connected graph or an isthmus-free graph or a graph with no cutedge, is a graph that does not contain an edge, called a bridge¹⁶, whose deletion increases the number of connected components in the graph.*

Consequently, a cubic bridgeless graph is a graph in which each vertex has a degree of three and there are no bridges. Henceforth, graphs refer to arbitrary graphs. We specifically use the terms cubic and bridgeless when necessary. Finally, we define the computational problems that use cubic and bridgeless graphs, which is the focus of this paper.

Definition 5 (Vertex Cover Problem on Cubic Graphs (VC – CG)). *Given a cubic graph G and a non-negative integer k , does the cubic graph G have a vertex cover S of size at most k ?*

Definition 6 (Vertex Cover Problem on Cubic Bridgeless Graphs (VC – CBG)). *Given a cubic bridgeless graph G and a non-negative integer k , does the cubic bridgeless graph G have a vertex cover S of size at most k ?*

While VC – CG is known to be \mathbf{NP} -complete [GJS74], the complexity of the VC – CBG is not known. Finally, please note that we define other terminology used in this paper in situ.

What is an unconditional deterministic polynomial-time algorithm? Throughout the paper, an algorithm refers to an *exact* algorithm unless noted otherwise. An unconditional algorithm does not depend on any assumptions. A deterministic algorithm always produces the same output for a given input. Finally, the number of operations of a polynomial-time algorithm is upper bounded by a polynomial in the size of the input (denoted by $\mathcal{O}()$). An example of an unconditional deterministic polynomial-time algorithm is the AKS primality test algorithm that takes polynomial time in the size of the input (number of bits to represent a number ($\log n$)) to deterministically compute whether a given number is prime or not without relying on any hypothesis/conjecture [AKS04].

¹⁶In other words, an edge is a bridge if and only if it is not contained in any cycle.

421 **Part I**

422 **VC – CBG is NP-complete**

423 In this part, we establish the **NP**-completeness of the vertex cover problem on cubic bridgeless graphs
 424 (**VC – CBG**) by reducing from a known **NP**-complete problem, namely, the vertex cover problem on
 425 cubic graphs (**VC – CG**).

426 The vertex cover problem on cubic graphs is trivially known to be **NP**-complete because the
 427 vertex cover problem on graphs with vertex degree at most three is **NP**-complete [GJS74] (GJS74
 428 calls vertex cover as node cover). However, the hardness of the **VC** on cubic bridgeless graphs does
 429 not follow the hardness of the **VC** on cubic graphs. This is because the stipulation that the graph is
 430 bridgeless introduces a restriction to the family of cubic graphs being considered. Such structural
 431 restrictions are known to make the **VC** problem tractable. For example, the **VC** on claw-free graphs¹⁷
 432 is in **P** as a consequence of the maximum independent set problem on claw-free graphs being in
 433 **P** [Sbi80, Min80] (we refer the reader to a survey on claw-free graphs for more details [FFR97]).
 434 Hence, restricting the cubic graphs to being bridgeless requires us to establish its computational
 435 complexity. Furthermore, the reduction used to prove the hardness of the **VC** on graphs with vertex
 436 degree at most three in Theorem 2.4¹⁸ in [GJS74] does not necessarily consist of a bridgeless graph.
 437 Thus, its reduction cannot be used to establish the hardness of the **VC** on cubic bridgeless graphs.

438 In summary, we need to establish the hardness of the **VC** on cubic bridgeless graphs because (i)
 439 the stipulation of graphs being bridgeless introduces a restriction to the family of cubic graphs being
 440 considered and such restrictions may make the problem tractable and (ii) the reduction used to prove
 441 the hardness of the **VC** on graphs with vertex degree at most three consists of bridges. Therefore,
 442 we prove the following theorem in Part I:

443 **Theorem 1.** *The vertex cover problem on cubic bridgeless graphs (**VC – CBG**) is **NP**-complete.*

444 **Part I Contribution and Organization:** We show that **VC – CBG** is **NP**-complete (Section 3).

445 3 Proof of **NP**-completeness of **VC – CBG**

446 For consistency, we restate the theorem we prove:

447 **Theorem (1 restated).** *The vertex cover problem on cubic bridgeless graphs (**VC – CBG**) is **NP**-*
 448 *complete.*

449 *Proof.* The proof consists of two parts: (i) we show **VC – CBG** \in **NP** and (ii) we show **VC – CBG** is
 450 **NP**-hard by giving a polynomial time reduction from an instance of a known **NP**-hard problem,
 451 namely, the vertex cover problem on cubic graphs (**VC – CG**), to an instance of the vertex cover
 452 problem on cubic bridgeless graphs (**VC – CBG**). The latter is denoted by $\text{VC – CG} \leq_P \text{VC – CBG}$.

453 **VC – CBG** \in **NP**: Given a cubic bridgeless graph $G = (V, E)$, a candidate solution consisting of
 454 a set of vertices $S \subseteq V$, and a non-negative integer k , we can verify in polynomial time whether
 455 vertices in candidate solution S form a vertex cover of size at most k or not.

456 **VC – CG** \leq_P **VC – CBG**: We reduce an instance of the vertex cover problem on cubic graphs (**VC – CG**)
 457 to an instance of the vertex cover problem on cubic bridgeless graphs (**VC – CBG**).

458 **A. Construction.** Given an instance of **VC – CG** consisting of graph $G = (V, E)$, we reduce it to
 459 an instance of **VC – CBG** consisting of graph $G' = (V', E')$ as follows:

460 **Vertices:** We have one vertex $x_i \in X$ for each vertex $v_i \in V$ and $6m + 10n$ dummy vertices $d \in D$
 461 where m corresponds to the number of vertices in the graph G and n corresponds to the number of
 462 edges in the graph G . Specifically, we divide the dummy vertices into two types of blocks:

- 463 • Block type B_1 consists of n blocks and each block consists of ten vertices, namely, vertex
 464 $i \in B_1, \forall i \in [0, 9]$.
- 465 • Block type B_2 consists of m blocks and each block consists of six vertices. Specifically, for
 466 each vertex $u \in G$, we have vertices $\{u', u'', u'_1, u'_2, u''_1, u''_2\} \in B_2$.

¹⁷A claw in a graph is a complete bipartite subgraph $K_{1,3}$. A claw-free graph is a graph that does not have a claw as an induced subgraph.

¹⁸Theorem 2.4 is Theorem 2.6 when referring to the journal version of the paper in Theoretical Computer Science, Volume 1, Issue 3, February 1976, Pages 237-267.

467 Hence, there are $10 \cdot n$ dummy vertices in blocks of type B_1 and $6 \cdot m$ dummy vertices in blocks of
 468 type B_2 . Thus, $|D| = 10n + 6m$. Overall, we set $X = \{x_1, \dots, x_m\}$ and the dummy vertex set $D =$
 469 $\{d_1, \dots, d_{6m+10n}\}$. Hence, the vertex set $V' = X \cup D$ is of size $|V'| = |X| + |D| = (m) + (6m + 10n) =$
 470 $7m + 10n$ vertices.

471 **Vertex Cover Size:** We set the target vertex cover size to be $k + 3m + 6n$.

472 **Edges:** Recall that (i) the target instance should form a cubic bridgeless graph and (ii) w.l.o.g.,
 473 we have assumed the graphs being considered are simple connected, which means the given instance
 474 of $\text{VC} - \text{CG}$ contains no loops, no multiple edges, and no unconnected components¹⁹. Therefore, to
 475 get a bridgeless graph, we replace each edge $e = (u, v) \in E$ in graph G to ensure no bridges remain.
 476 To do so, we first create a list L consisting of each edge and its endpoints $e = (u, v) \in E$. Next,
 477 consider a snapshot of the graph G depicting an arbitrary edge $e \in E$ connecting vertices u and v in
 478 the given instance of $\text{VC} - \text{CG}$. The endpoints u and v are connected to the vertices $\{a, b, c, d\} \in V$,
 479 which are further connected to other vertices not depicted here or among themselves or both. We
 480 are given a cubic graph, hence each snapshot centered on edge e looks as follows:




Figure 1: A snapshot of an instance of $\text{VC} - \text{CG}$ centered on an edge $e \in E$.

481 Next, for each edge $e = (u, v) \in L$ connecting vertices u and v in graph G of the instance of
 482 $\text{VC} - \text{CG}$, we perform the following “atomic” operations²⁰ where we (i) split the edge e by connecting
 483 it to a subgraph and (ii) split each endpoint u and v into three vertices each, as discussed below.
 484 This ensures that the graph remains cubic while becoming bridgeless²¹.

- 485 • **Splitting an Edge e :** The edge e connecting the vertices u and v in an instance of $\text{VC} - \text{CG}$ is
 486 split and connected via a subgraph consisting of dummy vertices from Block type B_1 (yellow
 487 vertices) as depicted below:




Figure 2: Splitting the edge e from the instance of $\text{VC} - \text{CG}$ by inserting a subgraph of dummy vertices from Block type B_1 in the instance of $\text{VC} - \text{CBG}$. Each dashed line denotes the existence of an edge.

¹⁹W.l.o.g., we assumed that we use simple connected graphs. This assumption is rather trivial. If one aims to overcome it, we can first prove that the VC on cubic simple graphs is NP -complete, which can then be used to prove that $\text{VC} - \text{CBG}$ is NP -complete. The former can be proved easily by removing each multiple edge and each loop and adding an edge that is connected to a subgraph of five dummy vertices such that the graph remains cubic.

²⁰Here, the term “atomic” operation is used from a mathematical perspective where it refers to an operation that cannot be simplified or further broken down (in the context of this paper) and not from a computer science perspective used in the context of concurrent programming.

²¹In principle, a reduction to prove the same result can be constructed such that this exercise of splitting an edge and endpoints is done only for edges that are bridges. However, it entails (i) complications caused by the introduction of a variable, say λ , that counts the number of bridges in the given instance of graph G and (ii) needing a complex proof that covers all cases of an edge being surrounded by r bridges where r is an integer between 0 and 4 (both inclusive) and in turn there being 5 cases encompassing $\binom{4}{r}$ possibilities about which of the four edge is a bridge. Therefore, we construct the discussed generalized reduction instance, which handles each edge, to simplify the proof.

488
489
490

- **Splitting Endpoints of Edge e :** Each endpoint u and v that is connected by the edge e in an instance of $VC - CG$ is split into three vertices each. We use dummy vertices from Block type B_2 (red vertices) and subsequently connect them as shown below:



Figure 3: Splitting endpoints u and v into three vertices each in $VC - CBG$. The two dashed lines in the snapshot denote the existence of a Block Type B_1 subgraph depicted in Figure 2.

491
492

- **Updating the List L of Edges:** Remove the edge e connecting the endpoints u and v from the list L . Next, update the following edges in the list L :

493
494
495
496
497
498
499
500
501
502
503
504

- edge connecting endpoints a and u is replaced by an edge connecting endpoints a and u' where the endpoint u' is the newly created vertex from Block type B_2 , which was created by splitting the endpoint u
- edge connecting endpoints b and u is replaced by an edge connecting endpoints b and u'' where the endpoint u'' is the newly created vertex from Block type B_2 , which was created by splitting the endpoint u
- edge connecting endpoints c and v is replaced by an edge connecting endpoints c and v' where the endpoint v' is the newly created vertex from Block type B_2 , which was created by splitting the endpoint v
- edge connecting endpoints d and v is replaced by an edge connecting endpoints d and v'' where the endpoint v'' is the newly created vertex from Block type B_2 , which was created by splitting the endpoint v

505
506

The list L is updated after every split of edge e and the split of the corresponding endpoints that connect the edge e .

507
508
509
510
511

The above-discussed construction operations are “atomic” in that each edge e in the list L is split following the same procedure discussed above, and both its endpoints, independent of whether they are dummy vertices or not, are split following the same procedure discussed above. Each “atomic” operation transforms the given snapshot of $VC - CG$ (Figure 1) into the following snapshot of the (sub-)graph of $VC - CBG$:




Figure 4: A snapshot of an instance of $VC - CBG$ corresponding to the snapshot of $VC - CG$ (Figure 1).

Finally, it remains to be discussed how a series of n “atomic” operations, one for each edge in the instance of $VC - CG$, leads to the complete construction of an instance of $VC - CBG$. This implies that a total of n edges are split. We also discuss the need for $10n + 6m$ dummy vertices. Next, we show that there is no edge in the constructed instance of $VC - CBG$ that is not a part of at least one cycle. In turn, it implies the constructed instance of $VC - CBG$ is bridgeless (and, of course, cubic):

- **Number of “Atomic” Operations is n :** The list L starts with n edges corresponding to the n edges in the instance of $VC - CG$. Subsequently, after each “atomic” operation, the split edge is removed from the list L . Hence, n “atomic” operations are carried out.
- **Number of Dummy Vertices in Block Type B_1 is $10n$:** This is trivial because when an edge is split, the split edge is replaced by a graph consisting of 10 vertices (Figure 2). There are n edge split operations, which result in $10n$ dummy vertices in Block type B_1 .
- **Number of Dummy Vertices in Block Type B_2 is $6m$:** Each vertex has a degree of three. Hence, the operation of splitting of an endpoint occurs three times for each vertex. More specifically:
 - Initially, each endpoint u is connected to three edges that will be split.
 - Next, when the endpoint u is split (for the first time), the vertex u gets connected to two dummy vertices u' and u'' (Figure 3). By design, the vertex u is now *not* connected to any edge that will be split because (i) one of the edges it was connected to got split and (ii) each of the remaining two edges that need to be split are now connected to the dummy vertices u' and u'' , respectively.
 - The dummy vertex u' is connected to one edge that needs to be split. Hence, when that edge is split, the endpoint u' is split, and in turn, it is connected to two dummy vertices u'_1 and u'_2 . By design, the dummy vertex u' is now not connected to any edge that will be split. Simultaneously, the two dummy vertices u'_1 and u'_2 are also not connected to any edge that will be split.
 - The dummy vertex u'' is also connected to one edge that needs to be split. Hence, when the edge is split, vertex u'' is split and connected to two dummy vertices u''_1 and u''_2 , in line with what was done for dummy vertex u' .
 - Overall, each vertex u is split into 6 dummy vertices $\{u', u'', u'_1, u'_2, u''_1, u''_2\}$. There are m vertices in total, which results in $6m$ dummy vertices.
- **Each Edge in the Constructed Instance of $VC - CBG$ is a Part of At Least One Cycle:** During an “atomic” operation, when the two endpoints of an edge is split (Figure 3), the resultant dummy vertices are connected such that (i) they form a cycle and (ii) they form a boundary around (a) the endpoints that were split and (b) the 10 dummy vertices from Block type B_1 that were inserted to split the edge. The combination of points (i) and (ii) ensures that the edges connecting the endpoints that were split and the edges connecting the 10 dummy vertices from Block type B_1 are also part of a cycle. Thus, an “atomic” operation guarantees that each new edge is part of a cycle. Consequently, after n “atomic” operations, each edge will be part of at least one cycle. The reason for this is mainly that there’s at least one edge that belongs to the boundary resulting from one “atomic” operation and also to the boundary resulting from another. This fact can be interpreted in two ways: (i) two cycles share at least one edge in common or (ii) each “atomic” operation enlarges the boundary to encompass all the newly inserted edges. In either case, it means that no edge is a bridge in the constructed instance of $VC - CBG$. Therefore, the reduction ensures that the graph is bridgeless.
- **Each Vertex in the Constructed Instance of $VC - CBG$ has Degree Three:** When a vertex is split, the split vertex and the corresponding dummy vertices are connected to three other vertices. When an edge is split, there are two dummy vertices in the subgraph of Block type B_1 that are connected to the two endpoints of the split edge, and each of the remaining eight dummy vertices is connected internally with three other vertices. Hence, trivially, each vertex has a degree of three.

This completes our construction for the reduction, which is a polynomial time reduction in the size of n and m .

We refer the reader to Figure 5, which depicts a snapshot of the constructed instance of $VC - CBG$ when each of the five edges depicted in the snapshot of the instance of $VC - CG$ (Figure 1) is split. Specifically, it denotes execution of 5 “atomic” operations. We stress that the figure is a snapshot of the reduction taking place; it is for illustrative purposes and depicts a stage of the reduction.




Figure 5: A snapshot of an instance of VC – CBG that corresponds to an instance of VC – CG (Figure 1). The construction depicts the transformation of five edges (and corresponding six vertices) shown in Figure 1; the edges that were not depicted are not transformed. Each dashed line denotes the existence of an edge.

568 **B. Proof of Correctness.**

569 **Claim 1.** *We have a vertex cover S of size at most k that satisfies $e \cap S \neq \emptyset$ for all edges $e \in E$ if*
 570 *and only if we have a vertex cover S' of size at most $k + 3m + 6n$ that satisfies $e' \cap S' \neq \emptyset$ for all*
 571 *edges $e' \in E'$.*

572 (\Rightarrow) If the instance of the VC – CG problem is a yes instance, then the corresponding instance of
 573 VC – CBG is a yes instance.

574 **Six Vertices are Selected from each Block type B_1 :** Consider any one block of ten candidates
 575 from the n blocks of type B_1 . The size of a minimum vertex cover for the subgraph consisting of
 576 those ten vertices is six. Adding an edge and a vertex to the subgraph can only increase the size of
 577 the minimum vertex cover. Hence, for each block in Block type B_1 , we select six vertices, namely,
 578 vertex numbers ending with 0, 1, 3, 5, 6, or 8, into the vertex cover S' of the instance of VC – CBG.
 579 This results in a total of $6n$ vertices in Vertex Cover S' of the instance of VC – CBG.

580 **Three Vertices are Selected from each of the $m - k$ Blocks of type B_2 that Correspond**
 581 **to $m - k$ Vertices Not in Vertex Cover S of VC – CG:** For each vertex u not in the vertex
 582 cover S of an instance of VC – CG, we have three vertices in the vertex cover S' of an instance of
 583 VC – CBG. Specifically, for each vertex $u \notin S$, we have vertex u and corresponding dummy vertices
 584 u' and u'' in the vertex cover S' . We know that for each vertex $u \in G$, we split it and have
 585 $\{u, u', u'', u'_1, u'_2, u''_1, u''_2\} \in G'$. These seven vertices form a linear chain. Additionally, the vertices u ,
 586 u' , and u'' are all connected to either a vertex ending with 0 or a vertex ending with 1 from one of
 587 the corresponding blocks of Block type B_1 . This means that vertices u , u' , and u'' may or may not
 588 cover edges connecting them to vertices ending with 0 or vertices ending with 1 because the latter
 589 two are already in the vertex cover S' . Finally, given that vertex $u \notin S$, all three vertices connected
 590 to vertex u in graph G will be in the vertex cover S . Hence, vertices u'_1, u'_2, u''_1 , and u''_2 in graph G'
 591 need not cover any edges that are not part of the linear chain (more on this in the next paragraph).
 592 Therefore, we use the following proposition on the minimum vertex cover on a linear chain graph:

593 **Fact 1.** *Given a linear chain graph G consisting of m vertices, the size of the minimum vertex cover*
 594 *for the graph G is $\lfloor \frac{m}{2} \rfloor$.*

595 The seven vertices form a linear chain. Therefore, the minimum size vertex cover for the seven
 596 vertices is of size three. We choose (central) vertices u , u' , and u'' to form the minimum vertex
 597 cover. Given that there are $m - k$ vertices that are not in the vertex cover S , it corresponds to
 598 $3 \cdot (m - k)$ vertices in the vertex cover S' . This results in an additional $3m - 3k$ vertices in Vertex
 599 Cover S' of the instance of VC – CBG.

600 **Four Vertices are Selected from each of the k Blocks of type B_2 that Correspond to k**
 601 **Vertices in Vertex Cover S of VC – CG:** For each vertex u in the vertex cover S of an instance
 602 of VC – CG, we have four vertices in the vertex cover S' of an instance of VC – CBG. Specifically, for
 603 each vertex $u \in S$, we have corresponding dummy vertices u'_1, u'_2, u''_1 , and u''_2 in the vertex cover S' .

604 More specifically, if a vertex u is in the vertex cover S , then it covers all three edges connected
 605 to it. We call the three vertices connected to the vertex u via these three edges as *neighbors* of
 606 the vertex u . Additionally, we already discussed that corresponding vertices u , u' , and u'' in the
 607 graph G' need not cover any edges (other than the edges on the linear chain) as they are connected
 608 with vertices that are already in the vertex cover S' . Simultaneously, vertices u'_1, u'_2, u''_1 , and u''_2 , in
 609 addition to being connected to the vertices in the linear chain, are also connected to other dummy
 610 vertices in graph G' that correspond to the neighbors of the vertex u in graph G . Therefore, the
 611 vertices u'_1, u'_2, u''_1 , and u''_2 must be included in the vertex cover S' . This is required to cover the
 612 edges linking these four vertices to the “dummy” vertices that correspond to the neighbors of vertex
 613 u from the original graph G . This arrangement corresponds to (mirrors) how vertex u itself covers
 614 all the edges to its neighbors in graph G ²². In turn, all the edges in the linear chain are also covered.

615 This results in the selection of 4 vertices in the vertex cover S' for each of the k vertices in the
 616 vertex cover S . Hence, there are $4k$ more vertices in the vertex cover S' of the instance of VC – CBG.

617 Overall, for k vertices in the vertex cover S , we have $6n + 3(m - k) + 4k = 4k + 3m - 3k + 6n =$
 618 $k + 3m + 6n$ vertices in the vertex cover S' . Hence, a yes instance of the VC – CG implies a yes
 619 instance of the VC – CBG such that the vertex cover S' is of size at most $k + 3m + 6n$.

²²This is the same reason that vertices u'_1, u'_2, u''_1 , and u''_2 in graph G' need not cover any edges that is not part of the linear chain when a vertex u is not in the vertex cover S .

(\Leftarrow) The instance of the VC – CBG is a yes instance when we have $k + 3m + 6n$ vertices in the vertex cover S' . Then the corresponding instance of the VC – CG is a yes instance as well. More specifically, we have the following cases when an instance of the VC – CBG is a yes instance. The VC – CBG is a yes instance when the minimum vertex cover S' contains:

1. **Six dummy vertices from each Block type B_1 , Two dummy vertices from $m - k$ blocks of Block type B_2 , Four dummy vertices from k blocks of Block type B_2 , and $m - k$ vertices from set X :** This is the trivial case. The total number of vertices in the vertex cover $S' = 6n + 2(m - k) + 4k + m - k = 6n + 2m + m - 2k + 4k - k = 6n + 3m + k$. Note that this setup corresponds to the proof discussed in the forward direction. Hence, the $m - k$ vertices from the vertex set X that are in the vertex cover S' denote the vertices in set V of graph G that are not in the vertex cover S . Consequently, the k vertices in the set X that are not in the vertex cover S' denote the vertices that are in the vertex cover S . In summary, the corresponding instance of the VC – CG is a yes instance because the k vertices $s \in S$ that form the vertex cover correspond to the k vertices in the set of vertices $X \setminus (S' \cap X)$.
2. **Six dummy vertices from each Block type B_1 and $k + 3m$ vertices from Block Type B_2 and set X :** The contribution of six dummy vertices from each Block type B_1 is straightforward and non-consequential in the context of this case. Nonetheless, we can easily modify the six vertices selected to include vertices ending with 0 and vertices ending with 1 in the vertex cover S' .

Here, we focus our discussion on the selection of $k + 3m$ vertices from Block Type B_2 and set X . There are multiple ways to select the $k + 3m$ vertices that form a minimum vertex cover (in conjunction with the dummy vertices from B_1). However, among all such vertex covers, there is at least one vertex cover that is the same as Case 1, namely, has two dummy vertices from $m - k$ blocks of Block type B_2 , four dummy vertices from k blocks of Block type B_2 , and $m - k$ vertices from set X . The reason relies on a property of a linear chain, especially of even size: we can have multiple minimum vertex covers depending on which vertices are selected. In particular, one of the vertices on the end of the linear chain can be replaced with its neighbor without affecting the size of the minimum vertex cover. Similarly, in our case, for each vertex $u \in V$, the corresponding vertices $\{u, u', u'', u'_1, u'_2, u''_1, u''_2\} \in V'$ form a linear chain, which allows manipulation of vertices selected in the vertex cover, even when the linear chain for us is of odd size. We discuss two points in this case:

- (a) **three vertices from the linear chain are in the vertex cover S' :** In the case of a linear chain of size seven (odd), the minimum vertex cover is of size three, and neither of the vertices at the end of the linear chain can be in the minimum vertex cover. There are $m - k$ such linear chains where three vertices are in the minimum vertex cover S' . The $m - k$ vertices not in the minimum vertex cover S correspond to these linear chains.
- (b) **four vertices from the linear chain are in the vertex cover S' :** When four vertices from a linear chain are in the minimum vertex cover S' , it implies that at least one of the vertices is included to cover an edge that is not in the linear chain. W.l.o.g., let us begin with an assumption that the vertices $\{u, u', u'_1, u'_2\}$ (one vertex from the set X and three vertices from the Block type B_2) are a subset of vertices that is in the vertex cover S' . Then, these vertices can be replaced by the vertices $\{u'_1, u'_2, u''_1, u''_2\}$ (four vertices from Block type B_2) in the vertex cover S' because the vertices ending with 0 and vertices ending with 1 from Block type B_1 is in the vertex cover S' and the corresponding edges need not be covered by vertices in the linear chain. In general, when four vertices from the vertex set $\{u, u', u'', u'_1, u'_2, u''_1, u''_2\} \in V'$ are in the minimum vertex cover S' , then *any* such combination of the four vertices can be replaced by vertices $\{u'_1, u'_2, u''_1, u''_2\}$ (four vertices from Block type B_2). The instance of VC – CBG remains a yes instance with this modification. There are k such linear chains having four vertices in the minimum vertex cover S' . The k vertices in the minimum vertex cover S correspond to these linear chains.

Overall, there are the $3(m - k) + 4k = k + 3m$ vertices from Block Type B_2 and set X . In general, Case 2(b) shows that there is at least one minimum vertex cover S' of size $k + 3m + 6n$ that is the same as Case 1. Therefore, a yes instance of the VC – CBG corresponds to a yes instance of the VC – CG because the k vertices $s \in S$ that form the minimum vertex cover correspond to the k vertices in the set of vertices $X \setminus (S' \cap X)$.

These cases complete the other direction of the proof of correctness. In turn, it completes the overall proof that shows VC – CBG is NP-complete. \square

⁶⁷⁷ **Part II**

⁶⁷⁸ **VC — CBG ∈ P**

679 In this part, we discover an unconditional deterministic polynomial-time exact algorithm for the
680 vertex cover problem on cubic bridgeless graphs (**VC** – **CBG**). The lack of an algorithm, and more
681 generally, research on the **VC** – **CBG** is both – quite surprising and unsurprising.

682 **(Relative) Lack of Research on the **VC** – **CBG** is Surprising:** The matching theory within
683 graph theory has received much attention. In particular, properties of a perfect matching and a
684 maximum matching in a given graph have been studied extensively. Furthermore, matching in cubic
685 bridgeless is also well-studied (see subsection 1.3). However, no analogous work that extensively
686 discusses properties of the vertex cover²³, and in particular, properties of the vertex cover on cubic
687 bridgeless graphs is known. This is surprising because there is a known relationship between the
688 sizes of a maximum matching and a minimum vertex cover for a given graph (Lemma 1). Hence, it
689 is intuitive to explore the existence of a deeper relation between the two. Additionally, a minimum
690 vertex cover always exists (by definition), just like a maximum matching. Hence, an analog to Berge’s
691 Theorem [Ber57], which relates augmenting paths and maximum matching, should be explored.

692 Overall, the Blossom Algorithm [Edm65] was preceded by rich graph-theoretic work on maximum
693 matching, perfect matching, and factorization. This facilitated a proof to show that the correspond-
694 ing computational problem of finding a maximum matching is in **P** even when the problem then
695 seemed to be similar to other typical graph optimization problems that later turned out to be “hard”.
696 Analogously, there is a need for us to better understand certain properties of the vertex cover.

697 **No Algorithm for **VC** – **CBG** is Unsurprising:** While the lack of focus on understanding the
698 properties of vertex cover, analogous to, say, Berge’s Theorem for maximum matching, is surprising,
699 the lack of an algorithm for the **VC** and **VC** – **CBG** is unsurprising. Karp’s landmark paper on the
700 twenty-one **NP**-complete problems brought the vertex cover problem (**VC**) to the attention of TCS
701 researchers [Kar72]. Consequently, given that **VC** was proven to be **NP**-complete, understanding its
702 hardness-related computational aspects has been a focus of TCS researchers (see subsection 1.1)²⁴.
703 Additionally, one of the natural approaches to discover an algorithm for an **NP**-complete problem
704 (and prove **P** = **NP**) directly relies on finding a polynomial-size Linear Programming or Semidefinite
705 Programming that projects onto the polytope whose extreme points are the valid solutions. This
706 approach was ruled out through a series of results [Yan88, FMP⁺15, LRS15, CLRS16, Rot17, CŽ24].
707 Hence, no effort on this front to find an algorithm for an **NP**-complete problem is unsurprising.

708 Next, we strengthen our unsurprising position about a lack of an algorithm for the **VC** – **CBG**, even
709 when certain restrictions on graphs, such as bipartite and claw-free, make the **VC** tractable. On the
710 other hand, other restrictions on graphs, such as planar, do not affect the hardness of the **VC**. Hence,
711 the surprisingly lack of understanding about the behavior of the vertex cover on bridgeless graphs,
712 unsurprisingly, prohibits us from putting **VC** – **CBG** in either camps (let us momentarily turn blind
713 for this paragraph to the fact that we just proved **VC** – **CBG** is **NP**-complete (Theorem 1)). Neither
714 do we know how the **VC** behaves on bridgeless graphs, nor have the bridgeless graphs been studied
715 on the other ten graph-based Karp’s **NP**-complete problems. Moreover, even when we did not know
716 much about the existence of a perfect matching in cubic graphs, Petersen showed that every cubic
717 bridgeless graph has a perfect matching [Pet91]. Hence, just like the bridgelessness restriction on
718 cubic graphs “easily” improved our understanding of the existence of a perfect matching, we aim to
719 assess whether the bridgeless condition is conducive to our understanding of the vertex cover.

720 Overall, the absence of an algorithm for the **VC** – **CBG** is unsurprising because: (i) **VC** was proven
721 **NP**-complete early and subsequent research focused on its hardness. (ii) **VC** – **CBG** lacks the tools
722 like those that helped prove maximum matching is in **P** and uses the understudied bridgeless graphs.

723 *In summary*, a lack of understanding of the non-computational aspects of the vertex cover (on
724 cubic bridgeless graphs) is surprising. Simultaneously, the rich understanding of the computational
725 aspects of the **VC** and an absence of an algorithm to solve the **VC** is unsurprising! As a result, we first
726 improve our graph-theoretic understanding of the vertex cover on cubic bridgeless graphs. Then,
727 we improve our understanding of the algorithmic aspects of the **VC** – **CBG** (and **VC**)²⁵. We use the
728 Petersen Graph (Figure 6) as a running example to facilitate our discussion henceforth.

²³For the purposes of this discussion, a “*vertex cover*” (and its variants) refers to a discussion of graph-theoretic properties of the vertex covers and a “**VC**” (and its variants) refers to a discussion of the computational properties.

²⁴These circumstances are strong reasons to speculate that the focus on the vertex cover shifted from graph theory-based results to computational complexity-based results.

²⁵Recall that the **VC** on 2-regular graphs is in **P** and the **VC** on 3-regular graphs is **NP**-complete. Hence, the **VC** on 3-regular graphs is the closest known problem to a variant of the **VC** in **P**. Next, if we consider this imaginative problem space between the **VC** on 2-regular graphs and the **VC** on 3-regular graphs, the restrictive case of cubic bridgeless lies somewhere in between these two ends. Hence, we are working on an algorithm for an **NP**-complete variant of **VC** that is closest to the variant in **P** in the most conceivable way possible.

729 **Example 1.** The Petersen Graph (Figure 6), a famous cubic bridgeless graph, is used as the given
 730 graph G throughout Part II.




Figure 6: Petersen Graph used for the running example.

731 We prove the following theorem in Part II:

732 **Theorem 2.** The vertex cover problem on cubic bridgeless graphs ($VC - CBG$) is in \mathbf{P} .

733 **Part II Contribution:** We show that $VC - CBG \in \mathbf{P}$.

734 **Part II Organization:** In Section 4, we provide an overview of the three phases of an uncon-
 735 ditional deterministic polynomial-time algorithm for the $VC - CBG$. We also discuss new (graph-
 736 theoretic) concepts and properties of the vertex cover on cubic bridgeless graphs that are needed
 737 for designing the algorithm and subsequently proving its correctness. In Section 5, we state the
 738 algorithm (which is abstracted into multiple algorithms for improved understanding). In Section 6,
 739 we provide the proof of correctness of the algorithm. In Section 7, we discuss the time complexity
 740 of the algorithm by providing an upper bound on its running time as a polynomial function in the
 741 size of the input. This is facilitated by a step-by-step time complexity analysis.

742 4 Algorithm Overview and Intermediate Results

743 We provide an overview of the algorithm. We also define, observe, and prove new concepts needed
 744 to prove the correctness of the algorithm. The algorithm is divided into three phases (Figure 7):

- 745 • **Phase I - Find a Perfect Matching:** The vertices are sorted lexicographically. Then, the
 746 Blossom Algorithm [Edm65] is used to find a maximum matching of the given graph. Given
 747 that we use cubic bridgeless graphs, the maximum matching is a perfect matching [Pet91]²⁶.
- 748 • **Phase II - Populate a Novel Data Structure – Represents Table:** A breadth-first search
 749 (BFS) tree is constructed by seeding on the first vertex selected from a lexicographically sorted
 750 list of vertices. Next, an augmented version of the maximal matching algorithm (folklore 2-
 751 approximation algorithm for the vertex cover problem) is used to sequentially select edges that
 752 are part of the perfect matching. The output of this exercise is used to populate a novel data
 753 structure called the “Represents Table” (Table 2). Specifically, the data structure stores (i)
 754 the endpoints of the edges picked by the maximal matching algorithm in a row and (ii) in the
 755 same row, the neighboring vertices of the endpoints in a given iteration.

²⁶The time complexity of the Blossom Algorithm is $\mathcal{O}(m^2n)$. Some algorithms are known to (i) find maximum matching faster than the Blossom Algorithm (for example, Micali and Vazirani’s $\mathcal{O}(\sqrt{m} \cdot n)$ algorithm [MV80]) and (ii) specifically find a perfect matching in a cubic bridgeless graph faster than the Blossom Algorithm (for example, algorithms ranging from $\mathcal{O}(m \log^4 m)$ [BBDL01] to $\mathcal{O}(m \log m)$ [GW24]). However, the time complexity of the third phase (Diminishing Hops) dominates the complexity of the Blossom Algorithm. Hence, using a faster algorithm does not affect the overall time complexity of our algorithm. Moreover, the use of the Blossom Algorithm to find a maximum matching, instead of a specific algorithm to find a perfect matching, facilitates future work that can generalize our algorithm to other graphs.




Figure 7: A schematic representation of the three phases of the algorithm, with the corresponding input and output data for each phase clearly indicated.

- **Phase III - Diminishing Hops:** The “Represents Table” is used to find the minimum vertex cover by: (i) assigning scores to each endpoint based on their “connectedness”, (ii) removing the vertices with low scores and (iii) using a new technique called diminishing hops, analogous to the use of augmenting paths in maximum matching (Berge’s Theorem [Ber57]).

We now discuss each of these three phases in detail.

4.1 Find a Perfect Matching

The first phase of the algorithm consists of the use of the Blossom Algorithm to find a maximum matching of the given graph. The maximum matching, in our case, is a perfect matching.

Definition 7 (Matching). *Given a graph G , a matching M is a subset of the edges E such that no vertex $v \in V$ is incident to more than one edge in M .*

Alternatively, we can say that given a graph G , no two edges in a matching M have a common vertex. Consequently, a maximum matching is a matching with the highest cardinality.

Definition 8 (Maximum Matching). *Given a graph G , a matching M is said to be maximum if for all other matchings M' , $|M| \geq |M'|$.*

Equivalently, the size of the maximum matching M is the (co-)largest among all the matchings. A maximum matching that matches all the vertices of the graph is a perfect matching (Figure 8).

Definition 9 (Perfect Matching). *Given a graph G , a matching M is a perfect matching if each vertex $v \in V$ is incident to exactly one edge $e \in M$.*

In the general case, while every perfect matching is a maximum matching, every maximum matching may not be a perfect matching. However, in our case, every maximum matching found by the Blossom Algorithm is a perfect matching because we use cubic bridgeless graphs.

Theorem 3 (Petersen’s Theorem [Pet91]). *Every cubic bridgeless graph contains a perfect matching.*




Figure 8: The bold edges of the Petersen Graph denote a perfect matching M .

778 More generally, every cubic bridgeless graph contains exponentially many perfect matchings
779 [EKK⁺11]. This is one of the reasons that we shall lexicographically sort the vertices as the first
780 step of the algorithm. Sorting ensures that the Blossom Algorithm always returns the same matching
781 for the same input. Next, there is a known relationship between the size of the maximum matching
782 and the size of the minimum vertex cover:

783 **Lemma 1.** *In a given graph G , if M is a maximum matching and S is a minimum vertex cover,*
784 *then $|S| \geq |M|$.*

785 Lemma 1 means that the largest number of edges in a matching does not exceed the smallest
786 number of vertices in a cover. We use this fact to set a lower bound on the size of the minimum vertex
787 cover. More specifically, we terminate the algorithm early if the given integer k is less than $|M|$.
788 Moreover, given that the matching M is a perfect matching in our case, we know that $|M| = \frac{|V|}{2}$,
789 which in turn implies that $|S| \geq \frac{|V|}{2}$.

790 *In summary*, in the Phase I of the algorithm, given a cubic bridgeless graph G and a list of
791 lexicographically sorted vertices V_{sort} , we use the Blossom Algorithm to find and output a perfect
792 matching M of the given graph. We refer the reader to [Edm65] for the Blossom Algorithm. In
793 addition to the importance of Berge’s Theorem in the Blossom Algorithm (discussed later in sub-
794 section 4.3), we note that the Blossom Algorithm does some extra work to handle the messy odd
795 cycles, which, by transitivity, implies that our algorithm also handles the odd cycles.

796 4.2 Populate Represents Table

797 The second phase of the algorithm involves populating a novel data structure called the “Represents
798 Table”. Before populating the table, the algorithm stores the vertices at each level of a tree derived
799 using breadth-first search (BFS):

800 **Definition 10** (Breadth-First Search). *Given a graph G , a Breadth-first Search (BFS) algorithm*
801 *seeds on a root vertex $v \in V$ and visits all vertices at the current depth level of one. Then, it visits*
802 *all the nodes at the next depth level. This is repeated until all vertices are visited.*

803 While the BFS algorithm is canonically a search algorithm, we use it here to derive a tree. This
804 tree itself is not needed. We require the information about the level on which each vertex is in the
805 BFS tree. It is needed for the next steps in the phase two of the algorithm.

806 **Example 2.** *We are given the Petersen graph G (Figure 6) and a seed vertex $0 \in V$. Hence, the*
807 *BFS algorithm seeded on vertex 0 will return the following table regarding the level at which each*
808 *vertex is in the BFS tree:*

Level	Vertices
1	{0}
2	{1, 4, 5}
3	{2, 3, 6, 7, 8, 9}

Table 1: The vertices of the Petersen graph at each level of the BFS tree seeded on vertex 0.

809 Next, this phase of the algorithm implements an augmented version of the 2-approximation
810 algorithm for the VC. The vanilla 2-approximation algorithm is equivalent to finding the maximal
811 matching of a given graph.

812 **Definition 11** (Maximal Matching). *Given a graph G , a matching M is said to be maximal if for*
813 *all other matchings M' , $M \not\subseteq M'$.*

814 In other words, a matching M is maximal if we cannot add any new edge $e \in E$ to the ex-
815 isting matching M . Next, recall that finding a maximal matching is equivalent to the vanilla
816 2-approximation algorithm, which guarantees a vertex cover of size at most twice the size of the
817 minimum vertex cover: the algorithm picks an *arbitrary* edge $e = (u, v) \in E$, adds both the vertices
818 u and v to the vertex cover S , removes all edges connected to either of the two vertices (u and
819 v), and repeats until no edge remains. The vertex S is the resultant vertex cover. In this vanilla
820 version, the method in which the edges are picked is *arbitrary* from two perspectives: (i) the *order*
821 in which edges get picked is arbitrary, and (ii) consequently, *which* edge among the remaining edges
822 gets picked is arbitrary. These two perspectives may seem similar but are different as outlined in
823 the two steps discussed in the next paragraph.

824 We remove the above-mentioned arbitrariness in the edges that are picked. Specifically, during
 825 this phase, the edges are picked by following a two-step method:

826 • **Step 1 - Order in which the edges get picked:** We start with the seed vertex u on Level
 827 1 of the BFS tree. Once an edge connected to this seed vertex is picked, the seed vertex and
 828 the other endpoint of the picked edge are marked as matched. We then move to Level 2 of the
 829 BFS tree. An edge connected to an unmatched vertex on level 2 is picked next²⁷. Once all
 830 vertices on Level 2 are matched, we move to Level 3, and so on. More generally, the order in
 831 which the edges get picked is by following the levels of the BFS tree.

832 • **Step 2 - Which edge gets picked from a given order:** Each vertex u at level l is connected
 833 to (at most) three other vertices via (at most) three edges. Hence, among the (at most) three
 834 edges to choose from, an unpicked edge that is part of a given perfect matching M is picked.
 835 Recall that a perfect matching matches all the vertices of the graph, which means that each
 836 vertex is connected to exactly one edge in a given perfect matching M .




Figure 9: (a) Vertex 0 is on the Level 1 of the BFS tree. Hence, an edge in the perfect matching M that is connected to the vertex 0 is picked. Therefore, the edge connecting vertices 0 and 1 is picked. (b) All the edges connected to the two endpoints are removed. (c) Vertices 4 and 9 are the two endpoints of the second edge picked. (d) All the edges connected to the two endpoints are removed.

837 **Example 3.** We are given the Petersen graph G , a perfect matching M (Figure 8), and the levels
 838 of a BFS tree seeded on vertex 0 (Table 1).

839 During the first iteration of the augmented 2-approximation algorithm, we start with vertex 0,
 840 because as per step 1, it is the seed vertex at level 1 in the BFS tree. Consequently, as per step 2,

²⁷The tie regarding which vertex on the same level l gets picked first is broken using the lexicographical ordering of the vertices such that a vertex at position i in the ordering is preferred over a vertex at position j , for all non-negative integers $i < j$. Similarly, all ties henceforth are broken based on the lexicographical ordering of the vertices.

841 we choose the edge connecting vertex 0 and vertex 1 because that edge is in the perfect matching M
842 (Figure 9a). We mark the two endpoints of the picked edge as matched and remove all edges that
843 connect the two endpoints (Figure 9b).

844 In the next iteration, we choose vertex 4. This is because, as per step 1, it is the first vertex
845 among all the unmatched lexicographically sorted vertices on level 2 of the BFS tree (namely, we
846 choose vertex 4 from vertices 4 and 5). Next, as per step 2, we choose the edge connecting vertex 4
847 and vertex 9 because that edge is in the perfect matching M (Figure 9c). We mark the two endpoints
848 of the picked edge as matched and remove all edges that connect the two endpoints (Figure 9d).

849 We repeat this exercise until all the edges in the perfect matching are picked and consequently,
850 no edge remains in the graph.

851 Note that the vanilla 2-approximation algorithm would have picked edges arbitrarily. Therefore,
852 even when a given graph has a perfect matching, the vanilla 2-approximation algorithm may pick
853 a set of edges that may not be a perfect matching. Hence, we augment the algorithm to ensure
854 that all the edges in a perfect matching are picked. We will discuss the reason for doing so in the
855 next section. However, our decision implies that the augmented 2-approximation algorithm always
856 selects all edges in a perfect matching, which implies that the resultant vertex cover consists of all
857 the vertices. Formally, this happens because of the combination of the following two known lemmas
858 (or more formally, lemmata):

859 **Lemma 2.** *In a graph G , if a matching M is maximum, it implies that the matching M is also*
860 *maximal. The converse does not hold.*

861 Note that due to Petersen’s Theorem (Theorem 3), a perfect matching and a maximum matching
862 mean the same thing in the case of cubic bridgeless graphs.

863 **Lemma 3.** *The endpoints of a maximal matching form a vertex cover.*

864 Overall, given that the augmented 2-approximation algorithm picks edges that are in a perfect
865 matching, we know that the edges form a maximal matching too. Hence, its endpoints, which
866 consist of all the vertices in the graph, form a vertex cover (trivially). Additionally, the augmented
867 2-approximation algorithm picks the edges in a particular order. This does not alter the above
868 discussion but is crucial in how the represents table gets populated and affects its properties.

869 **Represents Table:** We discuss the novel data structure called the “Represents Table”. It is an
870 augmented version of a table data structure and consists of unique properties and operations. Let
871 us first define the property that led to the name *represents* table. It is based on a concept where a
872 vertex u that is connected to a vertex v via an edge is said to represent²⁸ the other vertex.

873 **Definition 12** (Represents). *Given a graph G , a vertex $u \in V$ is said to **represent** a vertex $v \in V$*
874 *when the vertex v is connected to the vertex u by an edge $e \in E$. Conversely, the vertex v is*
875 ***represented by** the vertex u .*

876 Observe that when a vertex u represents a vertex v , it is an alternate way of saying that an
877 edge connects the vertices u and v . Additionally, given that we use a cubic (bridgeless) graph, each
878 vertex represents three vertices and each vertex is represented by three vertices. The list of vertices
879 that a vertex u represents is stored in a list called a Represents List.

880 **Definition 13** (Represents List). *Given a graph G , a vertex $u \in V$ is said to represent a set of*
881 *vertices $V' \subseteq V \setminus \{u\}$ if there exists an edge between the vertex u and every vertex in V' . These*
882 *vertices that the vertex u represents are in the represents list L_u such that for all vertices $u \in V$,
883 $L_u = \bigcup_{e \in E} e \setminus \{u\} | u \in e$.*

884 In the context of this paper, we can restate the above definition as follows: Given a cubic graph
885 G , a vertex $u \in V$ that is connected to three vertices x , y , and z by an edge each is said to represent
886 the vertices x , y , and z . These vertices that vertex u represents are in the represents list L_u such
887 that $L_u = \{x, y, z\}$. The size of each represents list in this paper is at most three (because we use
888 cubic graphs). We are now ready to define the represents table:

²⁸Informally, the term is inspired by a type of committee election where each voter approves of 2 candidates and the aim is to elect the smallest committee that represents every voter such that at least one of every voter’s approved candidate is in the committee. In our context, we want to select the smallest set of vertices that covers (represents) each edge. Hence, think of vertices as candidates and edges as voters.

889 **Definition 14** (Represents Table). A represents table R is a 4-column table where a row stores
890 the two endpoints of an edge picked during an iteration of the execution of the augmented 2-
891 approximation algorithm, and for each endpoint u , also stores the corresponding represents list L_u ,
892 which consists of the vertices the endpoint u represents.

893 **Example 4.** We are given the Petersen graph G (Figure 8), a perfect matching M and the levels
894 of a BFS tree seeded on vertex 0 (Table 1). As discussed in Example 3, the first iteration of the
895 augmented 2-approximation algorithm picks the edge connecting the vertices 0 and 1 and removes
896 all the edges that are connected to the two endpoints of the picked edge (Figures 9a and 9b). Then,
897 the corresponding entry in the represents table R is as follows:

Endpoint 1	Represents List 1	Endpoint 2	Represents List 2
0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$

Table 2: A row in the Represents Table R depicts (i) the two **endpoints** of an edge picked by the augmented 2-approximation algorithm and (ii) the corresponding **represents list** of each of the two endpoints. A represents list consists of the vertices connected to an endpoint during a given iteration of the algorithm.

898 *The first endpoint, namely vertex 0 represents vertices 1, 4, and 5. The second endpoint, namely*
899 *vertex 1 represents vertices 0, 2, and 6.*

900 At this point, one may argue that the represents table is our fancy way of renaming an adjacency
901 list. However, given the differences between their properties, we avoid using the latter term to avoid
902 the confusion and to ensure that the represents table is visualized as a data structure that is different
903 from an adjacency list. More specifically, unlike the adjacency list where each row enlists all the
904 vertices connected to a vertex, the represents table stores the two endpoints of a picked edge in
905 the *same* row. The corresponding represents list enlists *only* the vertices that are connected to an
906 endpoint during a *given iteration* of the augmented 2-approximation algorithm. The stress on the
907 words *given iteration* signifies that for a vertex to be listed in the represents list, an edge connecting
908 the vertex and the endpoint should not have been removed during any of the previous iterations of
909 the 2-approximation algorithm.

910 **Example 5.** We continue the discussion from Example 4 where we had populated the first row of
911 the represents table (Table 2).

912 *The second iteration of the augmented 2-approximation algorithm picks the edge connecting the*
913 *vertices 4 and 9 (Figure 9c). Note that the represents list for vertex 4 enlists the vertices 9 and*
914 *3. Vertex 0 is not listed because the edge connecting vertices 0 and 4 was removed during the first*
915 *iteration. The represents list for the vertex 9 is $L_9 = \{4, 6, 7\}$. Next, the algorithm now removes all*
916 *the edges that are connected to the two endpoints of the picked edge (Figure 9d).*

917 *Similarly, the represents table is populated until the augmented 2-approximation algorithm ter-*
918 *minates. Finally, the represents table R is populated completely and it looks as follows:*

Endpoint 1	Represents List 1	Endpoint 2	Represents List 2
0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$
4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$
5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$
2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$
6	$L_6 = \{8\}$	8	$L_8 = \{6\}$

Table 3: A Represents Table R populated as a result of the implementation of the augmented 2-approximation algorithm for the vertex cover problem on a given instance of the Petersen graph, a corresponding perfect matching M , and a BFS tree.

919 **Operations and Properties of the Represents Table:** We now discuss the operations that
920 are supported by the represents table and discuss the properties relevant to this paper.

921 Operations: The represents table supports four basic operations, namely, insert, access, freeze, and
922 remove. The represents table does *not* support deletion of any information, as will become evident
923 during the discussion of the diminishing hops phase of our algorithm.

924 • **insert:** The most basic operation supported by the table is the insertion of a vertex and its
 925 corresponding represents list. Additionally, the insertion operation does not need to access
 926 previous data. Hence, the asymptotic running time for each insert operation is $\mathcal{O}(1)$. We
 927 witnessed this operation while populating the represents table.

928 • **access / search:** (i) To access an endpoint u in the represents table, we do a sequential search
 929 for the given endpoint. This takes $\mathcal{O}(m)$. (ii) To access the represents list of an endpoint u , we
 930 need to first access the endpoint u , which takes $\mathcal{O}(m)$. Subsequently, accessing the represents
 931 list L_u takes $\mathcal{O}(1)$. (iii) To access each of the represents list that consists of a vertex u , we
 932 need to traverse through each of the m represents lists, each of constant size (three). This
 933 takes $\mathcal{O}(m)$. Hence, the asymptotic running time for each access operation is $\mathcal{O}(m)$.

934 • **freeze:** The freeze operation is used to freeze an endpoint. In the context of this paper, when
 935 we freeze an endpoint, it implies that the frozen vertex is selected as one of the vertices in the
 936 vertex cover. Next, whenever an endpoint u is frozen, it is simultaneously delisted from each
 937 of the represents lists it is a part of. This is analogous to marking every edge that touches the
 938 vertex u chosen for the vertex cover as being covered. Finally, the entire represents list L_u
 939 of the vertex u is delisted.

940 Freezing an endpoint u takes $\mathcal{O}(m)$ time as we need to do a sequential search for the endpoint
 941 u . The delisting of the vertex u from each of the represents lists also takes $\mathcal{O}(m)$: for each
 942 of the m endpoints, we need to traverse through its represents list of size at most three and
 943 delist the vertex u from the represents list if present. The delisting of the represents list L_u
 944 takes $\mathcal{O}(1)$. Hence, the asymptotic running time for each freeze operation is $\mathcal{O}(m)$.

945 • **remove:** The remove operation is used to remove an endpoint. In the context of this paper,
 946 when we remove an endpoint u , it implies that the removed endpoint is *not* selected as one
 947 of the vertices in the vertex cover. Hence, each of the three vertices that are connected to
 948 the removed endpoint needs to be in the vertex cover to cover the edges that are connected
 949 to the removed vertex. Hence, the corresponding steps carried out in the represents table are
 950 as follows: each vertex in the represents list of the removed endpoint u and each vertex that
 951 represents the endpoint u is frozen.

952 The removal of an endpoint u takes $\mathcal{O}(m)$ time as we need to search for the endpoint u using
 953 a sequential search. The freeze operation will be carried out three times and each one takes
 954 $\mathcal{O}(m)$. Hence, the asymptotic running time for each remove operation is $\mathcal{O}(m)$.

955 These are the main operations that can be carried out on the represents table. The space
 956 complexity of the table is $\mathcal{O}(m)$.

Operation	Time Complexity
insert	$\mathcal{O}(1)$
access	$\mathcal{O}(m)$
freeze	$\mathcal{O}(m)$
remove	$\mathcal{O}(m)$
delete	operation not allowed

Table 4: The time complexity of each operation carried out on the Represents Table.

957 Properties: We discuss unique properties of the represents table, which are essential for our dis-
 958 cussion on the phase three (diminishing hops) of our algorithm.

959 **Property 1.** *Given a represents table R , an endpoint u in the i^{th} row of the table R can only*
 960 *represent an endpoint v if the endpoint v is in row j of the table R , for all $1 \leq i \leq j \leq \frac{m}{2}$.*
 961 *Conversely, an endpoint u in the j^{th} row of the table R can be represented by an endpoint v only if*
 962 *the endpoint v is in the i^{th} row of the table R , for all $1 \leq i \leq j \leq \frac{m}{2}$.*

963 Property 1 discusses that an endpoint in an earlier row within the represents table can only
 964 represent endpoints in the same row or any later row. It cannot represent endpoints in rows that
 965 come before it. Conversely, an endpoint in a later row within the represents table can only be
 966 represented by endpoints in the same row or any earlier row. It cannot be represented by endpoints
 967 in rows that come after it. Overall, these describe a “directional” relationship within represents
 968 table. Endpoints in earlier rows can represent endpoints in the same or later rows, and conversely,
 969 endpoints in later rows can be represented by endpoints in the same or earlier rows.

970 **Property 2.** *Given a represents table R , endpoints u and v in the i^{th} row of the table R always*
971 *represent each other, i.e., endpoint $u \in L_v$ and endpoint $v \in L_u$ if endpoints u and v are in the i^{th}*
972 *row for all $1 \leq i \leq \frac{m}{2}$.*

973 Property 2 discusses that endpoints in the same row of the represents table *always* represent
974 each other. Property 2 adheres to Property 1 and Property 2 can be considered a specific case of
975 Property 1. However, neither of the properties implies the other. Moreover, when we combine these
976 two properties, they imply three possibilities about the representations related to an endpoint u in
977 the table R when a graph is cubic : (i) u is represented by two other endpoints in rows above itself
978 and does not represent any endpoint in rows below itself, (ii) u is represented by one endpoint in
979 rows above itself and it represents one endpoint in rows below itself, and (iii) u is represented by
980 zero endpoints in rows above itself and represents two endpoints in rows below itself.

981 **Property 3.** *Given a represents table R , an endpoint $u \in R$ corresponds to a vertex $u \in V$ of the*
982 *corresponding graph G , and the set of endpoints in the represent table R forms a vertex cover $S \subseteq V$*
983 *of the corresponding graph G .*

984 Property 3 refers to the simple one-to-one mapping of an endpoint in the represents table R
985 and a vertex in the corresponding graph G . Additionally, in the general case, the endpoints in
986 the represents table R form a vertex cover. This is because the endpoints of edges picked during
987 maximal matching form a vertex cover. In our case of cubic bridgeless graphs, we always have a
988 perfect matching and hence, all vertices of G will be an endpoint in the represents table R and these
989 trivially form a vertex cover (because all vertices of a graph form a vertex cover).

990 **Property 4.** *Given a represents table R , if each endpoint $u \in R$ is either frozen or removed, then*
991 *the frozen endpoints form a vertex cover $S \subseteq V$ of the corresponding graph G .*

992 Property 4 discusses the specific case when all the endpoints of the represents table R are either
993 frozen or removed, and specifically the frozen endpoints form a vertex cover. The frozen endpoints
994 form a vertex cover, so we focus our discussion on the removed endpoints. By design, when an
995 endpoint is removed, all endpoints that it represents or is represented by are automatically frozen.
996 This implies that no edge in the corresponding graph remains uncovered. Hence, the frozen endpoints
997 will form a vertex cover when every endpoint is either frozen or removed. The frozen vertices do not
998 form a vertex cover when at least one endpoint is neither frozen nor removed. This is because we
999 can freeze, say, $m - 2$ endpoints and not touch the remaining 2 endpoints. The frozen endpoints may
1000 not form a vertex cover because the remaining 2 endpoints may be connected via an edge. Hence,
1001 the condition that each endpoint in the represents table R be either frozen or removed is necessary
1002 for the frozen endpoints to form a vertex cover.

1003 Overall, the operations performed on the represents table result in the above-discussed unique
1004 properties of the represents table. These operations and properties form the foundation for the
1005 discussion of the next phase of the algorithm.

1006 *In summary*, in the Phase II of the algorithm, given a cubic bridgeless graph G , a list of lexico-
1007 graphically sorted vertices V_{sort} , and a perfect matching M as input, we create a BFS tree, run an
1008 augmented version of the 2-approximation algorithm for the VC, and populate a novel data structure
1009 called the represents table R . The output of this phase is the represents table R . Additionally, we
1010 discussed how the represents table was created and listed its operations and properties:

- 1011 1. We began with an underlying data structure, a table.
- 1012 2. We used the BFS tree and the augmented 2-approximation algorithm to collect specific infor-
1013 mation needed to populate the represents table.
- 1014 3. We discussed the corresponding insert operation that is used to enter the information into the
1015 represents table. We also discussed the access, freeze, and remove operations.
- 1016 4. We analyzed the time complexity of each operation²⁹.
- 1017 5. We observed some unique properties of the represents table.

²⁹We may improve the time complexity of the operations by augmenting the existing data structure “represents table” with a doubly linked list or a hash table. However, we leave such improvements to future work.

Augmenting Paths for Maximum Matching



Diminishing Hops for Minimum Vertex Cover

Figure 10: A high-level illustration of augmenting paths being a motivation for diminishing hops.

4.3 Diminishing Hops

The diminishing hops phase of the algorithm constitutes the core contribution of the paper. To understand the concept of diminishing hops and its relevance to the minimum vertex cover, we first introduce the concept of “representation scores” and use it to decide whether to freeze or remove an endpoint from the represents table. We then discuss augmenting paths and its relevance to the maximum matching (Berge’s theorem [Ber57]), which serves as a motivation to finally introduce diminishing hops for the minimum vertex cover (Figure 10).

Representation Score: The idea for using Representation Score is to associate a score with each endpoint in the represents table R such that the score of each endpoint is used to decide whether to freeze an endpoint or remove it. The score is a quantification of the information related to each edge that connects the vertices of the graph. More specifically, the score of an endpoint is a weighted number that captures how well an endpoint is represented by other endpoints in the table.

The assignment of the score begins from the top row of the represents table R . The score assigned to an endpoint u is the sum of the scores of the endpoint that is on the same row as each endpoint that represents u . For instance, consider that the endpoint u is in the i^{th} row of the represents table R , for some integer $i > 1$. Next, if some endpoint x in row j , for all $j \in [1, i - 1]$, represents the endpoint u , then the score of endpoint y that is in the same row j as endpoint x is added to the score of endpoint u plus one. The score of each endpoint is initialized to zero.

Definition 15 (Representation Score). *The representation score ζ of an endpoint u in row i of the represents table R is denoted by*

$$\zeta_u = \sum (\zeta_y + 1)$$

where endpoint y is in the same row as endpoint x for all endpoints x such that $u \in L_x$ and $y \neq u$. By design, the endpoint y will be in row j for some integer j such that $1 \leq j < i$.

The higher the score of endpoint y , the higher the chance of endpoint u being frozen so that endpoint x can, in turn, be removed. Recall that both the endpoints in the first row have a score of zero each and the computation moves downward.

Example 6. *We use the populated represents table constructed in Example 5.*

The representation score of both endpoints in the first row is 0. Hence, $\zeta_0 = \zeta_1 = 0$.

There are two endpoints in the second row, namely 4 and 9. The endpoint 9 is not represented by any endpoint, which implies its score $\zeta_9 = 0$. The endpoint 4 is represented by endpoint 0. Hence, its score will be equal to the score of endpoint 1 (plus 1) because endpoint 1 is in the same row as endpoint 0. This means $\zeta_4 = \zeta_1 + 1 = 0 + 1 = 1$. Similarly, the representation score ζ will be appended to the represents table R as follows:

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 2$
$\zeta_2 = 3$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 5: The Represents Table R is appended with representation score ζ for each endpoint.

1050 We jump to calculate the representation score of the last endpoint in the last row, namely,
 1051 endpoint 8. The endpoint 8 is represented by endpoints 3 and 5. Hence, its score will be equal
 1052 to the sum of scores of endpoints 2 and 7 (plus 1 for each endpoint). This is because endpoint
 1053 2 is in the same row as endpoint 3 and endpoint 7 is in the same row as endpoint 5. Hence,
 1054 $\zeta_8 = (\zeta_2 + 1) + (\zeta_7 + 1) = (3 + 1) + (2 + 1) = 4 + 3 = 7$.

1055 Finally, while computing the representation score, we traverse through the entire represents table
 1056 by exploiting the fact that an endpoint u can be represented by at most two endpoints in rows above
 1057 itself. This is because the vertex degree of each vertex is three and one endpoint is in the same row
 1058 as endpoint u . Hence, the time complexity of computing the score is linear. We discuss the details
 1059 about the algorithm to compute scores and its complexity in Sections 5 and 7, respectively.

1060 **Freezing and Removing Endpoints using Representation Score:** The representation scores
 1061 are used to determine which endpoints to freeze or remove. The process³⁰ of freezing or removing an
 1062 endpoint begins from the bottom row of the represents table R . There are two endpoints in the last
 1063 row, u and v . We freeze the endpoint with a higher representation score ζ . Ties are broken using
 1064 lexicographic ordering of the vertices. Simultaneously, we remove the other endpoint. Formally:

$$f(u, v) = \begin{cases} \text{freeze}(v) \text{ and } \text{remove}(u), & \text{if } \zeta_u < \zeta_v \\ \text{freeze}(u) \text{ and } \text{remove}(v), & \text{otherwise} \end{cases}$$

1065 Recall that when an endpoint u is frozen, it is delisted from each represents list it is in. Therefore,
 1066 for each endpoint $a \in R$, $L_a = L_a \setminus u$. Simultaneously, all entries in the represents list of u are
 1067 delisted. Hence, $L_u = \emptyset$. Next, when an endpoint v is removed, all entries in the represents list
 1068 of v is delisted ($L_v = \emptyset$) and each endpoint that represents the endpoint v is frozen. Finally, the
 1069 representation scores of each endpoint in the remaining rows is recalculated top-down. The process
 1070 now iteratively moves up row-wise of the represents table R . This process of freezing and removing
 1071 endpoints of each row continues until each endpoint in the represents table R is either frozen or
 1072 removed. However, during an iteration, when an endpoint in a given row is already frozen, the other
 1073 endpoint is automatically removed. On the other hand, when an endpoint in a given row is already
 1074 removed, the other endpoint, by design, would have been frozen. Finally, when both endpoints are
 1075 frozen, no action is performed. In either case, the algorithm moves to the next iteration without the
 1076 need to use the representation score. The case when both the endpoints are removed is impossible.

1077 **Example 7.** We use the represents table with representation scores constructed in Example 6.

1078 The process of freezing or removing an endpoint begins from the bottom row. Here, there are two
 1079 endpoints, namely 6 and 8, having representation scores of $\zeta_6 = 3$ and $\zeta_8 = 7$.

1080 First, freeze endpoint 8 because it has a higher representation score ($\zeta_8 > \zeta_6$ ($7 > 3$)). Then, delist
 1081 the endpoint 8 from the represents lists L_3 and L_5 . Also delist the entire represents list L_8 .

1082 Next, remove endpoint 6. Then, freeze the endpoints 1 and 9 because the removed endpoint 6 is in
 1083 the represents lists L_1 and L_9 . Delist the entire represents list L_6 . Additionally, because endpoints 1
 1084 and 9 are frozen: (i) delist the endpoint 1 from the represents list L_0 and delist the endpoint 9 from
 1085 the represents list L_4 , and (ii) also delist the entire represents lists L_1 and L_9 .

1086 Finally, recalculate the represents score of all the endpoints that are neither frozen nor removed.
 1087 The representation table at the end of the first iteration, carried on the bottom row, looks as follows:

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 0$
$\zeta_2 = 2$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 6: The Represents Table R after the first iteration of freezing and removing endpoints based on the representation score. The bold red font denotes that an endpoint is frozen. The grayed-out entries denote removed / delisted endpoints.

1088 At the end of all iterations, the endpoints 0, 3, 6, and 7 are removed from the represents table
 1089 R . The endpoints 1, 2, 4, 5, 8, and 9 are frozen in the represents table R .

³⁰A process here denotes a sequence of steps that are followed and should not be misinterpreted from the context of a process in operating systems.

At the end of the process of freezing or removing endpoints using the represents table R , the frozen endpoints correspond to the vertices in a vertex cover S' of the graph G . We stress that at this moment, we do *not* make any claim about the size of the vertex cover.

Theorem 4. *Given a graph G consisting of a set V of m vertices and the corresponding represents table R populated by a set W of m endpoints, a set S'' of l endpoints in the represents table R is frozen, for some integer $1 \leq l \leq m$, and a disjoint set $W \setminus S''$ of $m - l$ endpoints in the represents table R is removed if and only if there is a vertex cover S' of l vertices in the graph G that correspond to the set S'' of frozen endpoints.*

Proof. (\Rightarrow) If a set S'' of l endpoints in the represents table R is frozen, for some integer $1 \leq l \leq m$, and a disjoint set $W \setminus S''$ of $m - l$ endpoints in the represents table R is removed, then there is a vertex cover S' of l vertices in the graph G that correspond to the set S'' of frozen endpoints.

When the represents table is populated, all the vertices in G are listed as endpoints. Hence, the endpoints trivially form a vertex cover (Property 3). Next, the computation of representation scores and the consequent process of freezing and removal of the endpoints results in each endpoint either being frozen or removed. Hence, the frozen endpoints form a vertex cover (Property 4).

(\Leftarrow) If there is a vertex cover S' of l vertices in the graph G , for some integer $1 \leq l \leq m$, then a set S'' of l endpoints in the represents table R is frozen that correspond to the vertex cover S' and a disjoint set $W \setminus S''$ of $m - l$ endpoints in the represents table R is removed. This is the straightforward case, as we can simply freeze the endpoints that correspond to the vertices in the vertex cover S' and remove the rest of the endpoints. \square

Again, we stress that the above-stated theorem guarantees that the frozen endpoints form a vertex cover and does not give any guarantee regarding the size of the vertex cover. We leave the analysis on the size of the vertex cover derived using representation scores for future work. Overall, here, we discussed the use of representation scores to freeze or remove each endpoint in the given represents table, and the resultant frozen endpoints form a vertex cover. We finally discuss how the represents table, representation score, and the vertex cover are used in the diminishing hops.

Diminishing Hops: The concept of diminishing hops is inspired by the use of augmenting paths for maximum matching (Figure 10). More specifically, we prove a theorem on the use of diminishing hops for minimum vertex cover, just like Berge's theorem is proven on the use of augmenting paths for maximum matching [Ber57]. To do so, we first discuss an augmenting path and its relation to a maximum matching proven through Berge's theorem. Then, we introduce a diminishing hop and show its relation to the minimum vertex cover through a theorem (analogous to Berge's theorem).

Berge's Theorem, Augmenting Paths, and Maximum Matching: The Blossom Algorithm [Edm65] is a polynomial-time algorithm to find a maximum matching in a given graph. The key concept that the Blossom algorithm relies upon is Berge's theorem:

Theorem 5 (Berge's Theorem [Ber57]). *Given a graph G and a matching M , M is a maximum matching if and only if there is no M -augmenting path in the graph G .*

To understand this, we first define an alternating path and an augmenting path.

Definition 16 (Alternating Path). *Given a graph G and a matching M , an alternating path P w.r.t. the matching M is a path that (i) starts from a vertex v that is not incident to any edge e in the matching M and (ii) whose edges alternate between not being in M and being in M (or being in M and not being in M if the path starts from a vertex v that is incident to any edge e in the matching M).*

Definition 17 (Augmenting Path). *Given a graph G and a matching M , an augmenting path is an alternating path w.r.t. matching M that starts from a vertex v and ends at a vertex u such that $u \neq v$ and neither the vertex u or the vertex v is incident to any edge e in the matching M .*

An augmenting path's characteristic is that it increases the size of an existing matching. Hence, if there is an augmenting path P w.r.t. a matching M , then we can increase the size of the matching by one. To do so, we create a new matching M' by flipping the edges along the path P such that (i) if an edge is in M , then it is not in M' and (ii) if an edge is not in M , then it is in M' (Figure 11). Formally, the new matching M' can be denoted by $M' = (M \setminus P) \cup (P \setminus M)$ and hence, $|M'| = |M| + 1$. Berge's theorem uses this characteristic to prove that a matching M is maximum if and only if there is no augmenting path w.r.t. M (Theorem 5).



Figure 11: (a) An augmenting path from vertex u to y alternates between an edge not in a matching and an edge in the matching (thick edge). (b) It leads to an edge being augmented to the matching.

We practically described an algorithm to find a maximum matching: start with an initial matching (even a blank matching), augment the current matching with augmenting paths, and terminate when no augmenting path remains. The eventual augmented matching is a maximum matching. Subsequently, the key contribution of the Blossom algorithm is to find augmenting paths efficiently.

Similarly, this section first introduces the concept of a diminishing hop and then shows its relation to a minimum vertex cover. Finally, we discuss how to compute a diminishing hop efficiently in Section 5 (Algorithm) and analyze its time complexity in Section 7.

Diminishing Hop: A represents table R consists of vertices V in graph G that are endpoints of edges in a maximum matching M found using the Blossom algorithm. In our case (of using cubic bridgeless graphs), all vertices of a given graph G will be endpoints in the represents table because a perfect matching always exists. Next, if each endpoint in the represents table is either frozen or removed, then the frozen endpoints form a vertex cover (Property 4). Conversely, if a vertex cover S of a graph is given, then the corresponding endpoints in the represents table can be frozen and the rest removed (i.e., endpoints in S can be frozen and endpoints in $V \setminus S$ removed). Finally, in our case, the represents table consists of $\frac{m}{2}$ rows, which is also the lower bound on the size of the MVC.

Given that $\frac{m}{2}$ corresponds to the lower bound of an MVC and to the number of rows in the represents table, we ideally want exactly one endpoint from each row frozen and the other removed. Removing both endpoints of a given row is not possible by design. Hence, if there is a row in the represents table that consists of two frozen endpoints, then it should be assessed if removing one of them can lead to a smaller number of frozen endpoints in the table. This corresponds to a smaller-sized vertex cover. Importantly, recall that $\frac{m}{2}$ is a lower bound and not the size of the MVC. Hence, it is perfectly possible for more than one row of the represents table to have both its endpoints frozen. The aim here is to assess whether decreasing the number of such rows is possible or not.

Consider a represents table R such that each endpoint is either frozen or removed and *exactly* one of its rows has both its endpoints frozen. The set of frozen endpoints corresponds to a vertex cover S . We shall generalize this discussion to when *at least* one of the rows has both its endpoints frozen later on by successively doing diminishing hops³¹. Hence, for now, given a represents table R where (i) each endpoint is either frozen or removed, (ii) each endpoint is marked “unvisited”, and (iii) one of the rows has both its endpoints frozen, we carry out the following sequence of operations:

1. Endpoints u and v in row i are both frozen, for some integer $i \in [1, \frac{m}{2}]$. Both are marked “unvisited”. Hence, we start the hopping phase by choosing an endpoint to remove, say u .
2. Remove endpoint u . Consequently, by design, each endpoint x is frozen such that either (i) x is represented by endpoint u or (ii) x represents endpoint u . Mark endpoints u and v of row i and each endpoint x as “visited”. Enqueue endpoint u in a queue Q . Subsequently,
 - (a) For all integers $j \in [i + 1, \frac{m}{2}]$, consider an endpoint x in row j such that x is represented by endpoint u . If the j^{th} row has two frozen endpoints x and y , repeat Step 2 by choosing to remove endpoint y if endpoint y is marked “unvisited”. Move to Step 2(b) when either an endpoint marked “visited” is encountered or endpoint u represents no endpoint or only one endpoint in row j is frozen and “visited”.
 - (b) Dequeue an endpoint u from queue Q . For all integers $j \in [1, i - 1]$, consider an endpoint x in row j such that x represents endpoint u . If the j^{th} row has two frozen endpoints x and y , repeat Step 2 by choosing to remove endpoint y if endpoint y is marked “unvisited”. If no endpoint represents endpoint u or when an endpoint marked as “visited” is encountered or only one endpoint of row j is frozen and “visited”, then either (i) repeat Step 2(b) if the queue Q is non-empty or (ii) move to Step 3 if the queue Q is empty.

³¹Indeed, the proof for diminishing hops should eventually seem similar to the proof connecting augmenting paths and maximum matching (Berge’s Theorem: Theorem 1, [Ber57]). Hence, an understanding of the proof of Berge’s Theorem will make our proof easier to follow.

- 1188 3. Count the number of marked frozen vertices S_u resulting from removing endpoint u . Mark
1189 all the endpoints as “unvisited” and restore the represents table to the starting state (as was
1190 given before Step 1). Repeat Step 2 by removing endpoint v . Subsequently, count the number
1191 of marked frozen vertices S_v resulting from removing endpoint v .
- 1192 4. The vertex cover S is the initial set of frozen endpoints in the given represents table R . Hence,
1193 if $|S| \leq |S_u|$ and $|S| \leq |S_v|$, then do nothing. Else if $|S_u| \leq |S_v|$, then the diminished vertex
1194 cover is S_u ; else the diminished vertex cover is S_v .

1195 We almost informally stated the algorithm for diminishing hops for the restricted case when we
1196 are given a represents table where each endpoint is either frozen or removed, and when exactly one
1197 row has both its endpoints frozen. However, we leave formalization to Section 5. Here, we discuss
1198 how a diminished vertex cover implies a minimum vertex cover, and importantly, when a given set
1199 of frozen endpoints is not diminishable, the given vertex cover is indeed the minimum vertex cover.
1200 We first give an example:

1201 **Example 8.** We use the represents table that results after freezing or removing each endpoint dis-
1202 cussed in Example 7. Recall that the endpoints 0, 3, 6, and 7 are removed from the represents table
1203 R and the endpoints 1, 2, 4, 5, 8, and 9 are frozen. The latter corresponds to a vertex cover.

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 0$
$\zeta_2 = 2$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 7: The Represents Table R where each endpoint is either frozen (red font) or removed (gray font), and one row has both its endpoints frozen (yellow highlight).

1204 Endpoints 4 and 9 in row 2 are frozen. Remove endpoint 4 (as per Step 2). Hence, row 2 now has
1205 only one frozen endpoint. Mark both the endpoints as “visited” (green highlight). Enqueue endpoint
1206 4 to the queue $Q = \{4\}$. By design, endpoints 0 and 3 are frozen. This is because endpoint 3 is
1207 represented by endpoint 4 (see list L_4) and endpoint 0 represents endpoint 4 (see list L_0).

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 0$
$\zeta_2 = 2$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 8: Mark endpoints 4 and 9 as “visited” (green highlight). Remove endpoint 4. Consequently, endpoints 0 and 3 are frozen and marked “visited”. We will first hop (red arrow) from row 2 to row 4, which corresponds to hopping from the removed endpoint 4 to endpoint 3 and then hop from row 2 to row 1, which corresponds to hopping from the removed endpoint 4 to endpoint 0.

1208 First, hop to row 4 that contains endpoint 3 (as per Step 2(a)). Now, row 4 consists of two frozen
1209 endpoints, namely, 2 and 3. Next, hop to endpoint 2 to remove it (i.e., repeat Step 2).

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 0$
$\zeta_2 = 2$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 9: Hop (red arrow) from frozen endpoint 3 to endpoint 2. The latter is subsequently removed.

1210 We removed endpoint 2 (as per Step 2). Mark endpoint 2 as “visited”. Enqueue endpoint 2 to
 1211 the queue $Q = \{4, 2\}$. Next, freeze and mark endpoints 7 and 1 as “visited”. Next, we hop to rows
 1212 where endpoint 2 is represented by an endpoint, namely, endpoint 1 in row 1 and endpoint 7 in row
 1213 3.

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 0$
$\zeta_2 = 2$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 10: Hop (red arrow) from row 4 to row 3 and row 1, which corresponds to hopping from removed endpoint 2 to endpoint 7 and endpoint 1, respectively.

1214 At this point, no “unvisited” endpoint is represented by endpoint 2. Hence, as per Step 2(a),
 1215 we move to Step 2(b). De-queuing queue $Q = \{4, 2\}$ gives us endpoint 4 and therefore $Q = \{2\}$.
 1216 Endpoint 4 is represented by one endpoint, namely 0 in row 1. We hop to row 1. Both the endpoints
 1217 of row 1 are marked “visited” (and are frozen). Hence, we repeat Step 2(b) as queue Q is not empty.

1218 De-queuing queue $Q = \{2\}$ gives us endpoint 2 and therefore $Q = \{\}$. Endpoint 2 is represented
 1219 by endpoints 1 and 7. Recall that we simply marked the endpoint 1 as “visited” because it is already
 1220 frozen. Both the endpoints of row 1 are already marked “visited” (and are frozen). Next, we hop to
 1221 row 3. Row 3 consists of two frozen endpoints and one of them is marked “unvisited”. Hence, hop
 1222 to endpoint 5 and remove it (i.e., repeat Step 2).

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 0$
$\zeta_2 = 2$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 11: Hop (red arrow) from frozen endpoint 7 to endpoint 5. The latter is subsequently removed.

1223 We removed endpoint 5 (as per Step 2). Mark it “visited”. Enqueue endpoint 5 to the queue
 1224 $Q = \{5\}$. Consequently, freeze and mark endpoints 0 and 8 as “visited”. Next, we first hop to the
 1225 row where endpoint 5 represents an endpoint, namely, endpoint 8 in row 5. We then hop to row
 1226 where endpoint 5 is represented by an endpoint, namely, endpoint 0 in row 1.

Representation Score ζ	Endpoint 1	Represents List 1	Endpoint 2	Represents List 2	Representation Score ζ
$\zeta_0 = 0$	0	$L_0 = \{1, 4, 5\}$	1	$L_1 = \{0, 2, 6\}$	$\zeta_1 = 0$
$\zeta_4 = 1$	4	$L_4 = \{9, 3\}$	9	$L_9 = \{4, 6, 7\}$	$\zeta_9 = 0$
$\zeta_5 = 1$	5	$L_5 = \{7, 8\}$	7	$L_7 = \{5, 2\}$	$\zeta_7 = 0$
$\zeta_2 = 2$	2	$L_2 = \{3\}$	3	$L_3 = \{2, 8\}$	$\zeta_3 = 1$
$\zeta_6 = 3$	6	$L_6 = \{8\}$	8	$L_8 = \{6\}$	$\zeta_8 = 7$

Table 12: Hop (red arrow) from row 4 to row 5 and row 1, which corresponds to hopping from removed endpoint 5 to endpoint 8 and endpoint 0, respectively.

1227 First, hop to row 5 that contains endpoint 8 (as per Step 2(a)). Row 5 consists of one frozen
 1228 endpoint, which is marked “visited”. Note that endpoint 6 was already removed and hence, we need
 1229 not visit it as only one endpoint from its row is frozen. Additionally, by design, each endpoint
 1230 represented by and representing endpoint 6 is frozen. Hence, we move to execute Step 2(b).

1231 De-queuing queue $Q = \{5\}$ gives us endpoint 0 and therefore $Q = \{\}$. Endpoint 5 is represented
 1232 by one endpoint, namely 0 in row 1. We hop to row 1. Both the endpoints of row 1 are marked
 1233 “visited” (and are frozen). Hence, we move to Step 3 as queue Q is empty.

1234 The number of frozen endpoints is six. Hence, the corresponding vertex cover $S_4 = \{0, 1, 3, 7, 8, 9\}$
1235 is of size six and is not smaller than S , the original vertex cover given to us. We repeat the entire
1236 exercise by removing the endpoint 9 in Table 7. We get the corresponding vertex cover S_6 of size six
1237 as well. Hence, as per Step 4, the vertex cover S is not diminishable, and consequently, it is indeed
1238 the minimum vertex cover, which we prove in the succeeding discussion.

1239 We are now ready to define a diminishing hop and prove the corresponding theorem that relates
1240 the above-discussed restricted diminishing hops to the minimum vertex cover.

1241 **Definition 18** (Duadic Hop). *Given a represents table R where each endpoint u in table R is either
1242 frozen or removed, a duadic³² hop H w.r.t. to the frozen endpoints in table R (equivalently w.r.t. to
1243 a given vertex cover S) is a sequence of operations that (i) starts at a row where both (duad of) the
1244 endpoints are frozen, (ii) removes one of the endpoints, (iii) freezes each endpoint that represents or
1245 is represented by the removed endpoint, and (iv) repeats each operation until no “unvisited” endpoint
1246 remains or “unvisited” but removed endpoints remain or an already frozen endpoint is encountered.*

1247 A duadic hop is analogous to an alternating path (Definition 16), but unlike an alternating
1248 path, where the path alternates between edges in matching and not in matching, a duadic hop is
1249 a sequence of operations that alternately freezes and removes endpoints in the table R . Hence,
1250 while an alternating path exists in a graph, a duadic hop does not exist in a table R but is created.
1251 The nomenclature of a duadic hop is based on the fact that the hop starts with a duad (or pair)
1252 of frozen endpoints, removes one of them, and hops to another row, (possibly) creating a duad of
1253 frozen endpoints at the row it hopped to³³. We now define a diminishing hop:

1254 **Definition 19** (Diminishing Hop). *Given a represents table R where each endpoint u in table R is
1255 either frozen or removed, a diminishing hop H w.r.t. to the frozen endpoints in table R (equivalently
1256 w.r.t. to a given vertex cover S) is a duadic hop w.r.t. to a vertex cover S that removes at least one
1257 more endpoint than it freezes while satisfying all the properties of the table R .*

1258 A diminishing hop is analogous to an augmenting path (Definition 17). The former diminishes
1259 the size of a given vertex cover, and the latter augments the size of a given matching. Let us elaborate
1260 on the similarity between the two concepts. To find a maximum matching, Berge [Ber57, Edm65]
1261 suggested searching for augmenting paths. Specifically, he suggested starting from an exposed vertex
1262 (i.e., a vertex which is connected to edges not in a matching). Then, walk along an alternating path
1263 by iteratively finding the path until it exists. Consequently, if this alternating path stops at an
1264 exposed vertex, then it is an augmenting path, and the size of the matching can be increased by
1265 one. On the other hand, if the path is not augmenting, then backtrack (a little), choose another
1266 edge, and continue to form an alternating path until no augmenting path exists.

	Augmenting Path	Diminishing Hop
Where to start?	start at an exposed vertex in the graph, which means none of its edges is in the given matching	start at a row in the represents table where a duad of (i.e., both) endpoints are frozen (i.e., both endpoints of an edge are in the given vertex cover)
How to proceed?	follow an alternating path	perform a duadic hop
When to terminate?	when another exposed vertex is encountered in an alternating path, or no such vertex exists	when the number of endpoints removed $>$ the number of endpoints frozen during a duadic hop, while satisfying the table’s properties, or no such duadic hop exists
What is the use?	searching for augmenting paths is a technique to find a maximum matching (Theorem 5)	searching for diminishing hops is a technique to find a minimum vertex cover (Theorem 7)

Table 13: An overview of the similarities between an augmenting path and a diminishing hop.

³²The term “dyadic” (or dyad) is more commonly and interchangeably used in English as compared to “duadic” (or duad), but not in a mathematical context. For instance, dyadic has a specific meaning in linear algebra. Hence, we use “duadic” instead of “dyadic” to prevent confusion and emphasize that the two terms are unrelated.

³³The word “possibly” is in the parenthesis because when using cubic bridgeless graphs and representation score ζ to freeze / remove endpoints as done in the paper, it is guaranteed to create a duad of frozen endpoints in at least one of the rows we hop to. However, if we do not use the representation score ζ to freeze / remove endpoints, then it is possible that such a duad may not be formed during a duadic hop. We leave this analysis to future work.

1267 Similarly, to find a minimum vertex cover, we propose searching for diminishing hops. Specifically,
1268 we are given a vertex cover S . The vertices in the vertex cover correspond to the frozen endpoints in
1269 the represents table (and vertices in $V \setminus S$ correspond to removed endpoints). If exactly one endpoint
1270 of each row is frozen, it is the minimum vertex cover, and we need not do anything. However, if
1271 we have two frozen endpoints in a row, then we start from a row where both of its endpoints are
1272 frozen. Then, move along a duadic hop by iteratively removing and freezing endpoints until possible.
1273 Consequently, when duadic hops stop, if the number of endpoints removed is greater than the number
1274 of endpoints frozen, then the duadic hop is a diminishing hop, and the size of the vertex cover is
1275 decreased (by one). On the other hand, if the duadic hop is not diminishing, then backtrack (a
1276 little), choose another endpoint to remove (or row with two frozen endpoints), and continue duadic
1277 hops until no diminishing hop exists. At this point, we stress that we do not discuss time complexity
1278 and focus on formalizing the relation between diminishing hops and minimum vertex cover.

1279 Note that the definitions of a duadic hop and a diminishing hop are general in that they hold for
1280 diminishing hops for restricted and for the general case³⁴. We now prove a theorem that associates
1281 diminishing hop and minimum vertex cover for the restricted case of represents table R where
1282 exactly one row contains two frozen endpoints. Subsequently, we prove a theorem that associates
1283 diminishing hop and minimum vertex cover for the general case of represents table R where at least
1284 one row contains two frozen endpoints. Recall that when one endpoint of each row is frozen, the
1285 frozen endpoints form a minimum vertex cover, and hence, we do not need to prove anything.

1286 **Theorem 6** (Restricted Diminishing Hop and Vertex Cover). *Given a cubic bridgeless graph G ,*
1287 *a corresponding represents table R and a vertex cover S of size $\frac{|V|}{2} + 1$ (derived using R), S is*
1288 *the minimum-size vertex cover derivable from the represents table R if and only if there is no S -*
1289 *diminishing hop in the represents table R .*

1290 **Proof Outline:** In this restricted case, the size of the minimum vertex cover can either be $\frac{|V|}{2} + 1$
1291 or $\frac{|V|}{2}$. By definition, we start with a vertex cover of size $\frac{|V|}{2} + 1$. Hence, if a diminishing hop w.r.t.
1292 the given vertex cover does not exist, then it implies that the given vertex cover is the minimum
1293 vertex cover. Additionally, if there is a diminishing hop, then the resultant vertex cover is of size
1294 $\frac{|V|}{2}$, which is the minimum-size vertex cover possible in a graph having a perfect matching. On the
1295 other hand, if the given vertex cover is not a minimum vertex cover, then there exists a diminishing
1296 hop that leads to a minimum vertex cover that consists of any one of the two frozen endpoints in it.

1297 *Proof.* We prove the contrapositive of the theorem. We start with the reverse direction, which is
1298 relatively simpler than the forward direction.

1299 (\Leftarrow) If there exists an S -diminishing hop, then S is not a minimum vertex cover.

1300 Let S be a vertex cover of size $\frac{|V|}{2} + 1$. Then the corresponding represents table R consists
1301 of $\frac{|V|}{2} + 1$ frozen endpoints (and $\frac{|V|}{2} - 1$ removed endpoints). Given that we use cubic bridgeless
1302 graphs, there is always a perfect matching, which means that there are $\frac{|V|}{2}$ rows in the represents
1303 table. This, by pigeonhole principle and by design requiring each row to have at least one frozen
1304 endpoint, implies that exactly one row in the represents table consists of a duad (i.e., a row with
1305 both its endpoints as frozen). Let u and v be the endpoints that form a duad.

1306 Given that there exists an S -diminishing hop, we know that, by definition, the hop begins at the
1307 row with the duad u and v . In turn, the diminishing hop decreases the number of frozen endpoints
1308 in the table by one. The resultant frozen endpoints, one in each row, correspond to a vertex cover
1309 S' . Hence, we know that either one of u or v will be in the vertex cover S' . Formally, given that
1310 $S \cap \{u\} \neq \emptyset$ and $S \cap \{v\} \neq \emptyset$, it means that either $S' \cap \{u\} = \emptyset$ or $S' \cap \{v\} = \emptyset$. For the remaining
1311 $\frac{|V|}{2} - 1$ rows where one of its two endpoints (y and z) is frozen, we know that either $S \cap \{y\} = \emptyset$
1312 or $S \cap \{z\} = \emptyset$; this condition holds for S' too. Here, if $y \in S$, then it does not imply $y \in S'$ (or
1313 analogously, if $z \in S$, then it does not imply $z \in S'$). We only know for a fact that either one of the
1314 two endpoints in a row will be in the vertex covers S, S' . We do not need to show *which* specific
1315 endpoint will be in the vertex covers. Overall, we are sure that $|S'| = |S| - 1$. Therefore, because we
1316 were able to find a vertex cover S' of a size smaller than the size of the vertex cover S ($|S'| < |S|$;
1317 here, specifically $|S'| = |S| - 1$), S cannot be a minimum vertex cover. In fact, for this restricted
1318 setting, we provide a stronger argument: vertex cover S' of size $\frac{|V|}{2}$ is indeed the minimum vertex
1319 cover (Lemma 1). Hence, S cannot be a minimum vertex cover. We now prove the other direction.

³⁴Given a cubic bridgeless graph, a restricted case is the case where *exactly* one row in the corresponding represents table consists of two frozen endpoints and a general case is the case where *at least* one row in the corresponding represents table consists of two frozen endpoints.

1320 (\Rightarrow) If S is not a minimum vertex cover, then there exists an S -diminishing hop.

1321 Let S be a vertex cover that is not a minimum vertex cover. Since S is not a minimum vertex
1322 cover, there must exist at least one vertex cover S' that is smaller than S , i.e., $|S'| < |S|$. In this
1323 restricted case, we know that the vertex cover S is of size $\frac{|V|}{2} + 1$, and the vertex cover S' is of size
1324 $\frac{|V|}{2}$. We now find the association between S and S' .

1325 **Take Symmetric Difference of vertices in S and S' :** Let G' be a subgraph of G such that
1326 the vertices in G' is a symmetric difference between the vertex covers S and S' . Formally,

$$G' = S \Delta S' = (S \setminus S') \cup (S' \setminus S)$$

1327 This means that the vertices in the subgraph G' are the vertices that are in the vertex cover S but
1328 not in the vertex cover S' , or in S' but not in S . Vertices that are in both S and S' or that are
1329 neither in S nor in S' are omitted. The edges in subgraph G' correspond to the edges in the graph
1330 G that connect the vertices in G that correspond to the vertices in G' .

1331 **Properties of the subgraph G' :**

- 1332 1. The edges not in G' but in G are covered by the vertices that are in both the vertex covers S
1333 and S' . Hence, the edges in G' are the edges that remain uncovered when the vertices only in
1334 S' or only in S are removed.
- 1335 2. Each edge in the subgraph G' is covered by vertices that correspond to the vertices only in
1336 the vertex cover S . Simultaneously, each edge in the subgraph G' is covered by vertices that
1337 correspond to the vertices only in the vertex cover S' .
- 1338 3. The number of vertices in the subgraph G' is odd. Specifically, suppose there are m' vertices
1339 in the subgraph G' that correspond to the vertices in the vertex cover S . In that case, there
1340 are $m' - 1$ vertices in the subgraph G' that correspond to the vertices in the vertex cover S' .
- 1341 4. The subgraph G' can be a single vertex (singleton), a linear chain, a cycle, or a tree (or multiple
1342 connected components of one or more of the four).

1343 **Relating S and S' to subgraph G' :** The vertices in G' alternate between a vertex in S and a
1344 vertex in S' . This is because for every edge $e = (u, v)$ in subgraph G' , if the edge is covered by
1345 vertex u in S , then it is covered by vertex v in S' , or vice versa. Vertices u and v cannot be in the
1346 same vertex cover together. Otherwise, both the vertices would not be in the symmetric difference
1347 of S and S' , and consequently, $e = (u, v)$ would not be an edge in the subgraph G' . Additionally, it
1348 is not possible that a vertex cover S (or S') does not contain either of the vertices u and v because
1349 if that is the case then S (or S') will not be a vertex cover as edge $e = (u, v)$ will not be covered.

1350 **Identifying a Diminishing Hop from the subgraph G' :** This is a critical part. Until now,
1351 the proof in the forward direction has only discussed graphs and not mentioned the represents table,
1352 which is needed for diminishing hops. Hence, we first associate the vertex covers S and S' for the
1353 given graph G with the represents tables R and R' , respectively, that correspond to the given graph
1354 G . More specifically, given a graph G and a vertex cover S , there is a represents table R such
1355 that endpoints that correspond to vertices in the vertex cover S are frozen and the remainder are
1356 removed. Similarly, given a graph G and a vertex cover S' , there is a represents table R' such
1357 that endpoints that correspond to vertices in the vertex cover S' are frozen and the remainder are
1358 removed. Next, in this restricted case, we know that one row of the represents table R consists of
1359 a duad of frozen endpoints. Hence, remove the endpoint from the row with a duad such that the
1360 removed endpoint is in the subgraph G' . The other endpoint in the duad will be frozen and must be
1361 in both the vertex covers S and S' , and hence, not in the subgraph G' . Then, follow the sequence of
1362 remove and freeze operations, i.e., the duadic hop w.r.t. S . Consequently, the table R will become
1363 the same as table R' such that the endpoints removed from R during the duadic hop correspond to
1364 the vertices in G' that are from the vertex cover S , and the endpoints frozen in R during the duadic
1365 hop correspond to the vertices in G' that are from the vertex cover S' . Hence, after the duadic hop
1366 w.r.t. S , table R becomes equivalent to table R' . Finally, given that duadic hop w.r.t. S in the
1367 represents table R leads to a smaller number of frozen endpoints, and in turn, smaller vertex cover,
1368 it implies that the S -duadic hop is, by definition, an S -diminishing hop. Overall, because S is not
1369 a minimum vertex cover, the given table R has an S -diminishing hop.

In summary, the alternating vertices in the subgraph G' (please refer to “Relating S and S' to subgraph G' ”) from the vertex cover S and S' correspond to the removed and frozen endpoints in the table R , respectively. Hence, the vertices in subgraph G' correspond to the sequence of endpoints that are removed and frozen, i.e., an S -duadic hop. The duadic hop is an S -diminishing hop. Therefore, if S is not a minimum vertex cover, then there exists an S -diminishing hop.

This completes the other direction of the proof of correctness. In turn, it completes the overall contrapositive proof that shows that S is the minimum-size vertex cover derivable from the represents table R if and only if there is no S -diminishing hop in the represents table R . \square

We established the relation between a vertex cover S and an S -diminishing hop in the represents table R for the restricted case where the represents table R has *exactly* one duad, i.e., *exactly* one row with two frozen endpoints. We now generalize this result to the case where the represents table R has *at least* one duad, i.e., *at least* one row with two frozen endpoints. As for the implementation, the steps we mentioned (starting at the end of page 32) remain the same. However, when more than one row has a duad, Step 1 is repeated for each of the existing duads unless a duadic hop beginning at each duad is guaranteed to not be a diminishing hop. The formalization on how to ensure that no diminishing hop remains and its corresponding time complexity is discussed in Section 5 (Algorithm) and Section 7 (Time Complexity), respectively. Here, we continue to focus on establishing the relation between a minimum vertex cover S and S -diminishing hop.

Theorem 7 (Diminishing Hop and Vertex Cover). *Given a cubic bridgeless graph G , a corresponding represents table R and a vertex cover S (derived using R), S is the minimum-size vertex cover derivable from the represents table R if and only if there is no S -diminishing hop in the represents table R .*

Proof. Before we begin the discussion of the proof, we share two observations:

Observation 1. *The size of the minimum vertex cover S will be between $\frac{|V|}{2}$ and $|V| - 1$, i.e., $|S| \in [\frac{|V|}{2}, |V| - 1]$ ³⁵³⁶.*

More specifically, when $|S| = \frac{|V|}{2}$, there are two facts: (i) S is the minimum vertex cover because the size of perfect matching is $\frac{|V|}{2}$ (Lemma 1), and (ii) there is no duad, and in turn, there will be no S -diminishing hop. Conversely, when there is no duad in a represents table R , and in turn, there is no S -diminishing hop, it means that exactly $\frac{|V|}{2}$ endpoints are frozen (one endpoint frozen for each row), which implies that S is the minimum vertex cover.

Observation 2. *When the given graph is a cubic bridgeless graph G , the minimum-size (smallest) vertex cover derivable from the represents table R implies a minimum vertex cover.*

We now discuss the main proof. We again prove the contrapositive of the theorem. This proof has subtle variations from the proof for Theorem 6, which necessitates a detailed discussion. We start with the reverse direction, which is relatively simpler than the forward direction. Also, recall that m denotes the number of vertices in the given graph ($m = |V|$).

(\Leftarrow) If there exists an S -diminishing hop, then S is not a minimum vertex cover.

Let S be a vertex cover of size $\frac{m}{2} + 1 \leq |S| \leq m - 1$. Then the corresponding represents table R consists of x frozen endpoints (and remainder $m - x$ removed endpoints) where x is an integer such that $x \in [\frac{m}{2} + 1, m - 1]$. Given that we use cubic bridgeless graphs, there is always a perfect matching, which means that there are $\frac{m}{2}$ rows in the represents table. This, by pigeonhole principle and by design requiring each row to have at least one frozen endpoint, implies that at least one row in the represents table R consists of a duad (i.e., a row with both its endpoints as frozen).

Let u and v be the endpoints that form a duad. Given that there exists an S -diminishing hop, we know that, by definition, the hop begins at the row with a duad, say, row i containing endpoints u and v . In turn, the diminishing hop decreases the number of frozen endpoints in the table by at least one because one of the endpoints from u or v will be removed. The resultant frozen endpoints in table R' correspond to a vertex cover S' . Hence, we know that either one of u or v will be in the vertex cover S' . Formally, given that $S \cap \{u\} \neq \emptyset$ and $S \cap \{v\} \neq \emptyset$, it means that either $S' \cap \{u\} = \emptyset$ or $S' \cap \{v\} = \emptyset$. For the remaining $\frac{m}{2} - 1$ rows, we do not need to show *which* specific endpoints will be in each of the vertex covers S and S' . It suffices to show that, by definition, the total number of

³⁵The upper bound of $|V| - 1$ on the size of the minimum vertex cover is a relaxed one. We can prove a tighter upper bound that can be provided by the use of representation scores. We omit a detailed analysis as it is not within the scope of this paper.

³⁶A closed interval $[a, b]$ denotes all integers in the range of integers a and b , both inclusive. Formally, $[a, b]$ denotes all integers x such that $a \leq x \leq b$.

1421 frozen endpoints in the remaining $\frac{m}{2} - 1$ rows of table R will be at least equal to the total number
 1422 of frozen endpoints in the remaining $\frac{m}{2} - 1$ rows of table R' . Hence, $|S \setminus \{u, v\}| \geq |S' \setminus \{u\}|$ or
 1423 $|S \setminus \{u, v\}| \geq |S' \setminus \{v\}|$. Consequently, $|S| > |S'|$. Therefore, because we were able to find a vertex
 1424 cover S' of a size smaller than the size of the vertex cover S ($|S'| < |S|$), S cannot be a minimum
 1425 vertex cover. We now prove the other direction.

1426 (\Rightarrow) If S is not a minimum vertex cover, then there exists an S -diminishing hop.

1427 Let S be a vertex cover that is not a minimum vertex cover. Since S is not a minimum vertex
 1428 cover, there must exist at least one vertex cover S' that is smaller than S , i.e., $|S'| < |S|$. We now
 1429 find the association between S and S' .

1430 **Take Symmetric Difference of vertices in S and S' :** Let G' be a subgraph of G such that
 1431 the vertices in G' is a symmetric difference between the vertex covers S and S' . Formally,

$$G' = S \Delta S' = (S \setminus S') \cup (S' \setminus S)$$

1432 The edges in subgraph G' correspond to the edges in the graph G that connect the vertices in G
 1433 that correspond to the vertices in G' .

1434 **Properties of the subgraph G' :**

- 1435 1. The edges not in G' but in G are covered by the vertices that are in both the vertex covers S
 1436 and S' . Hence, the edges in G' are the edges that remain uncovered when the vertices only in
 1437 S' or only in S are removed.
- 1438 2. Each edge in the subgraph G' is covered by vertices that correspond to the vertices only in
 1439 the vertex cover S . Simultaneously, each edge in the subgraph G' is covered by vertices that
 1440 correspond to the vertices only in the vertex cover S' .
- 1441 3. The subgraph G' can be a single vertex (singleton), a linear chain, a cycle, or a tree (or multiple
 1442 connected components of one or more of the four).

1443 **Relating S and S' to subgraph G' :** If the graph G' is a singleton or consists of a singleton
 1444 component, then that single vertex must come from the vertex cover S . For the remaining cases,
 1445 the vertices in (each connected component of) G' alternate between a vertex in S and a vertex in
 1446 S' . This is because for every edge $e = (u, v)$ in subgraph G' , if the edge is covered by vertex u in
 1447 S , then it is covered by vertex v in S' , or vice versa. Vertices u and v cannot be in the same vertex
 1448 cover together. Additionally, it is not possible that a vertex cover S (or S') does not contain either
 1449 of the vertices u and v .

1450 **Identifying a Diminishing Hop from the subgraph G' :** Until now, this proof in the forward
 1451 direction discussed graphs and did not mention the represents table, which is needed for diminishing
 1452 hops. Hence, we first associate the vertex covers S and S' for the given graph G with the represents
 1453 tables R and R' , respectively, that correspond to the given graph G . More specifically, given a graph
 1454 G and a vertex cover S , there is a represents table R such that endpoints that correspond to vertices
 1455 in the vertex cover S are frozen and the remainder are removed. Similarly, there is a represents table
 1456 R for a given graph G and a vertex cover S' . Next, we discuss the existence of an S -diminishing
 1457 hop in each of the four types of graph G' :

- 1458 • **Singleton:** A singleton in graph G' consists of a vertex u from the vertex cover S . Because
 1459 there is no edge connected to this single vertex in G' , removing u from S keeps the vertex cover
 1460 intact and results in a smaller vertex cover S' . Correspondingly, there exists an S -diminishing
 1461 hop that removes the endpoint u from the duad in the represents table R , which results in a
 1462 represents table R' with fewer frozen endpoints that correspond to the vertex cover S' .

1463 For the remaining three graph types, we make the following common observation: we know that
 1464 at least one row of the represents table R consists of a duad of frozen endpoints. Hence, to perform
 1465 an S -diminishing hop, remove the endpoint from a row with a duad such that (i) the removed
 1466 endpoint is in the subgraph G' and (ii) the other endpoint in the duad is frozen and must be in both
 1467 the vertex covers S and S' , and hence, not in the subgraph G' . Then, follow the sequence of remove
 1468 and freeze operations, i.e., the duadic hop w.r.t. S . For a singleton, we discussed that the hopping
 1469 stops after the removal of one endpoint. We now discuss the cases for the remaining graph types:

1470 • **Cycle:** When there is an even cycle consisting of c vertices, then an S -diminishing hop cannot
 1471 be carried on the even cycle. The cycle consists of $\frac{c}{2}$ vertices each from the vertex covers S
 1472 and S' . Hence, a hop simply changes the vertices but does not affect the count. Additionally,
 1473 an even cycle can only exist with another component in the graph G' . Without another
 1474 component, the existence of only an even cycle implies that the vertex covers S and S' are of
 1475 the same size, which contradicts our assumption. Hence, another component in G' must exist.

1476 When there is an odd cycle consisting of c vertices, then an S -diminishing hop exists. The
 1477 cycle consists of at least one vertex more from the vertex cover S than from the vertex cover
 1478 S' . Hence, an S -diminishing hop can begin at any row with a duad in the represents table R
 1479 such that one of the endpoints in the duad corresponds to a vertex from S in the cycle of G' .
 1480 Consequently, the S -diminishing hop removes each endpoint from table R that corresponds
 1481 to a vertex in S and freezes each endpoint that corresponds to a vertex in S' . The resultant
 1482 represents table R' consists of (one) fewer frozen endpoint than table R . Therefore, when S is
 1483 not a minimum vertex cover, an S -diminishing hop exists.

1484 • **Linear Chain:** A linear chain of even length cannot exist by itself without another component
 1485 in G' for reasons that are the same as even cycles. Hence, we focus our discussion on linear
 1486 chains of odd length. When the graph G' is (has) a linear chain of odd length, the linear chain
 1487 consists of at least one vertex more from the vertex cover S than from the vertex cover S' .
 1488 Hence, an S -diminishing hop can begin at any row with a duad in the represents table R such
 1489 that one of the endpoints in the duad corresponds to a vertex from S in the linear chain of G' .
 1490 Subsequently, the table R will become the same as table R' such that the endpoints removed
 1491 from R during the S -diminishing hop correspond to the vertices in G' that are from the vertex
 1492 cover S , and the endpoints frozen in R correspond to the vertices from the vertex cover S' .
 1493 Finally, the S -diminishing hop in the represents table R leads to a smaller number of frozen
 1494 endpoints, and in turn, a smaller vertex cover. Therefore, because S is not a minimum vertex
 1495 cover, the given table R has an S -diminishing hop.

1496 • **Tree:** When the graph G' is (has) a tree, it is necessarily a binary tree because it is derived
 1497 from a cubic graph G . The length of the longest path between at least one pair of leaf vertices
 1498 must be odd. An even-length only tree results in the same as an even cycle or linear chain. For
 1499 the odd case, an S -diminishing hop can begin at any row with a duad in the represents table R
 1500 such that one of the endpoints in the duad corresponds to a vertex from S . Subsequently, the
 1501 table R will become the same as table R' such that the endpoints removed from R correspond
 1502 to the vertices in G' from S , and the endpoints frozen correspond to the vertices from S' .

1503 In summary, for each graph type, the alternating vertices in the subgraph G' from the vertex
 1504 cover S and S' correspond to the removed and frozen endpoints in the table R , respectively. Hence,
 1505 the vertices in subgraph G' correspond to the sequence of endpoints that are removed and frozen, i.e.,
 1506 an S -duadic hop. The duadic hop is an S -diminishing hop because the number of endpoints removed
 1507 is greater than the number of endpoints frozen (across all components when even components are
 1508 present). Therefore, when S is not a minimum vertex cover, there exists an S -diminishing hop.

1509 This completes the other direction of the proof of correctness. In turn, it completes the overall
 1510 contrapositive proof that shows that S is the minimum-size vertex cover derivable from the represents
 1511 table R if and only if there is no S -diminishing hop in the represents table R . \square

1512 Theorem 7 is designed to hold for a cubic bridgeless graph G , which always consists of a perfect
 1513 matching (Theorem 3). However, if we are not given a cubic bridgeless graph, then the graph may
 1514 not consist of a perfect matching. Consequently, at least one vertex won't be listed as an endpoint
 1515 in the represents table R . Hence, the theorem that guarantees a minimum vertex cover does not
 1516 hold anymore. However, by design, we can generalize this result (for future use) by stating a new
 1517 corollary, which states that the vertex cover derived from the represents table R is the minimum-size
 1518 derivable from the endpoints listed in the represents table R . In other words, the vertex cover is the
 1519 minimum-size derivable from subset of vertices that are the endpoints of the edges in the maximum
 1520 matching found using the Blossom Algorithm during Phase I of the algorithm.

1521 **Corollary 1.** *Given a graph G , a corresponding represents table R and a vertex cover S (derived*
 1522 *using R), S is the minimum-size vertex cover derivable from the endpoints in represents table R if*
 1523 *and only if there is no S -diminishing hop in the represents table R .*

1524 *Proof.* A cubic bridgeless graph always consists of a perfect matching (Theorem 3). Hence, all
 1525 the vertices of a given graph are always listed as endpoints in the represents table R . Therefore,

1526 Theorem 7 guaranteed a minimum vertex cover. In other words, by design, an S -diminishing hop
 1527 finds the smallest vertex cover derivable from the endpoints in the represents table R . This implies
 1528 a minimum vertex cover when there exists a perfect matching, such as in a cubic bridgeless graph.
 1529 Therefore, when an arbitrary graph is given, this “generalized” corollary follows from Theorem 7. \square

1530 4.4 Summary

1531 The algorithm we discovered is a three-phase algorithm, which, when given a cubic bridgeless graph
 1532 G and a non-negative integer k , returns “**Yes**” if there is a vertex cover S of size at most k , and
 1533 “**No**” otherwise. The three phases are implemented sequentially (Figure 7):

1534 **I Find a Perfect Matching:** Given a cubic bridgeless graph G , use the Blossom Algorithm to
 1535 find a perfect matching of the graph.

1536 **II Populate Represents Table:** Create a BFS tree by seeding on the first vertex in a lexico-
 1537 graphically sorted list of vertices. Use the perfect matching and the BFS tree to execute an
 1538 augmented version of the 2-approximation algorithm for the vertex cover problem to populate a
 1539 novel data structure called the “represents table”. We also discussed operations and properties
 1540 of the represents table.

1541 **III Diminishing Hops:** The input to the third phase is the data structure represents table.
 1542 Foremost, assign a weighted number to each vertex (also known as an endpoint) in the table,
 1543 called the representation score ζ , which captures how well an endpoint is represented in the
 1544 table. Next, use the representation score ζ to freeze or remove each endpoint in the represents
 1545 table. The frozen endpoints correspond to a vertex cover. Finally, motivated by the use of
 1546 augmenting paths (a specific case of an alternating path) w.r.t. a given matching to find a
 1547 maximum matching, the third phase introduces diminishing hops (a specific case of a duadic
 1548 hop) w.r.t. a given vertex cover to find a minimum vertex cover.

1549 Overall, the combination of all these phases implies that we get an unconditional deterministic
 1550 polynomial-time algorithm for the vertex cover problem on cubic bridgeless graphs.

1551 5 Algorithm

1552 We now present the core contribution of this paper, an algorithm to solve the VC – CBG problem. In
 1553 the algorithm, all ties are broken and all ordering (sorting) of vertices is done based on lexicographic
 1554 ordering unless noted otherwise. The ordering does not impact the correctness but ensures that for
 1555 the same input, the output remains the same.

Algorithm 1: VERTEX_COVER(G, k)

Data: Cubic Bridgeless Graph $G = (V, E)$
 non-negative integer k

Result: returns **Yes** if there is a Vertex Cover S of size at most k , **No** otherwise

```

1:  $V_s =$  lexicographically sorted set of vertices
2: // PHASE I
3:  $M =$  a set of edges in a perfect matching found using the Blossom Algorithm [Edm65]
4: if  $k < |M|$  then
5:   | return No
6: end

7: // PHASE II
8:  $R =$  POPULATE_REPRESENTS_TABLE( $G, M, V_s$ )

9: // PHASE III
10:  $S =$  DIMINISHING_HOP_PHASE( $R$ )
11: if  $|S| \leq k$  then
12:   | return Yes
13: end
14: return No

```

Algorithm 2: POPULATE_REPRESENTS_TABLE(G, M, V_S)

Data: Cubic Bridgeless Graph $G = (V, E)$
Edges in Perfect Matching M
Lexicographically Sorted Vertices V_S

Result: returns Represents Table R

```
1:  $T$  = an array of arrays storing sorted vertices at each level of a breadth-first search tree
   seeded on the first vertex in  $V_S$ , and each vertex in  $T$  is marked unvisited // Table 1
2:  $R$  = a four-column table, Represents Table, that stores the endpoints of an edge selected
   during the for loop discussed below and the corresponding vertices each endpoint is
   connected to through an edge // Definition 14, Table 2
3: // The following loop traverses the BFS-tree table top-down
4: for each level in  $T$  do
5:     for each unvisited vertex  $u$  in level do
6:         if there exists an edge that connects vertex  $u$  with another vertex on the same level
           and the edge is in  $M$  then
7:             | select the edge
8:         else if there exists an edge that connects vertex  $u$  with another vertex on the next
           level and the edge is in  $M$  then
9:             | select the edge
10:        end
11:        Mark the two endpoints of the selected edge as visited in  $T$ 
12:        Insert a new row after the last row in  $R$ : the two endpoints of the selected edge and
           the respective vertices each endpoint is connected to through an edge
13:        Remove from graph  $G$  the selected edge and all the edges that are connected to the
           two endpoints
14:        If any vertex becomes edgeless in  $G$ , mark the vertex as visited in  $T$ 
15:    end
16: end
17: return  $R$ 
```

Algorithm 3: DIMINISHING_HOP_PHASE(R)

Data: Represents Table R
Result: returns a Minimum Vertex Cover S

```
1:  $S = \emptyset$ 
2: Augment the represents table  $R$  with two new columns corresponding to the two endpoints
   in each row
3: For each endpoint  $u$  in the represents table  $R$ , insert into the new columns of the table a
   representation score  $\zeta$  such that  $\zeta_u = -\infty$ 
4:  $R = \text{COMPUTE\_REPRESENTATION\_SCORE}(R)$ 
5:  $R, S = \text{VERTEX\_ELIMINATION}(R, S)$ 
6: for each integer  $a$  in  $[1, \frac{m}{2}]$  do
7:     |  $R, S = \text{DIMINISHING\_HOPS}(R, S)$ 
8: end
9: return  $S$ 
```

Algorithm 4: COMPUTE_REPRESENTATION_SCORE(R)

Data: Represents Table R

Result: returns Represents Table R with updated representation scores ζ

```
1: // The following loop traverses through the table  $R$  top-down
2: for each row in  $R$  do
3:   // The following loop executes exactly twice
4:   for each endpoint  $u$  in row do
5:     if  $u$  is frozen then
6:        $\zeta_u = -1$ 
7:       continue
8:     else if  $u$  is removed then
9:        $\zeta_u = -1$ 
10:      continue
11:    else
12:       $\zeta_u = 0$ 
13:      for each row $_j$  in  $R$  that is above row do
14:         $x, y =$  two endpoints in row $_j$ 
15:        //  $L_x$  denotes the list of endpoints that the endpoint  $x$  in row $_j$  represents
16:        if vertex  $u \in L_x$  then
17:           $\zeta_u = \zeta_u + \max(0, \zeta_y) + 1$ 
18:        else if vertex  $u \in L_y$  then
19:           $\zeta_u = \zeta_u + \max(0, \zeta_x) + 1$ 
20:        else
21:          do nothing
22:        end
23:      end
24:    end
25:  end
26: end
27: return  $R$ 
```

Algorithm 5: VERTEX_ELIMINATION(R, S)

Data: Represents Table R
Vertex Cover S

Result: returns updated Represents Table R , Vertex Cover S

```
1: // The following loop traverses through the table  $R$  bottom-up
2: for each row in  $R$  do
3:    $R =$  COMPUTE_REPRESENTATION_SCORE( $R$ )
4:   if both endpoints in row are either frozen or removed then
5:     continue
6:   else if endpoint  $u$  in row remains and endpoint  $v$  in row is frozen then
7:      $R, S =$  FREEZE_AND_REMOVE( $R, S, \emptyset, u$ ) //  $\emptyset$  denotes a null value
8:   else
9:     // at this point, both endpoints  $u$  and  $v$  in row are neither frozen nor removed, and
       represent exactly one endpoint, namely each other
10:    if  $\zeta_u \geq \zeta_v$  then
11:       $R, S =$  FREEZE_AND_REMOVE( $R, S, u, v$ )
12:    else
13:       $R, S =$  FREEZE_AND_REMOVE( $R, S, v, u$ )
14:    end
15:  end
16: end
17: return  $R, S$ 
```

Algorithm 6: FREEZE_AND_REMOVE(R, S, ψ, ω)

Data: Represents Table R
Vertex Cover S
Endpoint to be Frozen ψ
Endpoint to be Removed ω
Result: returns updated Represents Table R , Vertex Cover S

```
1: // Freeze Operation of Represents Table
2: Freeze endpoint  $\psi$  in  $R$ 
3: Append endpoint  $\psi$  to  $S$ 
4: Set the represents list  $L_\psi$  of endpoint  $\psi$  in  $R$  to null
5: Delist endpoint  $\psi$  from every represents list in  $R$ 
6: // Remove Operation of Represents Table
7: Remove endpoint  $\omega$  from  $R$ 
8: Remove endpoint  $\omega$  from  $S$  (if present)
9: for each non-frozen and unremoved endpoint  $u$  in  $R$  such that  $\omega \in L_u$  do
10: |  $R, S = \text{FREEZE\_AND\_REMOVE}(R, S, u, \emptyset)$ 
11: end
12: for each non-frozen and unremoved endpoint  $u$  in  $L_\omega$  do
13: |  $R, S = \text{FREEZE\_AND\_REMOVE}(R, S, u, \emptyset)$ 
14: end
15: Set the represents list  $L_\omega$  of endpoint  $\omega$  in  $R$  to null
16: return  $R, S$ 
```

Algorithm 7: DIMINISHING_HOPS(R, S)

Data: Represents Table R
Vertex Cover S
Result: returns a diminished or the same Represents Table R and
a smaller or same Vertex Cover S

```
1:  $\lambda = \emptyset$  // an array of endpoints (vertices) visited during diminishing hops
2:  $R_{diminished} = R$ 
3:  $S_{diminished} = S$ 
4: // The loop traverses through the table  $R$  top-down
5: for each row in  $R$  do
6: |  $R_{original} = R$ 
7: |  $S_{original} = S$ 
8: |  $\lambda_{original} = \lambda$ 
9: | // a duadic hop exists only if both endpoints  $u$  and  $v$  in row are frozen, and form a duad
10: | if both endpoints in row are frozen then
11: | | for each endpoint  $u$  in row do
12: | | |  $R, S, \lambda = \text{DUADIC\_HOP}(R, S, \emptyset, u, \lambda)$ 
13: | | | // this holds if the number of vertices removed > number of vertices frozen
14: | | | if  $|S| < |S_{diminished}|$  then
15: | | | |  $R_{diminished} = R$ 
16: | | | |  $S_{diminished} = S$ 
17: | | | |  $\lambda_{diminished} = \lambda$ 
18: | | | end
19: | | |  $R = R_{original}$ 
20: | | |  $S = S_{original}$ 
21: | | |  $\lambda = \lambda_{original}$ 
22: | | end
23: | |  $R = R_{diminished}$ 
24: | |  $S = S_{diminished}$ 
25: | |  $\lambda = \lambda_{diminished}$ 
26: | end
27: end
28: return  $R, S$ 
```

Algorithm 8: DUADIC_HOP($R, S, \psi, \omega, \lambda$)

Data: Represents Table R
Vertex Cover S
Endpoint to be Frozen ψ
Endpoint to be Removed ω
List of Visited Endpoints λ

Result: returns updated Represents Table R , Vertex Cover S , Visited Endpoint List λ

```
1: // During each execution of this algorithm, either  $\psi = \emptyset$  or  $\omega = \emptyset$ 
2: if  $\omega \neq \emptyset$  then
3:   if  $\omega \in \lambda$  then
4:     | return  $R, S, \lambda$ 
5:   end
6:   Add  $\omega$  to  $\lambda$ 
7:   Remove endpoint  $\omega$  from  $R$ 
8:   Remove endpoint  $\omega$  from  $S$ 
9:    $Q = \emptyset$  // a queue storing the endpoints to be frozen
10:  for each endpoint  $u$  in  $L_\omega$  do
11:    | if  $u \notin \lambda$  then
12:      | | Add  $u$  to  $\lambda$ 
13:      | | if  $u \notin S$  then
14:      | | |  $Q = Q \cup \{u\}$  // enqueue endpoint  $u$ 
15:      | | end
16:    | end
17:  end
18:  for each endpoint  $u$  in  $R$  such that  $\omega \in L_u$  do
19:    | if  $u \notin \lambda$  then
20:      | | Add  $u$  to  $\lambda$ 
21:      | | if  $u \notin S$  then
22:      | | |  $Q = Q \cup \{u\}$ 
23:      | | end
24:    | end
25:  end
26:  for each endpoint  $u$  in  $Q$  do
27:    |  $Q = Q \setminus \{u\}$  // dequeue endpoint  $u$ 
28:    |  $R, S, \lambda = \text{DUADIC\_HOP}(R, S, u, \emptyset, \lambda)$ 
29:  end
30: end
31: // the following condition will be true only when an endpoint has been removed
32: if  $\psi \neq \emptyset$  then
33:   Freeze endpoint  $\psi$  in  $R$ 
34:   Append endpoint  $\psi$  to  $S$ 
35:   // the following condition is equivalent to checking for the existence of a dual
36:    $u =$  the other endpoint that is in the same row of  $R$  as  $\psi$ 
37:   if  $u \in S$  then
38:     |  $R, S, \lambda = \text{DUADIC\_HOP}(R, S, \emptyset, u, \lambda)$ 
39:   end
40: end
41: return  $R, S, \lambda$ 
```

6 Proof of Correctness

We proved the relation between diminishing hops and minimum vertex cover in Section 4. Hence, showing that the algorithm successfully searches for diminishing hops, which, combined with already proven results, implies the correctness of the algorithm. Overall, we prove the following theorem:

Theorem 8. *Algorithm 1 returns Yes if and only if the given instance of VC – CBG is a Yes instance.*

More specifically, we prove the theorem through a sequence of lemmas. Foremost, in the reverse direction, we have the following lemma:

1564 **Lemma 4.** *If the given instance of VC – CBG is a **Yes** instance, then the Algorithm 1 returns **Yes**.*

1565 *Proof.* When the given instance of VC – CBG is a **Yes** instance, it implies that there is a vertex cover
 1566 S of size at most k ($|S| \leq k$). Additionally, it implies that $k \geq \frac{m}{2}$. This is because a cubic bridgeless
 1567 graph always consists of a perfect matching (Theorem 3), which means the size of a maximum
 1568 matching M (equivalently, a perfect matching for our paper) is $\frac{m}{2}$. Therefore, by Lemma 1, we
 1569 know that the size of a minimum vertex cover S' is $|S'| \geq |M|$, which means $|S'| \geq \frac{m}{2}$. Hence, each
 1570 vertex cover S in a set of vertex covers \mathcal{S} , $S \in \mathcal{S}$, will be of size $|S| \geq \frac{m}{2}$. Consequently, because

$$k \geq |S| \text{ and } |S| \geq \frac{m}{2}$$

1571 we know that

$$k \geq \frac{m}{2}$$

1572 Therefore, Line 5 of Algorithm 1 cannot return **No**.

1573 Next, by design, we know that Line 5 of Algorithm 3 consists of a vertex cover S . This is because
 1574 the operations of the represents table R are designed to ensure that the frozen endpoints in table R
 1575 correspond to a vertex cover (Theorem 4). Finally, at the end of the execution of the loop in Line
 1576 6 of Algorithm 3, the final vertex cover S in Line 7 of Algorithm 3 consists of a minimum vertex
 1577 cover because there is no S -diminishing hop in the given represents table (Theorem 7). This will be
 1578 returned by Line 9 of Algorithm 3. This implies that no vertex smaller than S can exist. Therefore,
 1579 if the given instance of VC – CBG is a **Yes** instance, then each vertex cover $S' \in \mathcal{S}$ that can be a
 1580 **Yes** instance must be of size greater than or equal to the minimum vertex cover and less than or
 1581 equal to k . Formally, $|S| \leq |S'| \leq k$. Hence, the condition in Line 11 of Algorithm 1 must be true
 1582 ($|S| \leq k$), which means Line 12 of Algorithm 1 must return **Yes**. The execution of Algorithm 1 will
 1583 never reach Line 14, and hence, it cannot return **No**. \square

1584 Next, in the forward direction, we have the following lemma:

1585 **Lemma 5.** *If the Algorithm 1 returns **Yes**, then the given instance of VC – CBG is a **Yes** instance.*

1586 *Proof.* If the Algorithm 1 returns **Yes**, then it can do so only if Line 12 of Algorithm 1 returns **Yes**.
 1587 This implies that Line 5 of Algorithm 1 cannot return **No**. Hence, the value of non-negative integer
 1588 k must be greater than the size of the perfect matching M found in Line 3 of Algorithm 1; formally,
 1589 $k \geq \frac{m}{2}$. This also implies that Lines 8 and 10 of Algorithm 1 must be executed, which are the two
 1590 main phases of the algorithm. We first discuss the execution of Line 8.

1591 **Line 8 of Algorithm 1 (Populate Represents Table):** The Line 8 of Algorithm 1 invokes
 1592 Algorithm 2. The output of Algorithm 2 is a data structure called the represents table R . Line 12
 1593 of Algorithm 2 inserts a new row to the table such that the endpoints of an edge selected in Lines
 1594 7 or 9 are listed. Because the algorithm only selects the edges that are in the perfect matching M
 1595 (Lines 6 or 8), it implies that the algorithm enlists endpoints of edges in a matching, which means
 1596 the endpoints form a vertex cover (Lemma 3). More specifically, in our case, the matching is a
 1597 perfect matching, and each perfect matching is a maximum matching, which in turn is a maximal
 1598 matching (Lemma 2). Hence, each vertex of graph G is listed as an endpoint in table R , which
 1599 trivially forms a vertex cover (Property 3). The Lines 1, 13, and 14 of Algorithm 2 are important
 1600 for the next phase as they ensure the table R has certain properties (Properties 1, 2, 4). The key
 1601 output of Algorithm 2 is that the endpoints of the resultant represents table R form a vertex cover.

1602 **Line 10 of Algorithm 1 (Diminishing Hop Phase):** The Line 10 of Algorithm 1 invokes
 1603 Algorithm 3 with the represents table R as its input. The first three lines of Algorithm 3 are
 1604 initialization steps that are consequential for the next lines. Hence, we do not discuss them. Line 4
 1605 of Algorithm 3 invokes Algorithm 4 (Compute Representation Score). Algorithm 4 assigns a score
 1606 to each endpoint. It does not alter the structure of the table or its endpoints and hence, it does not
 1607 need further discussion. Next, Line 5 of Algorithm 3 invokes Algorithm 5.

- 1608 • **Algorithm 5 (Vertex Elimination):** The overarching goal of this algorithm is to freeze or
 1609 remove each endpoint in the represents table R using the representation score such that the
 1610 frozen endpoints correspond to a vertex cover S such that $S \subset V$ (Property 4, Theorem 4)³⁷.

³⁷We leave the following discussion to future work: (i) how is the representation score used to decide whether to freeze or remove an endpoint and (ii) the guarantees on the upper bound of the number of endpoints being frozen. In particular, guarantees on the upper bound can be used to make the diminishing hops phase more efficient.

More specifically, Algorithm 5 traverses through the represents table R bottom-up. For each row, it recomputes the representation score by invoking Algorithm 4. Then, it carries out a sequence of freeze and remove operations while adhering to the properties of the represents table R . If both endpoints in a row of the table are frozen, then the algorithm does nothing. By design, both the endpoints in a row cannot be removed. If one of the endpoints in a row is frozen (and the other is neither frozen nor removed), then the other is removed (Line 7 of Algorithm 5 invokes Algorithm 6 (Freeze and Remove)). Next, if neither of the endpoints in a row is frozen or removed, one endpoint is frozen and the other one is removed based on the representation score (Line 11 or 13 of Algorithm 5 invokes Algorithm 6 as appropriate). Finally, the case when one endpoint is removed and the other is neither frozen nor removed cannot happen (by design). Hence, Algorithm 5 does not need to cover that case.

Algorithm 6 is specifically designed to freeze or remove an endpoint. When an endpoint ψ needs to be frozen, Algorithm 6 freezes the endpoint in table R (Line 2), adds it to the vertex cover S (Line 3), and updates the corresponding represents lists (Lines 4 and 5). Lines 4 and 5 set the represents list of endpoint ψ to null and remove the endpoint ψ from the represents lists of other endpoints, respectively. This operation denotes that the vertex ψ in the vertex cover S covers each edge that connects ψ to its neighbors. Next, when an endpoint ω needs to be removed, Algorithm 6 removes the endpoint from table R (Line 7), removes it from the vertex cover S (if present; Line 8), and freezes each endpoint it represents or it is represented by (Lines 9 to 14). The last set of operations denotes that the vertex ω is not in the vertex cover S , and hence, each of its neighbors must be in S to cover each edge connected to ω .

In summary, Algorithm 5, through Algorithm 6, carries out a deterministic sequence of freeze and remove operations such that each endpoint in the represents table R is either frozen or removed. Consequently, the frozen endpoints correspond to the vertices in a vertex cover S .

Finally, Line 7 of Algorithm 3 invokes Algorithm 7 for a total of $\frac{m}{2}$ times. Each iteration of an S -diminishing hop corresponds to one row of the represents table R .

- **Algorithm 7 (Diminishing Hops):** There are three aspects to be proven for Algorithm 7: (i) establish the relation between a vertex cover S and an S -diminishing hop, (ii) prove that the algorithm performs an S -diminishing hop when one exists, and (iii) $\frac{m}{2}$ calls to the algorithm ensures that there exists is no S -diminishing hop when it terminates. Theorem 7 already established that a vertex cover S is minimum if and only if there is no S -diminishing hop. Hence, it remains to be discussed that Algorithm 7 is an algorithm that uses S -duadic hops to search and perform an S -diminishing hop in the represents table R . Hence, when an S -diminishing hop does not exist, S is a minimum vertex cover.

Lemma 6. *Given a represents table R where each endpoint is either frozen or removed and a vertex cover S that corresponds to the frozen endpoints in the table R , Algorithm 7 is an algorithm to perform an S -diminishing hop if it exists.*

Proof. When Line 7 of Algorithm 3 invokes Algorithm 7, input to Algorithm 7 is a represents table R ³⁸ where each endpoint is either frozen or removed and a vertex cover S ³⁹. Note that during each iteration, the updated values of represents table R and the vertex cover S are passed. Line 1 of Algorithm 7 initializes an empty list that will store each endpoint that is visited during a hop. Lines 2 and 3 keep a record of the represents table R with the smallest number of frozen endpoints and of the smallest vertex cover S , respectively, during a given iteration. Line 5 ensures a top-down row-wise traversal of the represents table R . Lines 6 to 8 store the concerned data as it was when an iteration of the loop begins. This is needed because an S -duadic hop removes each of the two endpoints turn-wise to assess which one leads to an S -diminishing hop. Line 10 ensures the presence of a duad without which an S -duadic hop is not needed. Consequently, Line 11 does an S -duadic hop for each of the endpoints in a duad. Line 12 invokes Algorithm 8 (Duadic Hop). Line 14 assesses whether the vertex cover returned by Algorithm 8 (Duadic Hop) is smaller than the smallest one, and if so, updates the relevant variables (Lines 15-17). Lines 19 to 21 restore the relevant variables for the other endpoint of the duad to undergo a duadic hop. Lines 23 to 25 ensure that after each endpoint of the duad is traversed, the smallest vertex cover is used as input for the next row.

³⁸The represents list L_u for each endpoint u in table R is given in the table such that no endpoint is removed from any list. In other words, the represents list of each endpoint is the same as it was during the output of Algorithm 2. This information is needed to hop to different rows.

³⁹During each iteration, the values of R and S that are provided as inputs may be different.

Next, we mentioned that Line 12 of Algorithm 7 invokes Algorithm 8 (Duadic Hop). Its inputs are the represents table R , a vertex cover S , an endpoint to be frozen ψ , an endpoint to be removed ω , and a list of visited endpoints. By design, when Algorithm 8 is invoked, either ψ or ω will be null. An S -duadic hop always begins with the removal of an endpoint, as evident from Line 12 of Algorithm 7. Foremost, an endpoint ω can be removed only if it is not visited (Line 3). If the endpoint ω is marked as visited, it implies it was frozen during the removal of another endpoint in another row. If not visited, ω is now marked as visited (Line 6), removed from represents table R (Line 7), and removed from the vertex cover S (Line 8). A queue is maintained to ensure that for each endpoint ω that is removed, the endpoints that correspond to the neighboring vertices in the graph are marked as visited (if not already done so) and added to the queue if not already frozen (Lines 10 to 25). For each endpoint u in the queue, we hop from the row containing ω to the row containing u , which needs to be frozen (Lines 26 to 29). An endpoint ψ is frozen in table R (Line 33) and added to the vertex cover S (Line 34) only when an endpoint was removed earlier. Next, if the neighboring endpoint of ψ is in the vertex cover, it needs to be removed (if possible). Finally, an S -duadic hop will terminate only when removing or freezing an endpoint in a duad or in another row, respectively, is not possible. If the size of S decreases from the time when Line 12 of Algorithm 7 invoked Algorithm 8, then an S -duadic hop is an S -diminishing hop. \square

We proved that Algorithm 7, along with Algorithm 8, performs an S -diminishing hop when one exists. Next, we prove that $\frac{m}{2}$ calls by Algorithm 3 to Algorithm 7 guarantees that there is no S -diminishing hop when the loop in Algorithm 3 terminates.

Lemma 7. *Given a represents table R where each endpoint is either frozen or removed and a vertex cover S that corresponds to the frozen endpoints in the table R , it takes at most m^2 S -duadic hops to ensure that there is no S -diminishing hop.*

Proof. The proof for this lemma is divided into two parts: (i) to show the algorithm executes at most m^2 S -duadic hops, and (ii) an S -diminishing hop cannot exist after at most m^2 S -duadic hops.

(i) Line 7 of Algorithm 3 invokes Algorithm 7 $\frac{m}{2}$ times. Next, in the worst case, during each of the $\frac{m}{2}$ iterations, there can be at most $\frac{m}{2} - 1$ rows with a duad. Therefore, Line 12 of Algorithm 7 invokes Algorithm 8 at most $\frac{m}{2} \cdot 2 \cdot (\frac{m}{2} - 1) \approx m^2$ times. Finally, Algorithm 8 can call itself at most m times, which is not considered in this analysis because the recursive calls are part of an ongoing S -duadic hop, but not a new hop in itself. Hence, we showed that the algorithm executes at most m^2 S -duadic hops.

(ii) It remains to be proven that an S -diminishing hop cannot exist after at most m^2 S -duadic hops⁴⁰. Firstly, we know that at least one of the $2 \cdot (\frac{m}{2} - 1)$ S -duadic hops invoked in Line 12 of Algorithm 7 is an S -diminishing hop, assuming an S -diminishing hop exists. More specifically, if there exists an S -diminishing hop, then at least one of the endpoints in at least one of the rows with a duad will be removed such that the remaining frozen endpoints in the represents table R still form a vertex cover. Removal of such an endpoint during an S -duadic hop implies an S -diminishing hop. Next, in a given represents table R , there can be at most $\frac{m}{2} - 1$ rows consisting of a duad. Hence, each time Line 7 of Algorithm 3 invokes Algorithm 7, at least one row of the represents table R will become duad-less, again assuming an S -diminishing hop exists. In other words, each S -diminishing hop implies that the number of duads in the represents table R is decreasing (by at least one in the worst case)⁴¹. Therefore, in the worst case, after at most $\frac{m}{2}$ calls to Algorithm 7 and consequently, at most m^2 S -duadic hops, there cannot be an S -diminishing hop.

Overall, we showed that after $\frac{m}{2}$ iterations of Lines 6 to 8 in Algorithm 3, there cannot exist an S -diminishing hop in the represents table R . \square

⁴⁰The idea behind having $\frac{m}{2}$ iterations of Algorithm 7 is inspired by bubble sort. More specifically, in bubble sort, after each iteration, an element's position is fixed. Similarly, after each S -diminishing hop, the number of rows with a duad in the represents table R decreases by at least one.

⁴¹Alternate explanation: Line 7 of Algorithm 3 invokes Algorithm 7 $\frac{m}{2}$ times. Each iteration consists of $2 \cdot (\frac{m}{2} - 1)$ S -duadic hops invoked in Line 12 of Algorithm 7. Moreover, during each iteration, if an S -diminishing hop exists, then the number of duads goes down by at least one. Consequently, given that a given represents table R can have at most $\frac{m}{2} - 1$ rows with a duad to begin with, the $\frac{m}{2}$ invokes to Algorithm 7 by Algorithm 3 guarantees that an S -diminishing hop does not exist because either (i) the represents table R will have no rows with a duad or (ii) no possible S -duadic hop reduces the number of frozen endpoints in the represents table R .

In summary, we proved that Algorithm 7, along with Algorithm 8, is an algorithm (i) to perform an S -diminishing hop (Lemma 6) when one exists, (ii) that guarantees that no S -diminishing hop exists when it terminates after performing at most m^2 S -duadic hops across $\frac{m}{2}$ calls to Algorithm 7 by Algorithm 3 (Lemma 7), and (iii) that is based on the understanding that the non-existence of an S -diminishing hop means that S is a minimum vertex cover (Theorem 7).

After the termination of the loop in Line 8 of Algorithm 3, Line 9 of the algorithm returns a minimum vertex cover S to Line 10 of Algorithm 1 because there will be no S -diminishing hop (Lemma 6, Lemma 7, Theorem 7). This discussion effectively completes the proof of this lemma.

In summary, recall that we posited that for the Algorithm 1 to return **Yes**, Lines 8 and 10 of Algorithm 1 must be executed. We subsequently discussed the execution of these lines. We proved that for frozen endpoints in the resultant represents table R and the corresponding vertex cover S , there exists no S -diminishing hop after the execution of Line 10 of Algorithm 1. This implies that S is a minimum vertex cover (Theorem 7). Subsequently, when Line 12 of Algorithm 1 returns **Yes**, the given instance of VC – CBG must be a **Yes** instance. Hence, if Algorithm 1 returns **Yes**, then the given instance of VC – CBG is a **Yes** instance. This completes the proof in the forward direction. \square

The proofs of Lemma 4 and Lemma 5 complete both directions of the proof of correctness. Hence, this completes the proof of Theorem 8.

7 Time Complexity Analysis

In this section, we discuss the time complexity of the algorithm (Table 14, Table 15, Table 16, Table 17, Table 18, Table 19, Table 20, Table 21). Each table corresponds to each algorithm (ranging from Algorithm 1 to Algorithm 8). m denotes the number of vertices V and n denotes the number of edges E . However, for cubic graphs, we know that $n = \frac{3m}{2} = \mathcal{O}(m)$. Hence, for simplicity and in line with the literature, we compute time complexity with respect to m .

In each table, we give the complexity of each line (each operation), the complexity of the loop (complexity of line multiplied by the number of loop iterations) and the dominant complexity. For convenience, the beginning of a loop, specifically the number of loop iterations, is highlighted (e.g., **Line 4** in Table 15). Each statement within the loop is prefixed with a pointer (\blacktriangleright). In the case of nested loops, an additional pointer (\triangleright , $>$) is used. Whenever an algorithm calls another algorithm, the latter's worst-case time complexity becomes the former's line complexity, which is denoted by square brackets ([Table x]; e.g., Line 8 in Table 14).

Theorem 9. *The asymptotic running time of Algorithm 1 is $\mathcal{O}(m^5)$.*

Proof. Line 10 in Algorithm 1 dominates the complexity of all other lines as shown in Table 14. This dominant complexity is $\mathcal{O}(m^5)$. Hence, the time complexity of the entire algorithm is $\mathcal{O}(m^5)$. \square

Time Complexity of Algorithms with Recursive Calls: We elaborate upon the time complexity of Algorithm 6 (Table 19) and Algorithm 8 (Table 21) because the time complexity of the remainder of the algorithms is self-explanatory from the respective tables. Both of these algorithms consist of recursive calls that require discussion.

- Algorithm 6 has recursive calls in line 10 and line 13. However, by design, Algorithm 6 executes at most m times. This is because each time it is executed, at least one vertex is either removed or frozen. Hence, after at most m calls, no unfrozen or unremoved vertex will exist. Each call takes $\mathcal{O}(m)$ time. Overall, in the worst case, the height of the recursion tree is m and each level has one subproblem taking $\mathcal{O}(m)$. Thus, total complexity is $\mathcal{O}(m) \cdot \mathcal{O}(m) = \mathcal{O}(m^2)$.
- Algorithm 8 has recursive calls in line 28 and line 38. Again, by design, Algorithm 8 executes at most m times. This is because each time the algorithm is executed, at least one endpoint is marked as visited using the variable λ . Hence, in the worst case, if one endpoint is marked as visited during each call, then there can be at most m calls. After this, no unvisited endpoint will exist. Each call takes $\mathcal{O}(m^2)$ time. Thus, total complexity is $\mathcal{O}(m) \cdot \mathcal{O}(m^2) = \mathcal{O}(m^3)$. Notably, during each call, the algorithm never executes both, line 28 and line 38, together. This is by design as each hop within an S -duadic hop can either result in freezing of an endpoint or removal of an endpoint.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	$\mathcal{O}(m \cdot \log m)$	-	$\mathcal{O}(m \cdot \log m)$
2	-	-	$\mathcal{O}(m \cdot \log m)$
3	$\mathcal{O}(m^3)$	-	$\mathcal{O}(m^3)$
4	$\mathcal{O}(1)$	-	$\mathcal{O}(m^3)$
5	$\mathcal{O}(1)$	-	$\mathcal{O}(m^3)$
6	-	-	$\mathcal{O}(m^3)$
7	-	-	$\mathcal{O}(m^3)$
8	$\mathcal{O}(m^3)$ [Table 15]	-	$\mathcal{O}(m^3)$
9	-	-	$\mathcal{O}(m^3)$
10	$\mathcal{O}(m^5)$ [Table 16]	-	$\mathcal{O}(m^5)$
11	$\mathcal{O}(1)$	-	$\mathcal{O}(m^5)$
12	$\mathcal{O}(1)$	-	$\mathcal{O}(m^5)$
13	-	-	$\mathcal{O}(m^5)$
14	$\mathcal{O}(1)$	-	$\mathcal{O}(m^5)$

Table 14: Line wise time complexity of Algorithm 1. W.l.o.g., we assume the average length of vertex names is a constant and hence, ignore it in time complexity analysis of Line 1.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	$\mathcal{O}(m + m)$	-	$\mathcal{O}(m)$
2	$\mathcal{O}(1)$	-	$\mathcal{O}(m)$
3	-	-	$\mathcal{O}(m)$
4	$\mathcal{O}(1)$	$\mathcal{O}(m)$	$\mathcal{O}(m)$
5	$\mathcal{O}(1)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
6	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
7	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^3)$
8	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
9	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^3)$
10	-	-	$\mathcal{O}(m^3)$
11	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
12	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
13	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
14	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
15	-	-	$\mathcal{O}(m^3)$
16	-	-	$\mathcal{O}(m^3)$
17	$\mathcal{O}(1)$	-	$\mathcal{O}(m^3)$

Table 15: Line wise time complexity of Algorithm 2. A highlight denotes the number of loop iterations. A pointer (►) denotes that a line is within a loop. An additional pointer (▷) denotes a nested loop. Note that the BFS-tree is traversed at most m times (by design) but asymptotically it may traverse m^2 times. Hence, we keep the latter time complexity as it does not impact the overall complexity of the algorithm.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	$\mathcal{O}(1)$	-	$\mathcal{O}(1)$
2	$\mathcal{O}(1)$	-	$\mathcal{O}(1)$
3	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
4	$\mathcal{O}(m^2)$ [Table 17]	-	$\mathcal{O}(m^2)$
5	$\mathcal{O}(m^3)$ [Table 18]	-	$\mathcal{O}(m^3)$
6	$\mathcal{O}(1)$	$\mathcal{O}(m)$	$\mathcal{O}(m^3)$
7	$\mathcal{O}(m^4)$ [Table 20]	► $\mathcal{O}(m^5)$	$\mathcal{O}(m^5)$
8	-	-	$\mathcal{O}(m^5)$
9	$\mathcal{O}(1)$	-	$\mathcal{O}(m^5)$

Table 16: Line wise time complexity of Algorithm 3. A highlight denotes the number of loop iterations. A pointer (►) denotes that a line is within a loop.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	-	-	-
2	$\mathcal{O}(1)$	$\mathcal{O}(m)$	$\mathcal{O}(m)$
3	-	-	$\mathcal{O}(m)$
4	$\mathcal{O}(1)$	► $\mathcal{O}(m)$	$\mathcal{O}(m)$
5	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m)$	$\mathcal{O}(m)$
6	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m)$	$\mathcal{O}(m)$
7	-	-	$\mathcal{O}(m)$
8	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m)$	$\mathcal{O}(m)$
9	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m)$	$\mathcal{O}(m)$
10	-	-	$\mathcal{O}(m)$
11	-	-	$\mathcal{O}(m)$
12	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m)$	$\mathcal{O}(m)$
13	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
14	$\mathcal{O}(1)$	► ▷ > $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
15	-	-	$\mathcal{O}(m^2)$
16	$\mathcal{O}(1)$	► ▷ > $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
17	$\mathcal{O}(1)$	► ▷ > $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
18	$\mathcal{O}(1)$	► ▷ > $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
19	$\mathcal{O}(1)$	► ▷ > $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
20	-	-	$\mathcal{O}(m^2)$
21	-	-	$\mathcal{O}(m^2)$
22	-	-	$\mathcal{O}(m^2)$
23	-	-	$\mathcal{O}(m^2)$
24	-	-	$\mathcal{O}(m^2)$
25	-	-	$\mathcal{O}(m^2)$
26	-	-	$\mathcal{O}(m^2)$
27	$\mathcal{O}(1)$	-	$\mathcal{O}(m^2)$

Table 17: Line wise time complexity of Algorithm 4. A highlight denotes the number of loop iterations. A pointer (►) denotes that a line is within a loop. Each additional pointer (▷, >) denotes a nested loop.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	-	-	-
2	$\mathcal{O}(1)$	$\mathcal{O}(m)$	$\mathcal{O}(m)$
3	$\mathcal{O}(m^2)$ [Table 17]	► $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
4	$\mathcal{O}(1)$	► $\mathcal{O}(m)$	$\mathcal{O}(m^3)$
5	-	-	$\mathcal{O}(m^3)$
6	$\mathcal{O}(1)$	► $\mathcal{O}(m)$	$\mathcal{O}(m^3)$
7	$\mathcal{O}(m^2)$ [Table 19]	► $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
8	-	-	$\mathcal{O}(m^3)$
9	-	-	$\mathcal{O}(m^3)$
10	$\mathcal{O}(1)$	► $\mathcal{O}(m)$	$\mathcal{O}(m^3)$
11	$\mathcal{O}(m^2)$ [Table 19]	► $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
12	-	-	$\mathcal{O}(m^3)$
13	$\mathcal{O}(m^2)$ [Table 19]	► $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
14	-	-	$\mathcal{O}(m^3)$
15	-	-	$\mathcal{O}(m^3)$
16	-	-	$\mathcal{O}(m^3)$
17	$\mathcal{O}(1)$	-	$\mathcal{O}(m^3)$

Table 18: Line wise time complexity of Algorithm 5. A highlight denotes the number of loop iterations. A pointer (►) denotes that a line is within a loop.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	-	-	-
2	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
3	$\mathcal{O}(1)$	-	$\mathcal{O}(m)$
4	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
5	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
6	-	-	$\mathcal{O}(m)$
7	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
8	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
9	$\mathcal{O}(m)$	$\mathcal{O}(m)$	$\mathcal{O}(m)$
10	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
11	-	-	$\mathcal{O}(m^2)$
12	$\mathcal{O}(m)$	$\mathcal{O}(m)$	$\mathcal{O}(m^2)$
13	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
14	-	-	$\mathcal{O}(m^2)$
15	$\mathcal{O}(m)$	-	$\mathcal{O}(m^2)$
16	$\mathcal{O}(1)$	-	$\mathcal{O}(m^2)$

Table 19: Line wise time complexity of Algorithm 6. A highlight denotes the number of loop iterations. A pointer (►) denotes that a line is within a loop.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	$\mathcal{O}(1)$	-	$\mathcal{O}(1)$
2	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
3	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
4	-	-	$\mathcal{O}(m)$
5	$\mathcal{O}(1)$	$\mathcal{O}(m)$	$\mathcal{O}(m)$
6	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
7	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
8	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
9	-	-	$\mathcal{O}(m^2)$
10	$\mathcal{O}(1)$	► $\mathcal{O}(m)$	$\mathcal{O}(m^2)$
11	$\mathcal{O}(1)$	► $\mathcal{O}(m)$	$\mathcal{O}(m^2)$
12	$\mathcal{O}(m^3)$ [Table 21]	► ▷ $\mathcal{O}(m^4)$	$\mathcal{O}(m^4)$
13	-	-	$\mathcal{O}(m^4)$
14	$\mathcal{O}(1)$	► ▷ $\mathcal{O}(m)$	$\mathcal{O}(m^4)$
15	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
16	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
17	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
18	-	-	$\mathcal{O}(m^4)$
19	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
20	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
21	$\mathcal{O}(m)$	► ▷ $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
22	-	-	$\mathcal{O}(m^4)$
23	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
24	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
25	$\mathcal{O}(m)$	► $\mathcal{O}(m^2)$	$\mathcal{O}(m^4)$
26	-	-	$\mathcal{O}(m^4)$
27	-	-	$\mathcal{O}(m^4)$
28	$\mathcal{O}(1)$	-	$\mathcal{O}(m^4)$

Table 20: Line wise time complexity of Algorithm 7. A highlight denotes the number of loop iterations. A pointer (►) denotes that a line is within a loop. An additional pointer (▷) denotes a nested loop.

Line Number	Line complexity	Loop complexity	Dominant complexity
1	-	-	-
2	$\mathcal{O}(1)$	-	$\mathcal{O}(1)$
3	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
4	$\mathcal{O}(1)$	-	$\mathcal{O}(m)$
5	-	-	$\mathcal{O}(m)$
6	$\mathcal{O}(1)$	-	$\mathcal{O}(m)$
7	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
8	$\mathcal{O}(m)$	-	$\mathcal{O}(m)$
9	$\mathcal{O}(1)$	-	$\mathcal{O}(m)$
10	$\mathcal{O}(1)$	$\mathcal{O}(1)$	$\mathcal{O}(m)$
11	$\mathcal{O}(m)$	▶ $\mathcal{O}(m)$	$\mathcal{O}(m)$
12	$\mathcal{O}(1)$	▶ $\mathcal{O}(1)$	$\mathcal{O}(m)$
13	$\mathcal{O}(m)$	▶ $\mathcal{O}(m)$	$\mathcal{O}(m)$
14	$\mathcal{O}(m)$	▶ $\mathcal{O}(m)$	$\mathcal{O}(m)$
15	-	-	$\mathcal{O}(m)$
16	-	-	$\mathcal{O}(m)$
17	-	-	$\mathcal{O}(m)$
18	$\mathcal{O}(m)$	$\mathcal{O}(1)$	$\mathcal{O}(m)$
19	$\mathcal{O}(m)$	▶ $\mathcal{O}(m)$	$\mathcal{O}(m)$
20	$\mathcal{O}(1)$	▶ $\mathcal{O}(1)$	$\mathcal{O}(m)$
21	$\mathcal{O}(m)$	▶ $\mathcal{O}(m)$	$\mathcal{O}(m)$
22	$\mathcal{O}(m)$	▶ $\mathcal{O}(m)$	$\mathcal{O}(m)$
23	-	-	$\mathcal{O}(m)$
24	-	-	$\mathcal{O}(m)$
25	-	-	$\mathcal{O}(m)$
26	$\mathcal{O}(1)$	$\mathcal{O}(m)$	$\mathcal{O}(m)$
27	$\mathcal{O}(m)$	▶ $\mathcal{O}(m^2)$	$\mathcal{O}(m^2)$
28	$\mathcal{O}(m^2)$	▶ $\mathcal{O}(m^3)$	$\mathcal{O}(m^3)$
29	-	-	$\mathcal{O}(m^3)$
30	-	-	$\mathcal{O}(m^3)$
31	-	-	$\mathcal{O}(m^3)$
32	$\mathcal{O}(1)$	-	$\mathcal{O}(m^3)$
33	$\mathcal{O}(m)$	-	$\mathcal{O}(m^3)$
34	$\mathcal{O}(1)$	-	$\mathcal{O}(m^3)$
35	-	-	$\mathcal{O}(m^3)$
36	$\mathcal{O}(m)$	-	$\mathcal{O}(m^3)$
37	$\mathcal{O}(m)$	-	$\mathcal{O}(m^3)$
38	$\mathcal{O}(m^2)$	-	$\mathcal{O}(m^3)$
39	-	-	$\mathcal{O}(m^3)$
40	-	-	$\mathcal{O}(m^3)$
41	$\mathcal{O}(1)$	-	$\mathcal{O}(m^3)$

Table 21: Line wise time complexity of Algorithm 8. A highlight denotes the number of loop iterations. A pointer (▶) denotes that a line is within a loop.

8 Concluding Remarks

1762

1763 In this two-part study on the vertex cover problem on cubic bridgeless graphs (VC – CBG), we dis-
1764 covered that: (i) VC – CBG is NP-complete (Theorem 1) and (ii) VC – CBG ∈ P (Theorem 2)⁴². As a
1765 consequence of these two theorems combined with Proposition 1(c) in [Coo00], we get the following
1766 corollary:

1767 **Corollary 2.** P = NP.

⁴²Theorem 2 is proven via Theorem 8 (algorithm’s proof of correctness) and Theorem 9 (time complexity).

8.1 Additional Remarks

Practical Consequences + Ethical Implications: We presented a polynomial-time algorithm for an **NP**-complete problem. However, the problem space for this paper has been narrowed down to cubic bridgeless graphs (**VC** – **CBG**). Hence, the algorithm’s practical utility depends on how generalizable it is for various graph types. Moreover, even for the narrowed-down problem of **VC** – **CBG**, the time complexity is a higher-order polynomial. Therefore, the time complexity will only worsen for the general case (and in turn, for using the algorithm for other **NP**-complete problems). Hence, the practical impact of our work is (none to) limited until more efficient versions of the algorithm are found, for **VC** – **CBG**, for **VC** – **CG**, for **VC**, or for other **NP**-complete problems.

Given that we do not expect any immediate practical consequences of our work, we do not expect any ethical implications either. That said, our work may eventually lead to algorithms that, for example, may break certain variants of cryptography. Hence, we stress the need for a study to understand the immediate and long-term implications of the algorithm to various fields. This study should at least (i) provide appropriate quantification (e.g., how long is “long-term”, or what order of the polynomial is not “practical” for how big a size of data in which field) and (ii) suggest alternative solutions wherever applicable (e.g., use information-theoretic security).

Acknowledgement

Blank for now.

References

- [Aar16] Scott Aaronson. $P = \lim_{k \rightarrow \infty} NP_k$. *Open problems in mathematics*, pages 1–122, 2016.
- [ABLT06] Sanjeev Arora, Béla Bollobás, László Lovász, and Iannis Tourlakis. Proving integrality gaps without knowing the linear program. *Theory OF Computing*, 2:19–51, 2006.
- [AKS04] Manindra Agrawal, Neeraj Kayal, and Nitin Saxena. Primes is in P . *Annals of mathematics*, pages 781–793, 2004.
- [AKS11] Per Austrin, Subhash Khot, and Muli Safra. Inapproximability of vertex cover and independent set in bounded degree graphs. *Theory of Computing*, 7(1):27–43, 2011.
- [ALM⁺98] Sanjeev Arora, Carsten Lund, Rajeev Motwani, Madhu Sudan, and Mario Szegedy. Proof verification and the hardness of approximation problems. *Journal of the ACM (JACM)*, 45(3):501–555, 1998.
- [AS98] Sanjeev Arora and Shmuel Safra. Probabilistic checking of proofs: A new characterization of NP . *Journal of the ACM (JACM)*, 45(1):70–122, 1998.
- [AW09] Scott Aaronson and Avi Wigderson. Algebrization: A new barrier in complexity theory. *ACM Transactions on Computation Theory (TOCT)*, 1(1):1–54, 2009.
- [BBDL01] Therese C Biedl, Prosenjit Bose, Erik D Demaine, and Anna Lubiw. Efficient algorithms for Petersen’s matching theorem. *Journal of Algorithms*, 38(1):110–134, 2001.
- [Ber57] Claude Berge. Two theorems in graph theory. *Proceedings of the National Academy of Sciences*, 43(9):842–844, 1957.
- [BGS75] Theodore Baker, John Gill, and Robert Solovay. Relativizations of the $P = ? NP$ question. *SIAM Journal on computing*, 4(4):431–442, 1975.
- [BIP19] Peter Bürgisser, Christian Ikenmeyer, and Greta Panova. No occurrence obstructions in geometric complexity theory. *Journal of the American Mathematical Society*, 32(1):163–193, 2019.
- [BJS22] Marin Bougeret, Bart MP Jansen, and Ignasi Sau. Bridge-depth characterizes which minor-closed structural parameterizations of vertex cover admit a polynomial kernel. *SIAM Journal on Discrete Mathematics*, 36(4):2737–2773, 2022.
- [BLW86] Norman Biggs, E Keith Lloyd, and Robin J Wilson. *Graph Theory, 1736-1936*. Oxford University Press, 1986.

- 1815 [BM08] John Adrian Bondy and Uppaluri Siva Ramachandra Murty. *Graph theory*. Springer
1816 Publishing Company, Incorporated, 2008.
- 1817 [BW15] Samuel R Buss and Ryan Williams. Limits on alternation trading proofs for time–space
1818 lower bounds. *computational complexity*, 24:533–600, 2015.
- 1819 [CLRS16] Siu On Chan, James R Lee, Prasad Raghavendra, and David Steurer. Approximate con-
1820 straint satisfaction requires large lp relaxations. *Journal of the ACM (JACM)*, 63(4):1–
1821 22, 2016.
- 1822 [CLRS22] Thomas H Cormen, Charles E Leiserson, Ronald L Rivest, and Clifford Stein. *Introduc-*
1823 *tion to algorithms*. MIT press, 2022.
- 1824 [Cob65] Alan Cobham. The intrinsic computational difficulty of functions. In Yehoshua Bar-
1825 Hillel, editor, *Logic, methodology and philosophy of science*, pages 24–30. North-Holland
1826 Pub. Co., 1965.
- 1827 [Coo71] Stephen A Cook. The complexity of theorem-proving procedures. In *Proceedings of the*
1828 *third annual ACM symposium on Theory of computing*, pages 151–158, 1971.
- 1829 [Coo00] Stephen Cook. The p versus np problem. *Clay Mathematics Institute*, 2(6):3, 2000.
- 1830 [Coo03] Stephen Cook. The importance of the p versus np question. *Journal of the ACM (JACM)*,
1831 50(1):27–29, 2003.
- 1832 [CS12] Maria Chudnovsky and Paul Seymour. Perfect matchings in planar cubic graphs. *Com-*
1833 *binatorica*, 32(4):403–424, 2012.
- 1834 [CŽ24] Lorenzo Ciardo and Stanislav Živný. Semidefinite programming and linear equations
1835 vs. homomorphism problems. In *Proceedings of the 56th Annual ACM Symposium on*
1836 *Theory of Computing*, pages 1935–1943, 2024.
- 1837 [DF95] Rod G Downey and Michael R Fellows. Fixed-parameter tractability and completeness
1838 i: Basic results. *SIAM Journal on computing*, 24(4):873–921, 1995.
- 1839 [DF12] Rodney G Downey and Michael Ralph Fellows. *Parameterized complexity*. Springer
1840 Science & Business Media, 2012.
- 1841 [DGKR03] Irit Dinur, Venkatesan Guruswami, Subhash Khot, and Oded Regev. A new multilayered
1842 pcp and the hardness of hypergraph vertex cover. In *Proceedings of the thirty-fifth annual*
1843 *ACM symposium on Theory of computing*, pages 595–601, 2003.
- 1844 [Din07] Irit Dinur. The pcp theorem by gap amplification. *Journal of the ACM (JACM)*,
1845 54(3):12–es, 2007.
- 1846 [DIP20] Julian Dörfler, Christian Ikenmeyer, and Greta Panova. On geometric complexity theory:
1847 Multiplicity obstructions are stronger than occurrence obstructions. *SIAM Journal on*
1848 *Applied Algebra and Geometry*, 4(2):354–376, 2020.
- 1849 [DS05] Irit Dinur and Samuel Safra. On the hardness of approximating minimum vertex cover.
1850 *Annals of mathematics*, pages 439–485, 2005.
- 1851 [Edm65] Jack Edmonds. Paths, trees, and flowers. *Canadian Journal of mathematics*, 17:449–467,
1852 1965.
- 1853 [EK⁺12] Louis Esperet, František Kardoš, et al. A superlinear bound on the number of perfect
1854 matchings in cubic bridgeless graphs. *European Journal of Combinatorics*, 33(5):767–798,
1855 2012.
- 1856 [EKK⁺11] Louis Esperet, František Kardoš, Andrew King, Daniel Král’, and Sergey Norine.
1857 Exponentially many perfect matchings in cubic graphs. *Advances in Mathematics*,
1858 227(4):1646–1664, 2011.
- 1859 [EPL82] Jack Edmonds, WR Pulleyblank, and L Lovász. Brick decompositions and the matching
1860 rank of graphs. *Combinatorica*, 2:247–274, 1982.

- 1861 [EŠŠ⁺10] Louis Esperet, Petr Škoda, Riste Škrekovski, et al. An improved linear bound on the
1862 number of perfect matchings in cubic graphs. *European Journal of Combinatorics*,
1863 31(5):1316–1334, 2010.
- 1864 [Eul36] Leonhard Euler. Solutio problematis ad geometriam situs pertinentis. *Commentarii
1865 academiae scientiarum Petropolitanae*, pages 128–140, 1736.
- 1866 [Fei03] Uriel Feige. Vertex cover is hardest to approximate on regular graphs. *Technical Report
1867 MCS03–15*, 2003.
- 1868 [FFR97] Ralph Faudree, Evelyne Flandrin, and Zdeněk Ryjáček. Claw-free graphs—a survey.
1869 *Discrete Mathematics*, 164(1-3):87–147, 1997.
- 1870 [FGL⁺96] Uriel Feige, Shafi Goldwasser, László Lovász, Shmuel Safra, and Mario Szegedy. Inter-
1871 active proofs and the hardness of approximating cliques. *Journal of the ACM (JACM)*,
1872 43(2):268–292, 1996.
- 1873 [FMP⁺15] Samuel Fiorini, Serge Massar, Sebastian Pokutta, Hans Raj Tiwary, and Ronald De Wolf.
1874 Exponential lower bounds for polytopes in combinatorial optimization. *Journal of the
1875 ACM (JACM)*, 62(2):1–23, 2015.
- 1876 [For09] Lance Fortnow. The status of the p versus np problem. *Communications of the ACM*,
1877 52(9):78–86, 2009.
- 1878 [For21] Lance Fortnow. Fifty years of p vs. np and the possibility of the impossible. *Communi-
1879 cations of the ACM*, 65(1):76–85, 2021.
- 1880 [Gib85] Alan Gibbons. *Algorithmic graph theory*. Cambridge university press, 1985.
- 1881 [GJ02] Michael R Garey and David S Johnson. *Computers and intractability*, volume 29. wh
1882 freeman New York, 2002.
- 1883 [GJS74] Michael R Garey, David S Johnson, and Larry Stockmeyer. Some simplified np-complete
1884 problems. In *Proceedings of the sixth annual ACM symposium on Theory of computing*,
1885 pages 47–63, 1974.
- 1886 [GNW07] Jiong Guo, Rolf Niedermeier, and Sebastian Wernicke. Parameterized complexity of
1887 vertex cover variants. *Theory of Computing Systems*, 41:501–520, 2007.
- 1888 [GW24] Paweł Gawrychowski and Mateusz Wasylkiewicz. Finding perfect matchings in bridgeless
1889 cubic multigraphs without dynamic (2-) connectivity. In *32nd Annual European Sym-
1890 posium on Algorithms (ESA 2024)*, pages 59–1. Schloss Dagstuhl–Leibniz-Zentrum für
1891 Informatik, 2024.
- 1892 [Hal35] P Hall. On representatives of subsets. *Journal of the London Mathematical Society*,
1893 1(1):26–30, 1935.
- 1894 [Häs01] Johan Hästad. Some optimal inapproximability results. *Journal of the ACM (JACM)*,
1895 48(4):798–859, 2001.
- 1896 [IP17] Christian Ikenmeyer and Greta Panova. Rectangular kronecker coefficients and plethysms
1897 in geometric complexity theory. *Advances in Mathematics*, 319:40–66, 2017.
- 1898 [Kar72] Richard M Karp. Reducibility among combinatorial problems. In *Complexity of Com-
1899 puter Computations*, pages 85–103. Springer, 1972.
- 1900 [Kho02] Subhash Khot. On the power of unique 2-prover 1-round games. In *Proceedings of the
1901 thirty-fourth annual ACM symposium on Theory of computing*, pages 767–775, 2002.
- 1902 [Kho19] Subhash Khot. On the proof of the 2-to-2 games conjecture. *Current Developments in
1903 Mathematics*, 2019(1):43–94, 2019.
- 1904 [KMS23] Subhash Khot, Dor Minzer, and Muli Safra. Pseudorandom sets in grassmann graph
1905 have near-perfect expansion. *Annals of Mathematics*, 198(1):1–92, 2023.
- 1906 [Kon31] Denés König. Gráfok és mátrixok. matematikai és fizikai lapok, 38: 116–119, 1931.

- 1907 [KR08] Subhash Khot and Oded Regev. Vertex cover might be hard to approximate to within
1908 $2 - \epsilon$. *Journal of Computer and System Sciences*, 74(3):335–349, 2008.
- 1909 [KSS09] Daniel Král’, Jean-Sébastien Sereni, and Michael Stiebitz. A new lower bound on the
1910 number of perfect matchings in cubic graphs. *SIAM Journal on Discrete Mathematics*,
1911 23(3):1465–1483, 2009.
- 1912 [KT06] Jon Kleinberg and Eva Tardos. *Algorithm design*. Pearson Education India, 2006.
- 1913 [Lev73] Leonid Anatolevich Levin. Universal sequential search problems. *Problemy peredachi*
1914 *informatsii*, 9(3):115–116, 1973.
- 1915 [LP09] László Lovász and Michael D Plummer. *Matching theory*, volume 367. American Math-
1916 ematical Soc., 2009.
- 1917 [LRS15] James R Lee, Prasad Raghavendra, and David Steurer. Lower bounds on the size of
1918 semidefinite programming relaxations. In *Proceedings of the forty-seventh annual ACM*
1919 *symposium on Theory of computing*, pages 567–576, 2015.
- 1920 [LV99] Richard J Lipton and Anastasios Viglas. On the complexity of sat. In *40th Annual*
1921 *Symposium on Foundations of Computer Science (Cat. No. 99CB37039)*, pages 459–464.
1922 IEEE, 1999.
- 1923 [Min80] George J Minty. On maximal independent sets of vertices in claw-free graphs. *Journal*
1924 *of Combinatorial Theory, Series B*, 28(3):284–304, 1980.
- 1925 [MS01] Ketan D Mulmuley and Milind Sohoni. Geometric complexity theory i: An approach to
1926 the p vs. np and related problems. *SIAM Journal on Computing*, 31(2):496–526, 2001.
- 1927 [MS08] Ketan D Mulmuley and Milind Sohoni. Geometric complexity theory ii: Towards ex-
1928 plicit obstructions for embeddings among class varieties. *SIAM Journal on Computing*,
1929 38(3):1175–1206, 2008.
- 1930 [Mul99] Ketan Mulmuley. Lower bounds in a parallel model without bit operations. *SIAM*
1931 *Journal on Computing*, 28(4):1460–1509, 1999.
- 1932 [Mul11] Ketan D Mulmuley. On p vs. np and geometric complexity theory: Dedicated to sri
1933 ramakrishna. *Journal of the ACM (JACM)*, 58(2):1–26, 2011.
- 1934 [Mul12] Ketan D Mulmuley. The gct program toward the p vs. np problem. *Communications of*
1935 *the ACM*, 55(6):98–107, 2012.
- 1936 [MV80] Silvio Micali and Vijay V Vazirani. An $O(v + e)$ algorithm for finding maximum
1937 matching in general graphs. In *21st Annual symposium on foundations of computer*
1938 *science (Sfcs 1980)*, pages 17–27. IEEE, 1980.
- 1939 [Oum09] Sang-il Oum. Perfect matchings in claw-free cubic graphs. *arXiv preprint*
1940 *arXiv:0906.2261*, 2009.
- 1941 [Pan23] Greta Panova. Computational complexity in algebraic combinatorics, to appear in cur-
1942 rent developments in mathematics, 2023.
- 1943 [Pet91] Julius Petersen. Die theorie der regulären graphs. *Acta Mathematica*, 1891.
- 1944 [Raz85a] Alexander Razborov. Lower bounds on the monotone complexity of some boolean func-
1945 tion. In *Soviet Math. Dokl.*, volume 31, pages 354–357, 1985.
- 1946 [Raz85b] Alexander A Razborov. Lower bounds on monotone complexity of the logical permanent.
1947 *Mathematical Notes of the Academy of Sciences of the USSR*, 37:485–493, 1985.
- 1948 [Rel24] Kunal Relia. On efficient computation of dire committees. *arXiv preprint*
1949 *arXiv:2402.19365*, 2024.
- 1950 [Rot17] Thomas Rothvoß. The matching polytope has exponential extension complexity. *Journal*
1951 *of the ACM (JACM)*, 64(6):1–19, 2017.
- 1952 [RR94] Alexander A Razborov and Steven Rudich. Natural proofs. In *Proceedings of the twenty-*
1953 *sixth annual ACM symposium on Theory of computing*, pages 204–213, 1994.

- 1954 [Sbi80] Najiba Sbihi. Algorithme de recherche d'un stable de cardinalité maximum dans un
1955 graphe sans étoile. *Discrete Mathematics*, 29(1):53–76, 1980.
- 1956 [Tur36] Alan M Turing. On computable numbers, with an application to the entscheidungsprob-
1957 lem. *Proceedings of the London Mathematical Society*, 42(1):230–265, 1936.
- 1958 [Tur38] Alan M Turing. On computable numbers, with an application to the entscheidungsprob-
1959 lem. a correction. *Proceedings of the London Mathematical Society*, 2(1):544–546, 1938.
- 1960 [Tut47] William T Tutte. The factorization of linear graphs. *Journal of the London Mathematical
1961 Society*, 1(2):107–111, 1947.
- 1962 [Val79a] Leslie G Valiant. Completeness classes in algebra. In *Proceedings of the eleventh annual
1963 ACM symposium on Theory of computing*, pages 249–261, 1979.
- 1964 [Val79b] Leslie G Valiant. The complexity of computing the permanent. *Theoretical computer
1965 science*, 8(2):189–201, 1979.
- 1966 [Var10] Moshe Y Vardi. on p, np, and computational complexity. *Communications of the ACM*,
1967 53(11):5–5, 2010.
- 1968 [VL91] Jan Van Leeuwen. *Handbook of theoretical computer science (vol. A) algorithms and
1969 complexity*. Mit Press, 1991.
- 1970 [Voo79] Marc Voorhoeve. A lower bound for the permanents of certain (0, 1)-matrices. In
1971 *Indagationes Mathematicae (Proceedings)*, volume 82-1, pages 83–86. Elsevier, 1979.
- 1972 [Wes01] Douglas Brent West. *Introduction to graph theory*, volume 2. Pearson Prentice hall Upper
1973 Saddle River, 2001.
- 1974 [Wig06] Avi Wigderson. P, np and mathematics—a computational complexity perspective. In
1975 *Proceedings of the ICM*, volume 6, pages 665–712, 2006.
- 1976 [Wig09] Avi Wigderson. Knowledge, creativity and p versus np. URL <http://www.math.ias.edu/avi/PUBLICATIONS/MYPAPERS/AW09/AW09.pdf>. *Circulated manuscript*,
1977 2009.
1978
- 1979 [Wil14] Ryan Williams. Nonuniform acc circuit lower bounds. *Journal of the ACM (JACM)*,
1980 61(1):1–32, 2014.
- 1981 [Wil19] R Ryan Williams. Some estimated likelihoods for computational complexity. *Computing
1982 and Software Science: State of the Art and Perspectives*, pages 9–26, 2019.
- 1983 [Wil25] R Ryan Williams. Simulating time with square-root space. *arXiv preprint
1984 arXiv:2502.17779 (To appear STOC 25)*, 2025.
- 1985 [Yan88] Mihalis Yannakakis. Expressing combinatorial optimization problems by linear programs.
1986 In *Proceedings of the twentieth annual ACM symposium on Theory of computing*, pages
1987 223–228, 1988.

A Selection of Simple Connected Graphs

We hand-waved the selection of simple connected graphs for our study (e.g., see Footnotes 2 and 19). Hence, we extensively discuss why this selection was worthy of hand-waving rather than a deeper discussion. Consequently, we reiterate that all our results are unconditional⁴³.

Let us zoom out to discuss our choice of the graph used in this paper from the family of graphs (2-uniform hypergraphs). Foremost, it is clear by now that we use cubic bridgeless graphs. As is the norm in literature, all graphs are unweighted undirected finite graphs. Additionally, w.l.o.g., we stated that the considered graphs are simple connected graphs. We clarify the last choice.

Connected Graphs: We first discuss the requirement that graphs are connected.

- **Graph Theory:** The assumption on the graph being connected is standard in graph theory literature about papers on matching theory. For instance, Line 35 on Page Number 843 (just below Theorem 1) in [Ber57] assumes the graph to be connected. This is because in the context of such work (and our paper), a technique that works for one connected component implicitly works for each connected component of a given graph, and in turn, for the entire graph, assuming all components share the common properties. Hence, when a theorem holds for a connected component of a given graph, it implies that it holds for the entire graph.
- **Computational Complexity:** Our results in both parts of the paper hold when we have a connected graph. Hence, if an unconnected graph is given, our results will hold for each connected component of the graph. We simply need to take the union of the outcomes of each connected component to get the overall outcome. For instance, executing Lines 1 to 10 of Algorithm 1 for each connected component and eventually taking the union of the vertex covers S we get in Line 10 indeed results in a minimum vertex cover.

Simple Graphs: We now discuss the requirement that graphs are simple. A simple graph, by definition, is undirected.

- **Graph Theory:** If a matching theory (graph theory) result holds for general graphs, it implies it will hold for the special case of simple graphs. Hence, each known result we use in the paper holds for simple graphs, too. Our results are particularly designed to hold for simple graphs.
- **Computational Complexity:** From the computational complexity perspective, we discussed how VC – CBG can alternately be proven to be **NP**-complete by reducing from the VC on cubic simple graphs by using the same construction we discussed in Part I. Before that, the VC on cubic simple graphs can be proven to be **NP**-complete by reducing from VC – CG. More specifically, if the given graph is not simple, we first remove each multiple edge and each loop. Then, we add an edge to each vertex that has a degree less than three, such that the edge connects the vertex to a subgraph of five dummy vertices (Figure 12). This ensures the graph remains cubic while becoming simple. Each subgraph needs 3 vertices to form an MVC.




Figure 12: A subgraph of dummy vertices used to make a cubic graph simple.

In summary, in the context of this paper, all our computational complexity and graph-theoretic results hold when we use simple connected graphs. Overall, for the sake of completeness, the unconditional results in the paper use finite unweighted simple connected cubic bridgeless graphs.

⁴³The use (of variations) of the words “assume” and “trivial” in Footnotes 2 and 19 was bothersome. While their use in the context of the paper is appropriate, we add this discussion to the appendix to provide the reasons for our choice of simple connected graphs. This discussion reinforces that our results are indeed unconditional.